



### G6-80 HSW QR EC


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762</b>					
2116173498	G61B	165°F	74°C	Bronze	C\$ 172.11
<b>MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762</b>					
2116173495	G61BM	165°F	74°C	Bronze	C\$ 172.11
<b>MODEL G6 PLAIN COVERPLATES</b>					
6887211311	CG60B	135°F	57°C	Bronze	C\$ 66.03
6887211321	CG60C	135°F	57°C	Chrome	C\$ 47.34
6887211372	CG60W	135°F	57°C	White	C\$ 47.34
6887211390	CG60SP	135°F	57°C	Specialty	C\$ 68.85

6880101010      WG6      Requires Model G6 Sprinkler Wrench      C\$ 403.41

**Notes:**


Sprinkler and cover plates packaged and sold separately



## JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 173
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326</b>					
L192114198	JL112U1B	165°F	74°C	Bronze	C\$ 99.09
L192214198	JL112U1C	165°F	74°C	Chrome	C\$ 102.89
L192874198	JL112U1W	165°F	74°C	White	C\$ 102.89
L194114198	JL112U2B	212°F	100°C	Bronze	C\$ 99.09
L194214198	JL112U2C	212°F	100°C	Chrome	C\$ 102.89
L194874198	JL112U2W	212°F	100°C	White	C\$ 102.89
<b>MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326</b>					
L292114198	J112U1B	155°F	68°C	Bronze	C\$ 100.40
L292214198	J112U1C	155°F	68°C	Chrome	C\$ 104.14
L292874198	J112U1W	155°F	68°C	White	C\$ 104.14
L292104198	J112U1SS	155°F	68°C	Stainless Steel	C\$ 892.13
L294114198	J112U2B	200°F	93°C	Bronze	C\$ 100.40
L294214198	J112U2C	200°F	93°C	Chrome	C\$ 104.14
L294874198	J112U2W	200°F	93°C	White	C\$ 104.14
L294104198	J112U2SS	200°F	93°C	Stainless Steel	C\$ 892.13



## JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216</b>					
L172114198	JL112P1B	165°F	74°C	Bronze	C\$ 99.09
L172214198	JL112P1C	165°F	74°C	Chrome	C\$ 102.89
L172874198	JL112P1W	165°F	74°C	White	C\$ 102.89
L174114198	JL112P2B	212°F	100°C	Bronze	C\$ 99.09
L174214198	JL112P2C	212°F	100°C	Chrome	C\$ 102.89
L174874198	JL112P2W	212°F	100°C	White	C\$ 102.89
<b>MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216</b>					
L272114198	J112P1B	155°F	68°C	Bronze	C\$ 100.40
L272214198	J112P1C	155°F	68°C	Chrome	C\$ 104.14
L272874198	J112P1W	155°F	68°C	White	C\$ 104.14
L272104198	J112P1SS	155°F	68°C	Stainless Steel	C\$ 892.13
L274114198	J112P2B	200°F	93°C	Bronze	C\$ 100.40
L274214198	J112P2C	200°F	93°C	Chrome	C\$ 104.14
L274874198	J112P2W	200°F	93°C	White	C\$ 104.14
L274104198	J112P2SS	200°F	93°C	Stainless Steel	C\$ 892.13

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>					
6801030000	GF1LB	3/4" (20mm)		Bronze	C\$ 24.80
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 13.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 13.38
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	C\$ 78.80
<b>MODEL F2 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Bronze	C\$ 24.80
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 13.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 13.38
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON</b>					
6801402100	FPLC	3/4" (20mm)		Chrome	C\$ 25.79
6801407200	FPLW	3/4" (20mm)		White	C\$ 25.79
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	C\$118.18

6880090000 WJ1  
6880170032 WRJ

Upright & Pendent Requires Model J1 Sprinkler Wrench C\$162.31  
Rec Pendent Requires Model J112 Sprinkler Wrench C\$403.41



### F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



### F1FR EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 K 5.6 (80) THREADS 1/2" (15MM) RA2845</b>					
BB131130R9	F1FR56EC0B	135°F	57°C	Bronze	C\$ 75.38
BB132130R9	F1FR56EC0C	135°F	57°C	Chrome	C\$ 82.63
BB138730R9	F1FR56EC0W	135°F	57°C	White	C\$ 86.43
BB151130R9	F1FR56EC1B	155°F	68°C	Bronze	C\$ 75.38
BB152130R9	F1FR56EC1C	155°F	68°C	Chrome	C\$ 82.63
BB158730R9	F1FR56EC1W	155°F	68°C	White	C\$ 86.43
<b>MODEL F1FREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842</b>					
BJ13113998	F1FREC0LB	135°F	57°C	Bronze	C\$ 79.96
BJ13213998	F1FREC0LC	135°F	57°C	Chrome	C\$ 87.12
BJ13873998	F1FREC0LW	135°F	57°C	White	C\$ 94.04
BJ15113998	F1FREC1LB	155°F	68°C	Bronze	C\$ 79.96
BJ15213998	F1FREC1LC	155°F	68°C	Chrome	C\$ 87.12
BJ15873998	F1FREC1LW	155°F	68°C	White	C\$ 94.04
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	C\$ 24.80
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 13.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 13.38
6800880004	GF2LB	3/4" (20mm)		Bronze	C\$ 24.80
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 13.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 13.38
6800890004	GF2MB	10mm		Bronze	C\$ 24.80
6800890001	GF2MC	10mm		Chrome	C\$ 14.31
6800890005	GF2MW	10mm		White	C\$ 12.81
6880050100	WW2	Requires Model W2 Sprinkler Wrench			C\$ 133.95
6880060000	WGFR	For Recessed, Use Model GFR2			C\$ 404.99



### F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**



### F1FR-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-300 EC K5.6 (80) THREADS 1/2" (15MM) RA3045</b>					
BH131132R9	F1FR56EC0B3	135°F	57°C	Bronze	C\$ 80.23
BH132132R9	F1FR56EC0C3	135°F	57°C	Chrome	C\$ 86.57
BH138732R9	F1FR56EC0W3	135°F	57°C	White	C\$ 91.31
BH151132R9	F1FR56EC1B3	155°F	68°C	Bronze	C\$ 79.49
BH152132R9	F1FR56EC1C3	155°F	68°C	Chrome	C\$ 86.57
BH158732R9	F1FR56EC1W3	155°F	68°C	White	C\$ 90.45
<b>MODEL F1FR-300 EC K8.0 (115) THREADS 3/4" (20MM) R5942</b>					
BH13113998	F1FREC0LB3	135°F	57°C	Bronze	C\$ 82.99
BH13213998	F1FREC0LC3	135°F	57°C	Chrome	C\$ 90.45
BH13873998	F1FREC0LW3	135°F	57°C	White	C\$ 97.65
BH15113998	F1FREC1LB3	155°F	68°C	Bronze	C\$ 82.99
BH15213998	F1FREC1LC3	155°F	68°C	Chrome	C\$ 90.45
BH15873998	F1FREC1LW3	155°F	68°C	White	C\$ 97.65
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	C\$ 24.80
6800600001	GF1C	1/2" (15mm)		Chrome	C\$ 13.38
6800640001	GF1W	1/2" (15mm)		White	C\$ 13.38
6801030000	GF1LB	3/4" (20mm)		Bronze	C\$ 24.80
6801000000	GF1LC	3/4" (20mm)		Chrome	C\$ 13.38
6801040000	GF1LW	3/4" (20mm)		White	C\$ 13.38

6880050100	WW2	Requires Model W2 Sprinkler Wrench	C\$ 133.95
6880060000	WGFR	For Recessed, Use Model GFR2	C\$ 404.99



### FIFR-300 QREC-9 HORIZONTAL SIDEWALL

- K-Factor = 8.0 (115)
- **SIN RA5962**
- See Bulletin 159



### F1FR-300 RECESSED QREC-9

- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR EC9-300 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA5962</b>					
BH13113598	F1FREC90B3	135°F	57°C	Bronze	C\$ 77.09
BH13213598	F1FREC90C3	135°F	57°C	Chrome	C\$ 81.83
BH13873598	F1FREC90W3	135°F	57°C	White	C\$ 86.97
BH15113598	F1FREC91B3	155°F	68°C	Bronze	C\$ 77.09
BH15213598	F1FREC91C3	155°F	68°C	Chrome	C\$ 81.83
BH15873598	F1FREC91W3	155°F	68°C	White	C\$ 86.97
BH17113598	F1FREC95B3	175°F	79°C	Bronze	C\$ 77.09
BH17213598	F1FREC95C3	175°F	79°C	Chrome	C\$ 81.83
BH17873598	F1FREC95W3	175°F	79°C	White	C\$ 86.97
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Bronze	C\$ 24.80
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 13.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 13.38

6880050100	WW2	Requires Model W2 Sprinkler Wrench	C\$ 133.95
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	C\$ 404.99



### F1FR56 QREC EC8

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



### F1FR QREC EC9

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 EC8 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA2865</b>					
BD131130R9	F1FR56EC80B	135°F	57°C	Bronze	C\$ 68.46
BD132130R9	F1FR56EC80C	135°F	57°C	Chrome	C\$ 72.74
BD138730R9	F1FR56EC80W	135°F	57°C	White	C\$ 78.04
BD151130R9	F1FR56EC81B	155°F	68°C	Bronze	C\$ 68.46
BD152130R9	F1FR56EC81C	155°F	68°C	Chrome	C\$ 72.74
BD158730R9	F1FR56EC81W	155°F	68°C	White	C\$ 78.04
BD171130R9	F1FR56EC85B	175°F	79°C	Bronze	C\$ 68.46
BD172130R9	F1FR56EC85C	175°F	79°C	Chrome	C\$ 72.74
BD178730R9	F1FR56EC85W	175°F	79°C	White	C\$ 78.04
<b>MODEL F1FR EC9 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4862</b>					
BK13113598	F1FREC90B	135°F	57°C	Bronze	C\$ 73.45
BK13213598	F1FREC90C	135°F	57°C	Chrome	C\$ 78.04
BK13873598	F1FREC90W	135°F	57°C	White	C\$ 82.98
BK15113598	F1FREC91B	155°F	68°C	Bronze	C\$ 73.45
BK15213598	F1FREC91C	155°F	68°C	Chrome	C\$ 78.04
BK15873598	F1FREC91W	155°F	68°C	White	C\$ 82.98
BK17113598	F1FREC95B	175°F	79°C	Bronze	C\$ 73.45
BK17213598	F1FREC95C	175°F	79°C	Chrome	C\$ 78.04
BK17873598	F1FREC95W	175°F	79°C	White	C\$ 82.98
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	C\$ 24.80
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 13.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 13.38
6800880004	GF2LB	3/4" (20mm)		Bronze	C\$ 24.80
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 13.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 13.38
6800890004	GF2MB	10mm		Bronze	C\$ 24.80
6800890001	GF2MC	10mm		Chrome	C\$ 14.31
6800890005	GF2MW	10mm		White	C\$ 12.81

6880050100	WW2	Requires Model W2 Sprinkler Wrench	C\$ 133.95
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	C\$ 404.99



### F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

### F1FR QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 151

### F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- SIN RA3045
- See Bulletin 030
- **300 PSI**

### F1FR-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 167
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 EC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845</b>					
BM131730R9	F1FR56CE0	135°F	57°C	Bronze	C\$ 64.72
BM151730R9	F1FR56CE1	155°F	68°C	Bronze	C\$ 64.72
<b>MODEL F1FR EC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842</b>					
BM13173998	F1FRCEL0	135°F	57°C	Bronze	C\$ 63.59
BM15173998	F1FRCEL1	155°F	68°C	Bronze	C\$ 63.59
<b>MODEL F1FR56-300 EC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045</b>					
BH131730R9	F1FR56CE03	135°F	57°C	Bronze	C\$ 67.20
BH151730R9	F1FR56CE13	155°F	68°C	Bronze	C\$ 67.20
<b>MODEL F1FR-300 EC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942</b>					
BH13173998	F1FRCE0L3	135°F	57°C	Bronze	C\$ 67.20
BH15173998	F1FRCE1L3	155°F	68°C	Bronze	C\$ 67.20
<b>REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	C\$ 110.08
6887161318	CCP0W76	135°F	57°C	White	C\$ 42.89
<b>REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT</b>					
6887171321	CCP05C76	135°F	57°C	Chrome	C\$ 110.08
6887171318	CCP05W76	135°F	57°C	White	C\$ 42.89
6887171390	CCP05SP76	135°F	57°C	Specialty	C\$ 72.04

6880100000      WRC      Requires Model RC1 Sprinkler Wrench      C\$ 404.99

**Notes:**

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately





**DH56**

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



**DH56 CONCEALED**

**DH56 CNC**

- SIN RA1564
- See Bulletin 015

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564</b>					
BU15113299	DH561B	155°F	68°C	Bronze	C\$ 81.66
BU15213299	DH561C	155°F	68°C	Chrome	C\$ 89.56
BU15873299	DH561W	155°F	68°C	White	C\$ 89.56
BU20113299	DH562B	200°F	93°C	Bronze	C\$ 81.66
BU20213299	DH562C	200°F	93°C	Chrome	C\$ 89.56
BU20873299	DH562W	200°F	93°C	White	C\$ 89.56
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	C\$ 24.80
6800800000	GF2C	1/2" (15mm)		Chrome	C\$ 13.38
6800840000	GF2W	1/2" (15mm)		White	C\$ 13.38

<b>MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564</b>					
BT15173299	DH56C1	155°F	68°C	Bronze	C\$ 86.92
BT20173299	DH56C2	200°F	93°C	Bronze	C\$ 86.92
<b>REQUIRED SWC COVERPLATE</b>					
6887131318	CHWNS	135°F	57°C	White	C\$ 44.35
6887131618	CHWNS1	165°F	74°C	White	C\$ 44.35

6880060000      WGFR      Requires Model GFR2 Sprinkler Wrench      C\$ 404.99

**Notes:**

Sprinkler and cover plates sold and packaged separately





### DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



### DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362</b>					
BU15113998	DH1B	155°F	68°C	Bronze	C\$ 87.87
BU15213998	DH1C	155°F	68°C	Chrome	C\$ 94.94
BU15873998	DH1W	155°F	68°C	White	C\$ 94.94
<b>FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)</b>					
6801402100	FPLC	3/4" (20mm)		Chrome	C\$ 25.79
6801407200	FPLW	3/4" (20mm)		White	C\$ 25.79
<b>MODEL F2 RECESSED ESCUTCHEON &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	3/4" (20mm)		Bronze	C\$ 24.80
6800880001	GF2LC	3/4" (20mm)		Chrome	C\$ 13.38
6800880005	GF2LW	3/4" (20mm)		White	C\$ 13.38
<b>MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362</b>					
BT15173998	DHC1	155°F	68°C	Bronze	C\$ 93.23
<b>MODEL SWC-NS COVERPLATE</b>					
6887131318	CHWNS	135°F	57°C	White	C\$ 44.35
6880060000	WGFR	Requires Model GFR2 Sprinkler Wrench			C\$ 404.99

**Notes:**

Sprinkler and coverplates sold and packaged separately



**G4 XLO-QR  
 ECLH/ECOH**

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

**NEW**



**KFR-CCS  
 Combustible  
 Concealed Space**

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G4XLO K11.2 (160) THREADS 3/4" (20MM) R7146</b>					
1716174198	G4XLO	165°F	74°C	Bronze	C\$ 98.35
<b>MODEL G5 COVER PLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	C\$ 47.34
6887271372	CG50W	135°F	57°C	White	C\$ 47.34
6887271311	CG50B	135°F	57°C	Bronze	C\$ 65.09
6887271374	CG50OW	135°F	57°C	Off-White	C\$ 64.39
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 64.56
6887271316	CG50FB	135°F	57°C	Black Painted	C\$ 64.48
6887271367	CG50BP	135°F	57°C	Black Plated	C\$ 78.80
6887271305	CG50BB	135°F	57°C	Bright Brass	C\$ 78.80
6887271323	CG50CD	135°F	57°C	Satin Chrome	C\$ 78.80
6887271310	CG50SS	135°F	57°C	Stainless Steel	C\$ 78.80
6887271321	CG50C	135°F	57°C	Chrome	C\$ 47.34
6887271372	CG50W	135°F	57°C	White	C\$ 47.34
6887271390	CG50SP	135°F	57°C	Specialty	C\$ 64.56

6880170000      WG4      Requires Model G4 Sprinkler Wrench      C\$ 403.41

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454</b>					
MN211132R9	KFRCCS	212°F	100°C	Bronze	C\$ 89.50

6880050100      WW2      Requires Model W2 Sprinkler Wrench      C\$ 133.95



**SWC QREC**

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962</b>					
BM13173498	CEC9	135°F	57°C	Bronze	C\$ 76.76
BM15173498	CEC91	155°F	68°C	Bronze	C\$ 76.76
<b>MODEL SWC-NS COVERPLATES</b>					
6887131318	CHWNS	135°F	57°C	White	C\$ 44.35
6887131390	CHSPNS	135°F	57°C	Specialty	C\$ 66.50

6880060000      WGFR      Requires Model GFR2 Wrench      C\$ 404.99

**Notes:**

Covers can not be plated - only painted.  
 Sprinkler and coverplates sold and packaged separately



### GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553</b>					
0116114598	GFRUV1B	165°F	74°C	Bronze	C\$ 150.54
0116214598	GFRUV1C	165°F	74°C	Chrome	C\$ 156.50
0121114598	GFRUV2B	212°F	100°C	Bronze	C\$ 150.54
0121214598	GFRUV2C	212°F	100°C	Chrome	C\$ 156.50

6880070000 WH Requires Model H Sprinkler Wrench C\$ 162.31

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043</b>					
FB16114598	GFRPV1B	165°F	74°C	Bronze	C\$ 113.04
FB16214598	GFRPV1C	165°F	74°C	Chrome	C\$ 117.58
FB16874598	GFRPV1W	165°F	74°C	White	C\$ 122.63
FB21114598	GFRPV2B	212°F	100°C	Bronze	C\$ 113.04
FB21214598	GFRPV2C	212°F	100°C	Chrome	C\$ 117.58
FB21874598	GFRPV2W	212°F	100°C	White	C\$ 122.63

6880070000 WH Requires Model H Sprinkler Wrench C\$ 162.31  
 6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing C\$ 212.73



### GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160

\*Recessing available.



### MBEC-14

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932</b>					
4816114597	MB1B	165°F	74°C	Bronze	C\$ 120.67
4816214597	MB1C	165°F	74°C	Chrome	C\$ 138.42
4816874597	MB1W	165°F	74°C	White	C\$ 138.42
4821114597	MB2B	212°F	100°C	Bronze	C\$ 120.67
4821214597	MB2C	212°F	100°C	Chrome	C\$ 138.42
4821874597	MB2W	212°F	100°C	White	C\$ 138.42
6880070000	WH	Requires Model H Sprinkler Wrench			C\$ 162.31