



### F1FR 56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA1425**
- See Bulletin 014



### F1FR LO UPRIGHT

- K-Factor = 8.0 (115)
- **SIN R3622**
- See Bulletin 136

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA1425</b>					
BA131132R9	F1FR56U0B	135°F	57°C	Bronze	\$ 48.69
BA132132R9	F1FR56U0C	135°F	57°C	Chrome	\$ 53.64
BA138732R9	F1FR56U0W	135°F	57°C	White	\$ 57.86
BA151132R9	F1FR56U1B	155°F	68°C	Bronze	\$ 48.69
BA152132R9	F1FR56U1C	155°F	68°C	Chrome	\$ 53.64
BA158732R9	F1FR56U1W	155°F	68°C	White	\$ 57.86
BA171132R9	F1FR56U5B	175°F	79°C	Bronze	\$ 48.69
BA172132R9	F1FR56U5C	175°F	79°C	Chrome	\$ 53.64
BA178732R9	F1FR56U5W	175°F	79°C	White	\$ 57.86
BA201132R9	F1FR56U2B	200°F	93°C	Bronze	\$ 48.69
BA202132R9	F1FR56U2C	200°F	93°C	Chrome	\$ 53.64
BA208732R9	F1FR56U2W	200°F	93°C	White	\$ 57.86
BA281132R9	F1FR56U3B	286°F	141°C	Bronze	\$ 48.69
BA282132R9	F1FR56U3C	286°F	141°C	Chrome	\$ 53.64
BA288732R9	F1FR56U3W	286°F	141°C	White	\$ 57.86
<b>MODEL F1FR LO UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R3622</b>					
B113113498	F1FRU0LB	135°F	57°C	Bronze	\$ 59.21
B113213498	F1FRU0LC	135°F	57°C	Chrome	\$ 66.80
B113873498	F1FRU0LW	135°F	57°C	White	\$ 68.33
B115113498	F1FRU1LB	155°F	68°C	Bronze	\$ 59.21
B115213498	F1FRU1LC	155°F	68°C	Chrome	\$ 66.80
B115873498	F1FRU1LW	155°F	68°C	White	\$ 68.33
B117113498	F1FRU5LB	175°F	79°C	Bronze	\$ 59.21
B117213498	F1FRU5LC	175°F	79°C	Chrome	\$ 66.80
B117873498	F1FRU5LW	175°F	79°C	White	\$ 68.33
B120113498	F1FRU2LB	200°F	93°C	Bronze	\$ 59.21
B120213498	F1FRU2LC	200°F	93°C	Chrome	\$ 66.80
B120873498	F1FRU2LW	200°F	93°C	White	\$ 68.33
B128113498	F1FRU3LB	286°F	141°C	Bronze	\$ 59.21
B128213498	F1FRU3LC	286°F	141°C	Chrome	\$ 66.80
B128873498	F1FRU3LW	286°F	141°C	White	\$ 68.33

6880050100      WW2      Requires Model W2 Sprinkler Wrench      \$ 103.14



### F1FR 28 UPRIGHT

- K-Factor = 2.8 (40)
- **SIN RA1421**
- See Bulletin 014



### F1FR 42 UPRIGHT

- K-Factor = 4.2 (60)
- **SIN RA1423**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR UPRIGHT K2.8 (40) THREADS 1/2" (15MM) RA1421</b>					
BA151124S9	F1FR28U1BN	155°F	68°C	Bronze	\$ 63.01
BA152124S9	F1FR28U1CN	155°F	68°C	Chrome	\$ 67.96
BA158724S9	F1FR28U1WN	155°F	68°C	White	\$ 70.20
BA171124S9	F1FR28U5N	175°F	79°C	Bronze	\$ 63.01
BA172124S9	F1FR28U5CN	175°F	79°C	Chrome	\$ 67.96
BA178724S9	F1FR28U5WN	175°F	79°C	White	\$ 68.93
BA201124S9	F1FR28U2BN	200°F	93°C	Bronze	\$ 63.01
BA202124S9	F1FR28U2CN	200°F	93°C	Chrome	\$ 67.96
BA208724S9	F1FR28U2WN	200°F	93°C	White	\$ 70.20
BA281124S9	F1FR28U3BN	286°F	141°C	Bronze	\$ 63.01
BA282124S9	F1FR28U3CN	286°F	141°C	Chrome	\$ 67.96
BA288724S9	F1FR28U3WN	286°F	141°C	White	\$ 70.20
<b>MODEL F1FR UPRIGHT K 4.2 (60) THREAD 1/2" (15MM) RA1423</b>					
BA131128S9	F1FR42U0BN	135°F	57°C	Bronze	\$ 63.01
BA132128S9	F1FR42U0CN	135°F	57°C	Chrome	\$ 67.96
BA138728S9	F1FR42U0WN	135°F	57°C	White	\$ 70.20
BA151128S9	F1FR42U1BN	155°F	68°C	Bronze	\$ 63.01
BA152128S9	F1FR42U1CN	155°F	68°C	Chrome	\$ 67.96
BA158728S9	F1FR42U1WN	155°F	68°C	White	\$ 70.20
BA171128S9	F1FR42U5BN	175°F	79°C	Bronze	\$ 63.01
BA172128S9	F1FR42U5CN	175°F	79°C	Chrome	\$ 67.96
BA178728S9	F1FR42U5WN	175°F	79°C	White	\$ 70.20
BA201128S9	F1FR42U2BN	200°F	93°C	Bronze	\$ 63.01
BA202128S9	F1FR42U2CN	200°F	93°C	Chrome	\$ 67.96
BA208728S9	F1FR42U2WN			White	\$ 70.20
BA281128S9	F1FR42U3BN	286°F	141°C	Bronze	\$ 63.01
BA282128S9	F1FR42U3CN	286°F	141°C	Chrome	\$ 67.96
BA288728S9	F1FR42U3WN	286°F	141°C	White	\$ 70.20

6880050100	WW2	Requires Model W2 Sprinkler Wrench	\$ 103.14
------------	-----	------------------------------------	-----------



### F1FR56-300 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA2625**
- See Bulletin 026



### F1FR-300 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN R5622**
- See Bulletin 156

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) 300PSI RA2625</b>					
BF131132R9	F1FR56U0B3	155°F	68°C	Bronze	\$ 51.17
BF132132R9	F1FR56U0C3	135°F	57°C	Chrome	\$ 56.32
BF138732R9	F1FR56U0W3	135°F	57°C	White	\$ 59.62
BF151132R9	F1FR56U1B3	155°F	68°C	Bronze	\$ 51.17
BF152132R9	F1FR56U1C3	155°F	68°C	Chrome	\$ 56.32
BF158732R9	F1FR56U1W3	155°F	68°C	White	\$ 60.72
BF171132R9	F1FR56U5B3	175°F	79°C	Bronze	\$ 51.17
BF172132R9	F1FR56U5C3	175°F	79°C	Chrome	\$ 56.32
BF178732R9	F1FR56U5W3	175°F	79°C	White	\$ 60.72
BF201132R9	F1FR56U2B3	200°F	93°C	Bronze	\$ 51.17
BF202132R9	F1FR56U2C3	200°F	93°C	Chrome	\$ 56.32
BF208732R9	F1FR56U2W3	200°F	93°C	White	\$ 60.72
BF281132R9	F1FR56U3B3	286°F	141°C	Bronze	\$ 51.17
BF282132R9	F1FR56U3C3	286°F	141°C	Chrome	\$ 56.32
BF288732R9	F1FR56U3W3	286°F	141°C	White	\$ 60.72
<b>MODEL F1FR UPRIGHT K8.0 (115) THREADS 3/4" (20MM) 300PSI R5622</b>					
BF13113498	F1FRU0LB3	135°F	57°C	Bronze	\$ 62.07
BF13213498	F1FRU0LC3	135°F	57°C	Chrome	\$ 70.34
BF13873498	F1FRU0LW3	135°F	57°C	White	\$ 70.34
BF15113498	F1FRU1LB3	155°F	68°C	Bronze	\$ 62.07
BF15213498	F1FRU1LC3	155°F	68°C	Chrome	\$ 70.34
BF15873498	F1FRU1LW3	155°F	68°C	White	\$ 70.34
BF17113498	F1FRU5LB3	175°F	79°C	Bronze	\$ 62.07
BF17213498	F1FRU5LC3	175°F	79°C	Chrome	\$ 70.34
BF17873498	F1FRU5LW3	175°F	79°C	White	\$ 70.34
BF20113498	F1FRU2LB3	200°F	93°C	Bronze	\$ 62.07
BF20213498	F1FRU2LC3	200°F	93°C	Chrome	\$ 70.34
BF20873498	F1FRU2LW3	200°F	93°C	White	\$ 70.34
BF28113498	F1FRU3LB3	286°F	141°C	Bronze	\$ 62.07
BF28213498	F1FRU3LC3	286°F	141°C	Chrome	\$ 70.34
BF28873498	F1FRU3LW3	286°F	141°C	White	\$ 70.34

6880050100      WW2      Requires Model W2 Sprinkler Wrench      \$ 103.14



### F1FR 56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014



### F1FR LO PENDENT

- K-Factor = 8.0 (115)
- **SIN R3612**
- See Bulletin 136

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
B213113299	F1FR56P0B	135°F	57°C	Bronze	\$ 48.69
B213213299	F1FR56P0C	135°F	57°C	Chrome	\$ 52.10
B213873299	F1FR56P0W	135°F	57°C	White	\$ 56.28
B215113299	F1FR56P1B	155°F	68°C	Bronze	\$ 48.69
B215213299	F1FR56P1C	155°F	68°C	Chrome	\$ 52.10
B215873299	F1FR56P1W	155°F	68°C	White	\$ 56.28
B217113299	F1FR56P5B	175°F	79°C	Bronze	\$ 48.69
B217213299	F1FR56P5C	175°F	79°C	Chrome	\$ 52.10
B217873299	F1FR56P5W	175°F	79°C	White	\$ 56.28
B220113299	F1FR56P2B	200°F	93°C	Bronze	\$ 48.69
B220213299	F1FR56P2C	200°F	93°C	Chrome	\$ 52.10
B220873299	F1FR56P2W	200°F	93°C	White	\$ 56.28
B228113299	F1FR56P3B	286°F	141°C	Bronze	\$ 48.69
B228213299	F1FR56P3C	286°F	141°C	Chrome	\$ 52.10
B228873299	F1FR56P3W	286°F	141°C	White	\$ 56.28
<b>MODEL F1FR LO PENDENT K8.0 (115) THREADS 3/4" (20MM) R3612</b>					
B213113498	F1FRP0LB	135°F	57°C	Bronze	\$ 60.99
B213213498	F1FRP0LC	135°F	57°C	Chrome	\$ 66.80
B213873498	F1FRP0LW	135°F	57°C	White	\$ 67.71
B215113498	F1FRP1LB	155°F	68°C	Bronze	\$ 60.99
B215213498	F1FRP1LC	155°F	68°C	Chrome	\$ 66.80
B215873498	F1FRP1LW	155°F	68°C	White	\$ 67.71
B217113498	F1FRP5LB	175°F	79°C	Bronze	\$ 60.99
B217213498	F1FRP5LC	175°F	79°C	Chrome	\$ 66.80
B217873498	F1FRP5LW	175°F	79°C	White	\$ 67.71
B220113498	F1FRP2LB	200°F	93°C	Bronze	\$ 60.99
B220213498	F1FRP2LC	200°F	93°C	Chrome	\$ 66.80
B220873498	F1FRP2LW	200°F	93°C	White	\$ 67.71
B228113498	F1FRP3LB	286°F	141°C	Bronze	\$ 60.99
B228213498	F1FRP3LC	286°F	141°C	Chrome	\$ 66.80
B228873498	F1FRP3LW	286°F	141°C	White	\$ 67.71
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	\$ 19.09
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 10.30
6800640001	GF1W	1/2" (15mm)		White	\$ 10.30
6801000000	GF1LC	3/4" (20mm)		Chrome	\$ 10.30
6801040000	GF1LW	3/4" (20mm)		White	\$ 10.30
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	\$ 19.09
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 10.30
6800840000	GF2W	1/2" (15mm)		White	\$ 10.30
6800880001	GF2LC	3/4" (20mm)		Chrome	\$ 10.30
6800880005	GF2LW	3/4" (20mm)		White	\$ 10.30

6880050100	WW2	Requires Model W2 Sprinkler Wrench	\$ 103.14
6880060000	WGFR	Recessed Use Model GFR2 Sprinkler Wrench	\$ 311.84

<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	1/2" (15mm)		Chrome	\$ 19.86
6801417200	FPW	1/2" (15mm)		White	\$ 19.86
6801402100	FPLC	3/4" (20mm)		Chrome	\$ 19.86
6801407200	FPLW	3/4" (20mm)		White	\$ 19.86



### F1FR 28 PENDENT

- K-Factor = 2.8 (40)
- **SIN RA1411**
- See Bulletin 014



### F1FR 42 PENDENT

- K-Factor = 4.2 (60)
- **SIN RA1413**
- See Bulletin 014



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR28 PENDENT K 2.8 (40) THREADS 1/2" (15MM) RA1411</b>					
BB151124S9	F1FR28P1BN	155°F	68°C	Bronze	\$ 63.01
BB152124S9	F1FR28P1CN	155°F	68°C	Chrome	\$ 67.96
BB158724S9	F1FR28P1WN	155°F	68°C	White	\$ 70.20
BB171124S9	F1FR28P5BN	175°F	79°C	Bronze	\$ 64.17
BB172124S9	F1FR28P5CN	175°F	79°C	Chrome	\$ 67.96
BB178724S9	F1FR28P5WN	175°F	79°C	White	\$ 70.20
BB201124S9	F1FR28P2BN	200°F	93°C	Bronze	\$ 63.01
BB202124S9	F1FR28P2CN	200°F	93°C	Chrome	\$ 67.96
BB208724S9	F1FR28P2WN	200°F	93°C	White	\$ 70.20
BB281124S9	F1FR28P3BN	286°F	141°C	Bronze	\$ 63.01
BB282124S9	F1FR28P3CN	286°F	141°C	Chrome	\$ 68.61
BB288724S9	F1FR28P3WN	286°F	141°C	White	\$ 70.20
<b>MODEL F1FR42 PENDENT K 4.2 (60) THREADS 1/2"(15MM) RA1413</b>					
BB131128S9	F1FR42P0BN	135°F	57°C	Bronze	\$ 63.01
BB132128S9	F1FR42P0CN	135°F	57°C	Chrome	\$ 67.96
BB138728S9	F1FR42P0WN	135°F	57°C	White	\$ 70.20
BB151128S9	F1FR42P1BN	155°F	68°C	Bronze	\$ 63.01
BB152128S9	F1FR42P1CN	155°F	68°C	Chrome	\$ 67.96
BB158728S9	F1FR42P1WN	155°F	68°C	White	\$ 70.20
BB171128S9	F1FR42P5BN	175°F	79°C	Bronze	\$ 63.01
BB172128S9	F1FR42P5CN	175°F	79°C	Chrome	\$ 67.96
BB178728S9	F1FR42P5WN	175°F	79°C	White	\$ 70.20
BB201128S9	F1FR42P2BN	200°F	93°C	Bronze	\$ 63.01
BB202128S9	F1FR42P2CN	200°F	93°C	Chrome	\$ 67.96
BB208728S9	F1FR42P2WN	200°F	93°C	White	\$ 70.20
BB281128S9	F1FR42P3BN	286°F	141°C	Bronze	\$ 63.01
BB282128S9	F1FR42P3CN	286°F	141°C	Chrome	\$ 67.96
BB288728S9	F1FR42P3WN	286°F	141°C	White	\$ 70.20
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	\$ 19.09
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 10.30
6800640001	GF1W	1/2" (15mm)		White	\$ 10.30
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	\$ 19.09
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 10.30
6800840000	GF2W	1/2" (15mm)		White	\$ 10.30
<b>MODEL FP RECESSED PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	\$ 19.86
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	\$ 19.86





**F1FR56-300  
PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA2614**
- See Bulletin 026
- 300 PSI



**F1FR-300  
PENDENT**

- K-Factor = 8.0 (115)
- **SIN R5612**
- See Bulletin 156
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) 300PSI RA2614</b>					
BG131132R9	F1FR56P0B3	135°F	57°C	Bronze	\$ 51.18
BG132132R9	F1FR56P0C3	135°F	57°C	Chrome	\$ 54.70
BG138732R9	F1FR56P0W3	135°F	57°C	White	\$ 58.96
BG151132R9	F1FR56P1B3	155°F	68°C	Bronze	\$ 51.18
BG152132R9	F1FR56P1C3	155°F	68°C	Chrome	\$ 54.70
BG158732R9	F1FR56P1W3	155°F	68°C	White	\$ 58.96
BG171132R9	F1FR56P5B3	175°F	79°C	Bronze	\$ 51.17
BG172132R9	F1FR56P5C3	175°F	79°C	Chrome	\$ 54.70
BG178732R9	F1FR56P5W3	175°F	79°C	White	\$ 58.96
BG201132R9	F1FR56P2B3	200°F	93°C	Bronze	\$ 51.18
BG202132R9	F1FR56P2C3	200°F	93°C	Chrome	\$ 54.70
BG208732R9	F1FR56P2W3	200°F	93°C	White	\$ 58.96
BG281132R9	F1FR56P3B3	286°F	141°C	Bronze	\$ 51.18
BG282132R9	F1FR56P3C3	286°F	141°C	Chrome	\$ 54.70
BG288732R9	F1FR56P3W3	286°F	141°C	White	\$ 58.96
<b>MODEL F1FR PENDENT K8.0 (115) THREADS 3/4" (20MM) 300PSI R5612</b>					
BG13113498	F1FRP0LB3	135°F	57°C	Bronze	\$ 63.90
BG13213498	F1FRP0LC3	135°F	57°C	Chrome	\$ 70.34
BG13873498	F1FRP0LW3	135°F	57°C	White	\$ 70.34
BG15113498	F1FRP1LB3	155°F	68°C	Bronze	\$ 63.90
BG15213498	F1FRP1LC3	155°F	68°C	Chrome	\$ 70.34
BG15873498	F1FRP1LW3	155°F	68°C	White	\$ 70.34
BG17113498	F1FRP5LB3	175°F	79°C	Bronze	\$ 63.90
BG17213498	F1FRP5LC3	175°F	79°C	Chrome	\$ 70.34
BG17873498	F1FRP5LW3	175°F	79°C	White	\$ 70.34
BG20113498	F1FRP2LB3	200°F	93°C	Bronze	\$ 63.90
BG20213498	F1FRP2LC3	200°F	93°C	Chrome	\$ 70.34
BG20873498	F1FRP2LW3	200°F	93°C	White	\$ 70.34
BG28113498	F1FRP3LB3	286°F	141°C	Bronze	\$ 63.90
BG28213498	F1FRP3LC3	286°F	141°C	Chrome	\$ 70.34
BG28873498	F1FRP3LW3	286°F	141°C	White	\$ 70.34
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	\$ 19.09
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 10.30
6800640001	GF1W	1/2" (15mm)		White	\$ 10.30
6801030000	GF1LB	3/4" (20mm)		Bronze	\$ 19.09
6801000000	GF1LC	3/4" (20mm)		Chrome	\$ 10.30
6801040000	GF1LW	3/4" (20mm)		White	\$ 10.30

6880050100	WW2	Requires Model W2 Sprinkler Wrench	\$ 103.14
6880060000	WGFR	Recessed Use Model GFR2 Sprinkler Wrench	\$ 311.84



## F1FR 56 HSW

- K-Factor = 5.6 (80)
- **SIN RA1435**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1435</b>					
BD131132R9	F1FR56H0B	135°F	57°C	Bronze	\$ 56.10
BD132132R9	F1FR56H0C	135°F	57°C	Chrome	\$ 60.08
BD138732R9	F1FR56H0W	135°F	57°C	White	\$ 67.58
BD151132R9	F1FR56H1B	155°F	68°C	Bronze	\$ 56.10
BD152132R9	F1FR56H1C	155°F	68°C	Chrome	\$ 60.08
BD158732R9	F1FR56H1W	155°F	68°C	White	\$ 67.58
BD171132R9	F1FR56H5B	175°F	79°C	Bronze	\$ 56.10
BD172132R9	F1FR56H5C	175°F	79°C	Chrome	\$ 60.08
BD178732R9	F1FR56H5W	175°F	79°C	White	\$ 67.58
BD201132R9	F1FR56H2B	200°F	93°C	Bronze	\$ 56.10
BD202132R9	F1FR56H2C	200°F	93°C	Chrome	\$ 60.08
BD208732R9	F1FR56H2W	200°F	93°C	White	\$ 67.58
BD281132R9	F1FR56H3B	286°F	141°C	Bronze	\$ 56.10
BD282132R9	F1FR56H3C	286°F	141°C	Chrome	\$ 60.08
BD288732R9	F1FR56H3W	286°F	141°C	White	\$ 67.58
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	\$ 19.09
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 10.30
6800640001	GF1W	1/2" (15mm)		White	\$ 10.30
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	\$ 19.09
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 10.30
6800840000	GF2W	1/2" (15mm)		White	\$ 10.30

6880050100	WW2	Requires Model W2 Sprinkler Wrench	\$ 103.14
6880060000	WGFR	Recessed Use Model GFR2 Sprinkler Wrench	\$ 311.84



### F1FR56-300 HSW

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 026



### REC HSW

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 026



### SWC56 Concealed

- K-Factor = 5.6 (80)
- **SIN RA2634**
- See Bulletin 026

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-300 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA2634</b>					
BD131131R9	F1FR56H0B3	135°F	57°C	Bronze	\$ 58.35
BD132131R9	F1FR56H0C3	135°F	57°C	Chrome	\$ 62.39
BD138731R9	F1FR56H0W3	135°F	57°C	White	\$ 70.07
BD151131R9	F1FR56H1B3	155°F	68°C	Bronze	\$ 58.35
BD152131R9	F1FR56H1C3	155°F	68°C	Chrome	\$ 62.39
BD158731R9	F1FR56H1W3	155°F	68°C	White	\$ 70.07
BD171131R9	F1FR56H5B3	175°F	79°C	Bronze	\$ 58.35
BD172131R9	F1FR56H5C3	175°F	79°C	Chrome	\$ 62.39
BD178731R9	F1FR56H5W3	175°F	79°C	White	\$ 70.07
BD201131R9	F1FR56H2B3	200°F	93°C	Bronze	\$ 58.35
BD202131R9	F1FR56H2C3	200°F	93°C	Chrome	\$ 62.39
BD208731R9	F1FR56H2W3	200°F	93°C	White	\$ 70.07
BD281131R9	F1FR56H3B3	286°F	141°C	Bronze	\$ 58.35
BD282131R9	F1FR56H3C3	286°F	141°C	Chrome	\$ 62.39
BD288731R9	F1FR56H3W3	286°F	141°C	White	\$ 70.07
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	\$ 19.09
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 10.30
6800640001	GF1W	1/2" (15mm)		White	\$ 10.30
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	\$ 19.09
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 10.30
6800840000	GF2W	1/2" (15mm)		White	\$ 10.30
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	(15mm)		Chrome	\$ 19.86
6801417200	FPW	(15mm)		White	\$ 19.86
<b>MODEL SWC56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA2634</b>					
BS131732R9	SWC560	135°F	57°C	Bronze	\$ 59.21
BS151732R9	SWC561	155°F	68°C	Bronze	\$ 59.21
<b>MODEL SWC CONCEALED COVERPLATES</b>					
6887131318	CHWNS	135°F	57°C	White	\$ 34.15
6887131390	CHSPNS	135°F	57°C	Specialty	\$ 51.20

6880050100	WW2	Requires Model W2 Sprinkler Wrench		\$ 103.14
6880060000	WGFR	Requires Model GFR2 Wrench		\$ 311.84





### F1FR56 VSW

- K-Factor = 5.6 (80)
- **SIN RA1485**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 VERTICAL SIDEWALL K5.6 (80) THREADS 1/2" RA1485</b>					
BE131132R9	F1FR56V0B	135°F	57°C	Bronze	\$ 61.84
BE132132R9	F1FR56V0C	135°F	57°C	Chrome	\$ 66.83
BE138732R9	F1FR56V0W	135°F	57°C	White	\$ 70.26
BE151132R9	F1FR56V1B	155°F	68°C	Bronze	\$ 61.84
BE152132R9	F1FR56V1C	155°F	68°C	Chrome	\$ 66.83
BE158732R9	F1FR56V1W	155°F	68°C	White	\$ 70.26
BE171132R9	F1FR56V5B	175°F	79°C	Bronze	\$ 61.84
BE172132R9	F1FR56V5C	175°F	79°C	Chrome	\$ 66.83
BE178732R9	F1FR56V5W	175°F	79°C	White	\$ 70.26
BE201132R9	F1FR56V2B	200°F	93°C	Bronze	\$ 61.84
BE202132R9	F1FR56V2C	200°F	93°C	Chrome	\$ 66.83
BE208732R9	F1FR56V2W	200°F	93°C	White	\$ 70.26
BE281132R9	F1FR56V3B	286°F	141°C	Bronze	\$ 61.84
BE282132R9	F1FR56V3C	286°F	141°C	Chrome	\$ 66.83
BE288732R9	F1FR56V3W	286°F	141°C	White	\$ 70.26
6880050100	WW2	Requires Model W2 Sprinkler Wrench			\$ 103.14



**F1FR 56  
 CONVENTIONAL**

- K-Factor = 5.6 (80)
- **SIN RA1475**
- See Bulletin 014



**F1FR LO  
 CONVENTIONAL**

- K-Factor = 8.0 (115)
- **SIN R3672**
- See Bulletin 136

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 CONVENTIONAL K5.6 (80) THREADS 1/2" (15MM) RA1475</b>					
BC131132R9	F1FR56C0B	135°F	57°C	Bronze	\$ 48.69
BC132132R9	F1FR56C0C	135°F	57°C	Chrome	\$ 52.10
BC138732R9	F1FR56C0W	135°F	57°C	White	\$ 56.28
BC151132R9	F1FR56C1B	155°F	68°C	Bronze	\$ 48.69
BC152132R9	F1FR56C1C	155°F	68°C	Chrome	\$ 52.10
BC158732R9	F1FR56C1W	155°F	68°C	White	\$ 56.28
BC171132R9	F1FR56C5B	175°F	79°C	Bronze	\$ 48.69
BC172132R9	F1FR56C5C	175°F	79°C	Chrome	\$ 52.10
BC178732R9	F1FR56C5W	175°F	79°C	White	\$ 56.28
BC201132R9	F1FR56C2B	200°F	93°C	Bronze	\$ 48.69
BC202132R9	F1FR56C2C	200°F	93°C	Chrome	\$ 52.10
BC208732R9	F1FR56C2W	200°F	93°C	White	\$ 56.28
BC281132R9	F1FR56C3B	286°F	141°C	Bronze	\$ 48.69
BC282132R9	F1FR56C3C	286°F	141°C	Chrome	\$ 52.10
BC288732R9	F1FR56C3W	286°F	141°C	White	\$ 56.28
<b>MODEL F1FR CONVENTIONAL K8.0 (115) THREADS 3/4" (20MM) RA3672</b>					
B313113498	F1FRC0LB	135°F	57°C	Bronze	\$ 60.99
B313213498	F1FRC0LC	135°F	57°C	Chrome	\$ 66.80
B313873498	F1FRC0LW	135°F	57°C	White	\$ 67.71
B315113498	F1FRC1LB	155°F	68°C	Bronze	\$ 60.99
B315213498	F1FRC1LC	155°F	68°C	Chrome	\$ 66.80
B315873498	F1FRC1LW	155°F	68°C	White	\$ 67.71
B317113498	F1FRC5LB	175°F	79°C	Bronze	\$ 60.99
B317213498	F1FRC5LC	175°F	79°C	Chrome	\$ 66.80
B317873498	F1FRC5LW	175°F	79°C	White	\$ 67.71
B320113498	F1FRC2LB	200°F	93°C	Bronze	\$ 60.99
B320213498	F1FRC2LC	200°F	93°C	Chrome	\$ 66.80
B320873498	F1FRC2LW	200°F	93°C	White	\$ 67.71
B328113498	F1FRC3LB	286°F	141°C	Bronze	\$ 60.99
B328213498	F1FRC3LC	286°F	141°C	Chrome	\$ 66.80
B328873498	F1FRC3LW	286°F	141°C	White	\$ 67.71

6880050100      WW2      Requires Model W2 Sprinkler Wrench      \$ 103.14



**F1FR-56SS  
UPRIGHT**

- K-Factor = 5.6 (80)
- **SIN RA6524**
- See Bulletin 065



**F1FR-80SS  
UPRIGHT**

- K-Factor = 8.0 (115)
- **SIN RA6522**
- See Bulletin 065



**F1FR-56SS  
PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA6514**
- See Bulletin 065



**F1FR-80SS  
PENDENT**

- K-Factor = 8.0 (115)
- **SIN RA6512**
- See Bulletin 065

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-SS UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA6524</b>					
BA131032R9	F1FR56U0SS	135°F	57°C	Stainless Steel	\$ 571.02
BA151032R9	F1FR56U1SS	155°F	68°C	Stainless Steel	\$ 571.02
BA171032R9	F1FR56U5SS	175°F	79°C	Stainless Steel	\$ 571.02
BA201032R9	F1FR56U2SS	200°F	93°C	Stainless Steel	\$ 571.02
BA281032R9	F1FR56U3SS	286°F	141°C	Stainless Steel	\$ 571.02
<b>MODEL F1FR80-SS UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA6522</b>					
B113103498	F1FRU0LSS	135°F	57°C	Stainless Steel	\$ 601.07
B115103498	F1FRU1LSS	155°F	68°C	Stainless Steel	\$ 601.07
B117103498	F1FRU5LSS	175°F	79°C	Stainless Steel	\$ 601.07
B120103498	F1FRU2LSS	200°F	93°C	Stainless Steel	\$ 601.07
B128103498	F1FRU3LSS	286°F	141°C	Stainless Steel	\$ 601.07

6880050100      WW2      Requires Model W2 Sprinkler Wrench      \$ 103.14

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-SS PENDENT K5.6 (80) THREADS 1/2" (15MM) RA6514</b>					
B213103299	F1FR56P0SS	135°F	57°C	Stainless Steel	\$ 571.02
B215103299	F1FR56P1SS	155°F	68°C	Stainless Steel	\$ 571.02
B217103299	F1FR56P5SS	175°F	79°C	Stainless Steel	\$ 571.02
B220103299	F1FR56P2SS	200°F	93°C	Stainless Steel	\$ 571.02
B228103299	F1FR56P3SS	286°F	141°C	Stainless Steel	\$ 571.02
<b>MODEL F1FR80-SS PENDENT K8.0 (115) THREADS 3/4" (20MM) RA6512</b>					
B213103498	F1FRP0LSS	135°F	57°C	Stainless Steel	\$ 601.07
B215103498	F1FRP1LSS	155°F	68°C	Stainless Steel	\$ 601.07
B217103498	F1FRP5LSS	175°F	79°C	Stainless Steel	\$ 601.07
B220103498	F1FRP2LSS	200°F	93°C	Stainless Steel	\$ 601.07
B228103498	F1FRP3LSS	286°F	141°C	Stainless Steel	\$ 601.07
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800610010	GF1SS	1/2" (15mm)		Stainless Steel	\$ 60.67
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	\$ 60.67
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800840010	GF2SS	1/2" (15mm)		Stainless Steel	\$ 60.67
6800880110	GF2LSS	3/4" (20mm)		Stainless Steel	\$ 60.67
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801411000	FPSS	1/2" (15mm)		Stainless Steel	\$ 91.00
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	\$ 91.00
<b>MODEL B ONE PIECE ESCUTCHEONS</b>					
6800121002	BSS	1/2" (15mm)		Stainless Steel	\$ 36.41
6800091002	BLSS	3/4" (20mm)		Stainless Steel	\$ 36.41

6880050100      WW2      Requires Model W2 Sprinkler Wrench      \$ 103.14  
 6880060000      WGFR      Recessed use Model GFR2 Wrench      \$ 311.84



**F1FR42 LL  
 PENDENT**

- K-Factor = 4.2 (60)
- **SIN RA1413**
- See Bulletin 014



**F1FR56 LL  
 PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014



**F1FR56 LL CCP**

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR42-LL PENDENT K4.2 (60) ? THREADS ? RA1413</b>					
BB201128P9	FR42P2BLL	200°F	93°C	Bronze	\$ 91.29
BB202128P9	FR42P2CLL	200°F	93°C	Chrome	\$ 94.12
BB208728P9	FR42P2WLL	200°F	93°C	White	\$ 105.34
<b>MODEL F1FR56-LL PENDENT K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
B2201132P9	FR56P2BLL	200°F	93°C	Bronze	\$ 91.29
B2202132P9	FR56P2CLL	200°F	93°C	Chrome	\$ 94.12
B2208732P9	FR56P2WLL	200°F	93°C	White	\$ 105.34
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	\$ 19.09
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 10.30
6800640001	GF1W	1/2" (15mm)		White	\$ 10.30
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	\$ 19.09
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 10.30
6800840000	GF2W	1/2" (15mm)		White	\$ 10.30
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	\$ 19.86
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	\$ 19.86

6880050100	WW2	Requires Model W2 Sprinkler Wrench		\$ 103.14
6880060000	WGFR	Recessed Use Model GFR2 Sprinkler Wrench		\$ 311.84

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56-LL CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
BV201732P9	F1FR56C2LL	200°F	93°C	Bronze	\$ 97.42
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161621	CCP1C76	165°F	74°C	Chrome	\$ 84.76
6887161618	CCP1W76	165°F	74°C	White	\$ 33.03
6887161690	CCP1SP76	165°F	74°C	Specialty	\$ 55.47

6880100000	WRC	Requires Model RC1 Sprinkler Wrench		\$ 311.84
------------	-----	-------------------------------------	--	-----------



### KFR56 UPRIGHT

- K-Factor = 5.6 (80)
- **SIN RA3624**
- See Bulletin 036



### KFR56 PENDENT

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 036

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3624</b>					
MA161132R9	KFR56U1B	165°F	74°C	Bronze	\$ 48.69
MA162132R9	KFR56U1C	165°F	74°C	Chrome	\$ 53.64
MA168732R9	KFR56U1W	165°F	74°C	White	\$ 57.86
MA211132R9	KFR56U2B	212°F	100°C	Bronze	\$ 48.69
MA212132R9	KFR56U2C	212°F	100°C	Chrome	\$ 53.64
MA218732R9	KFR56U2W	212°F	100°C	White	\$ 57.86
<b>MODEL KFR56 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3614</b>					
M2161132R9	KFR56P1B	165°F	74°C	Bronze	\$ 48.69
M2162132R9	KFR56P1C	165°F	74°C	Chrome	\$ 52.10
M2168732R9	KFR56P1W	165°F	74°C	White	\$ 56.28
M2211132R9	KFR56P2B	212°F	100°C	Bronze	\$ 48.69
M2212132R9	KFR56P2C	212°F	100°C	Chrome	\$ 52.10
M2218732R9	KFR56P2W	212°F	100°C	White	\$ 56.28
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	\$ 19.09
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 10.30
6800640001	GF1W	1/2" (15mm)		White	\$ 10.30
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	\$ 19.09
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 10.30
6800840000	GF2W	1/2" (15mm)		White	\$ 10.30
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	\$ 19.86
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	\$ 19.86
6880050100	WW2	WRENCH, W2(PENDENT, UPRIGHT, HSW)			\$ 103.14
6880100100	WW1	WRENCH, W1 (RECESSED PENDENT, CCP, & HSW)			\$ 311.84
6880080000	WJ	WRENCH, J(WITH INSTALLED GUARD)			\$ 148.04





**KFR56-300  
 UPRIGHT**

- K-Factor = 5.6 (80)
- **SIN RA3924**
- See Bulletin 039
- 300 PSI



**KFR56-300  
 PENDENT**

- K-Factor = 5.6 (80)
- **SIN RA3914**
- See Bulletin 039
- 300 PSI

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL KFR56-300 UPRIGHT K5.6 (80) THREADS 1/2" (15MM) RA3924</b>				
MF161132R9	KFR56U1B3	165°F / 74°C	Bronze	\$ 51.17
MF162132R9	KFR56U1C3	165°F / 74°C	Chrome	\$ 56.32
MF168732R9	KFR56U1W3	165°F / 74°C	White	\$ 60.72
MF211132R9	KFR56U2B3	212°F / 100°C	Bronze	\$ 51.17
MF212132R9	KFR56U2C3	212°F / 100°C	Chrome	\$ 56.32
MF218732R9	KFR56U2W3	212°F / 100°C	White	\$ 60.72
<b>MODEL KFR56-300 PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3914</b>				
MG161132R9	KFR56P1B3	165°F / 74°C	Bronze	\$ 51.18
MG162132R9	KFR56P1C3	165°F / 74°C	Chrome	\$ 54.70
MG168732R9	KFR56P1W3	165°F / 74°C	White	\$ 58.96
MG211132R9	KFRP562B3	212°F / 100°C	Bronze	\$ 51.18
MG212132R9	KFR56P2C3	212°F / 100°C	Chrome	\$ 54.70
MG218732R9	KFR56P2W3	212°F / 100°C	White	\$ 58.96
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800630001	GF1B	1/2" (15mm)	Bronze	\$ 19.09
6800600001	GF1C	1/2" (15mm)	Chrome	\$ 10.30
6800640001	GF1W	1/2" (15mm)	White	\$ 10.30
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Bronze	\$ 19.09
6800800000	GF2C	1/2" (15mm)	Chrome	\$ 10.30
6800840000	GF2W	1/2" (15mm)	White	\$ 10.30
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>				
6801412100	FPC	FP PUSH-ON/THREAD-OFF	Chrome	\$ 19.86
6801417200	FPW	FP PUSH-ON/THREAD-OFF	White	\$ 19.86

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)	\$ 103.14
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)	\$ 311.84
6880080000	WJ	WRENCH,J(WITH INSTALLED GUARD)	\$ 148.04



### KFR56-300 HSW

- K-Factor = 5.6 (80)
- **SIN RA3934**
- See Bulletin 039

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56-300 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA3934</b>					
MD161131R9	KFR56H1B3	165°F	74°C	Bronze	\$ 58.35
MD162131R9	KFR56H1C3	165°F	74°C	Chrome	\$ 62.39
MD168731R9	KFRH1W3	165°F	74°C	White	\$ 70.07
MD211131R9	KFR56H2B3	212°F	100°C	Bronze	\$ 58.35
MD212131R9	KFR56H2C3	212°F	100°C	Chrome	\$ 62.39
MD218731R9	KFR56H2W3	212°F	100°C	White	\$ 70.07
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	\$ 19.09
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 10.30
6800640001	GF1W	1/2" (15mm)		White	\$ 10.30
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	\$ 19.09
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 10.30
6800840000	GF2W	1/2" (15mm)		White	\$ 10.30
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	\$ 19.86
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	\$ 19.86


6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)		\$ 103.14
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)		\$ 311.84



### MODEL CCP

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56-300 CCP K5.6 (80) THREADS 1/2" (15MM) RA3914</b>					
MP161732R9	KFR56C13	165°F	74°C	Bronze	\$ 41.39
MP211732R9	KFR56C23	212°F	100°C	Bronze	\$ 41.39
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$ 84.76
6887161318	CCP0W76	135°F	57°C	White	\$ 33.03
6887161390	CCP0SP76	135°F	57°C	Specialty	\$ 55.47
6887161621	CCP1C76	165°F	74°C	Chrome	\$ 84.76
6887161618	CCP1W76	165°F	74°C	White	\$ 33.03
6887161690	CCP1SP76	165°F	74°C	Specialty	\$ 55.47

6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)		\$ 311.84
------------	-----	--	--	-----------



### KFR56 HSW

- K-Factor = 5.6 (80)
- **SIN RA3634**
- See Bulletin 036



### KFR56 CCP

- K-Factor = 5.6 (80)
- **SIN RA3614**
- See Bulletin 036

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA3634</b>					
MD161132R9	KFR56H1B	165°F	74°C	Bronze	\$ 56.10
MD162132R9	KFR56H1C	165°F	74°C	Chrome	\$ 60.08
MD168732R9	KFR56H1W	165°F	74°C	White	\$ 67.58
MD211132R9	KFR56H2B	212°F	100°C	Bronze	\$ 56.10
MD212132R9	KFR56H2C	212°F	100°C	Chrome	\$ 60.08
MD218732R9	KFR56H2W	212°F	100°C	White	\$ 67.58
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	\$ 19.09
6800600001	GF1C	1/2" (15mm)		Chrome	\$ 10.30
6800640001	GF1W	1/2" (15mm)		White	\$ 10.30
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	\$ 19.09
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 10.30
6800840000	GF2W	1/2" (15mm)		White	\$ 10.30
<b>MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	FP PUSH-ON/THREAD-OFF		Chrome	\$ 19.86
6801417200	FPW	FP PUSH-ON/THREAD-OFF		White	\$ 19.86

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$ 103.14
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			\$ 311.84

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR56 CCP K5.6 (80) THREADS 1/2" (15MM) RA3614</b>					
	KFR56C1	°F	°C		\$ Call
	KFR56C2	°F	°C		\$ Call
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$ 84.76
6887161318	CCP0W76	135°F	57°C	White	\$ 33.03
6887161390	CCP0SP76	135°F	57°C	Specialty	\$ 55.47
6887161621	CCP1C76	165°F	74°C	Chrome	\$ 84.76
6887161618	CCP1W76	165°F	74°C	White	\$ 33.03
6887161690	CCP1SP76	165°F	74°C	Specialty	\$ 55.47

6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			\$ 311.84
------------	-----	--	--	--	-----------



### KFR80 UPRIGHT

- K-Factor = 8.0 (115)
- **SIN RA5422**
- See Bulletin 054



### KFR80 PENDENT

- K-Factor = 8.0 (115)
- **SIN RA5412**
- See Bulletin 054

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL KFR80 UPRIGHT K8.0 (115) THREADS 3/4" (20MM) RA5422</b>					
MA16113498	KFR80U1B	165°F	74°C	Bronze	\$ 59.21
MA16213498	KFR80U1C	165°F	74°C	Chrome	\$ 66.80
MA16873498	KFR80U1W	165°F	74°C	White	\$ 68.33
MA21113498	KFR80U2B	212°F	100°C	Bronze	\$ 59.21
MA21213498	KFR80U2C	212°F	100°C	Chrome	\$ 66.80
MA21873498	KFR80U2W	212°F	100°C	White	\$ 68.33
<b>MODEL KFR80 PENDENT K8.0 (115) THREADS 3/4" (20MM) RA5412</b>					
M216113498	KFR80P1B	165°F	74°C	Bronze	\$ 60.99
M216213498	KFR80P1C	165°F	74°C	Chrome	\$ 66.80
M216873498	KFR80P1W	165°F	74°C	White	\$ 67.71
M221113498	KFR80P2B	212°F	100°C	Bronze	\$ 60.99
M221213498	KFR80P2C	212°F	100°C	Chrome	\$ 66.80
M221873498	KFR80P2W	212°F	100°C	White	\$ 67.71
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801000000	GF1LC	3/4" (20mm)		Chrome	\$ 10.30
6801040000	GF1LW	3/4" (20mm)		White	\$ 10.30
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880001	GF2LC	3/4" (20mm)		Chrome	\$ 10.30
6800880005	GF2LW	3/4" (20mm)		White	\$ 10.30
6880050100	WW2	Requires Model W2 Sprinkler Wrench			\$ 103.14
6880100100	WW1	Recessed Use Model GFR2 Sprinkler Wrench			\$ 311.84
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801402100	FPLC	3/4" (20mm)		Chrome	\$ 19.86
6801407200	FPLW	3/4" (20mm)		White	\$ 19.86



### GFR UPRIGHT

- K5.6 = SIN R3125
- K8.0 = SIN R3127
- K2.8 = SIN R3121
- K4.2 = SIN R3123
- K4.2/10mm = SIN R3124
- See Bulletin 131

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR UPRIGHT K5.6 (80) THREADS 1/2" (15MM) R3125</b>					
0116113299	GFRUB	165°F	74°C	Bronze	\$ 67.68
0116213299	GFRUC	165°F	74°C	Chrome	\$ 74.30
0121113299	GFRU2B	212°F	100°C	Bronze	\$ 67.68
0121213299	GFRU2C	212°F	100°C	Chrome	\$ 74.30
<b>MODEL GFR UPRIGHT K8.0 (115) THREADS 3/4" (20MM) R3127</b>					
0116113498	GFRULB	165°F	74°C	Bronze	\$ 84.22
0116213498	GFRULC	165°F	74°C	Chrome	\$ 95.05
<b>MODEL GFR UPRIGHT K2.8 (40) THREADS 1/2" (15MM) R3121</b>					
0116112499	GFRU3B	165°F	74°C	Bronze	\$ 84.42
0116212499	GFRU3C	165°F	74°C	Chrome	\$ 97.85
<b>MODEL GFR UPRIGHT K4.2 (60) THREADS 1/2" (15MM) R3123</b>					
0116112899	GFRU7B	165°F	74°C	Bronze	\$ 84.42
0116212899	GFRU7C	165°F	74°C	Chrome	\$ 97.85
<b>MODEL GFR UPRIGHT K4.2 (60) THREADS 3/8" (10MM) R3124</b>					
0116112496	GFRUBMM	165°F	74°C	Bronze	\$ 73.39
0116212496	GFRUCMM	165°F	74°C	Chrome	\$ 82.57

6880050100      WW2      Requires Model W2 Sprinkler Wrench      \$ 103.14

\* Please note that all of the GFR's are offered in 212°F





### GFR PENDENT

- K5.6 = SIN R3115
- K8.0 = SIN R3117
- K2.8 = SIN R3111
- K4.2 = SIN R3113
- See Bulletin 131

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL GFR PENDENT K5.6 (80) THREADS 1/2" (15MM) R3115</b>					
0216113299	GFRPB	165°F	74°C	Bronze	\$ 67.68
0216213299	GFRPC	165°F	74°C	Chrome	\$ 74.30
0221113299	GFRP2B	212°F	100°C	Bronze	\$ 67.68
0221213299	GFRP2C	212°F	100°C	Chrome	\$ 74.30
<b>MODEL GFR PENDENT K8.0 (115) THREADS 3/4" (20MM) R3117</b>					
0216113498	GFRPLB	165°F	74°C	Bronze	\$ 84.22
0216213498	GFRPLC	165°F	74°C	Chrome	\$ 95.05
<b>MODEL GFR PENDENT K2.8 (40) THREADS 3/8" (10MM) R3111</b>					
0216112499	GFRP3B	165°F	74°C	Bronze	\$ 83.43
0216212499	GFRP3C	165°F	74°C	Chrome	\$ 94.17
<b>MODEL GFR PENDENT K4.2 (60) THREADS 7/16" (10MM) R3113</b>					
0216112899	GFRP7B	165°F	74°C	Bronze	\$ 83.43
0216212899	GFRP7C	165°F	74°C	Chrome	\$ 94.17
<b>10MM THREADS</b>					
0216112496	GFRPBMM	165°F	74°C	Bronze	\$ 73.39
0216212496	GFRPCMM	165°F	74°C	Chrome	\$ 82.57



### GFR HSW

- K5.6 = SIN R3135
- K8.0 = SIN R3137
- K2.8 = SIN R3131
- K4.2 = SIN R3133
- See Bulletin 131

\* Also available in 212°F

<b>MODEL GFR HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) R3135</b>					
0416113299	GFRHB	165°F	74°C	Bronze	\$ 74.30
0416213299	GFRHC	165°F	74°C	Chrome	\$ 80.89
0421113299	GFRH2B	212°F	100°C	Bronze	\$ 74.30
0421213299	GFRH2C	212°F	100°C	Chrome	\$ 80.89
<b>MODEL GFR HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) R3137</b>					
0416113498	GFRHLB	165°F	74°C	Bronze	\$ 76.93
0416213498	GFRHLC	165°F	74°C	Chrome	\$ 86.70
0421113498	GFRH2LB	212°F	100°C	Bronze	\$ 76.93
0421213498	GFRH2LC	212°F	100°C	Chrome	\$ 76.93
<b>MODEL GFR HORIZONTAL K2.8 (40) THREADS 3/8" (10MM) R3131</b>					
0416112499	GFRH3B	165°F	74°C	Bronze	\$ 87.69
0416212499	GFRH3C	165°F	74°C	Chrome	\$ 94.17
<b>MODEL GFR HORIZONTAL K4.2 (60) THREADS 7/16" (10MM) R3133</b>					
0416112899	GFRH7B	165°F	74°C	Bronze	\$ 87.69
0416212899	GFRH7C	165°F	74°C	Chrome	\$ 94.17
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	\$ 19.09
6800800000	GF2C	1/2" (15mm)		Chrome	\$ 10.30
6800840000	GF2W	1/2" (15mm)		White	\$ 10.30
6800880004	GF2LB	3/4" (20mm)		Bronze	\$ 19.09
6800880001	GF2LC	3/4" (20mm)		Chrome	\$ 10.30
6800880005	GF2LW	3/4" (20mm)		White	\$ 10.30

6880050100	WW2	Requires Model W2 Sprinkler Wrench	\$ 103.14
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	\$ 311.84



## G5-80

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

## G5-80F

- K-Factor = 8.0(115)
- **SIN RA3417**
- See Bulletin 034

## G5-56

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

## G5-42

- K-Factor = 4.2 (60)
- **SIN RA3413**
- See Bulletin 034

## G5-28

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034
- Sprinklers and Covers packaged and sold separately

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412</b>					
1916173498	G5801B	165°F	74°C	Bronze	\$ 70.22
1921173498	G5802B	212°F	100°C	Bronze	\$ 70.22
<b>MODEL G5-80F CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3417</b>					
1916173497	G5801BFM	165°F	74°C	Bronze	\$ 74.07
1921173497	G5802BFM	212°F	100°C	Bronze	\$ 74.07
<b>MODEL G5-80F CONCEALED K8.0 (115) THREADS BSPT 3/4" (20MM) RA3417</b>					
1916173494	G5801MFM	165°F	74°C	Bronze	\$ 74.07
1921173494	G5802MFM	212°F	100°C	Bronze	\$ 74.07
<b>MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415</b>					
1916173299	G51B	165°F	74°C	Bronze	\$ 56.62
1921173299	G52B	212°F	100°C	Bronze	\$ 56.62
<b>MODEL G5-42 CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA3413</b>					
1916172899	G5421B	165°F	74°C	Bronze	\$ 70.22
1921172899	G5422B	212°F	100°C	Bronze	\$ 70.22
<b>MODEL G5-28 CONCEALED K2.8 (40) THREADS 1/2" (15MM) RA3411</b>					
1916172499	G5281B	165°F	74°C	Bronze	\$ 70.22
1921172499	G5282B	212°F	100°C	Bronze	\$ 70.22
<b>MODEL G5 COVERPLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	\$ 36.45
6887271372	CG50W	135°F	57°C	White	\$ 36.45
6887271311	CG50B	135°F	57°C	Bronze	\$ 50.12
6887271374	CG50OW	135°F	57°C	Off-White	\$ 49.58
6887271390	CG50SP	135°F	57°C	Specialty	\$ 49.71
6887271316	CG50FB	135°F	57°C	Black Painted	\$ 49.65
6887271367	CG50BP	135°F	57°C	Black Plated	\$ 60.67
6887271305	CG50BB	135°F	57°C	Bright Brass	\$ 60.67
6887271323	CG50CD	135°F	57°C	Satin Chrome	\$ 60.67
6887271310	CG50SS	135°F	57°C	Stainless Steel	\$ 60.67
6887271319	CG50EW	135°F	57°C	Euro White	\$ 36.45
6887271621	CG51C	165°F	74°C	Chrome	\$ 36.45
6887271672	CG51W	165°F	74°C	White	\$ 36.45
6887271611	CG51B	165°F	74°C	Bronze	\$ 50.12
6887271674	CG51OW	165°F	74°C	Off-White	\$ 49.58
6887271690	CG51SP	165°F	74°C	Specialty	\$ 49.71
6887271616	CG51FB	165°F	74°C	Black Painted	\$ 49.65
6887271667	CG51BP	165°F	74°C	Black Plated	\$ 60.67
6887271605	CG51BB	165°F	74°C	Bright Brass	\$ 60.67
6887271610	CG51SS	165°F	74°C	Stainless Steel	\$ 60.67
6887271623	CG51CD	165°F	74°C	Satin Chrome	\$ 60.67
6887271619	CG51EW	165°F	74°C	Euro White	\$ 36.45

6880170020	WFC	WRENCH,FC,CONCEALED	\$ 310.63
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP	\$ 310.63

### Notes:

Factory Mutual does not recognize or approve fully concealed as Quick Response. sprinklers



**G6-56 HSW QR**

- K-Factor = 5.6 (80)
- **SIN RA5035**
- See Bulletin 050

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G6-56 HSW CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA5035</b>					
2116173299	G6H1B	165°F	74°C	Bronze	\$ 113.59
<b>MODEL G6 COVERPLATES</b>					
6887211311	CG60B	135°F	57°C	Bronze	\$ 50.85
6887211321	CG60C	135°F	57°C	Chrome	\$ 36.45
6887211372	CG60W	135°F	57°C	White	\$ 36.45
6887211390	CG60SP	135°F	57°C	Specialty	\$ 53.02

6880101010      WG6      Requires Model G6 Sprinkler Wrench      \$ 310.63

**Notes:**

Sprinkler and coverplates sold and packaged separately



**G5-80 QR "Sealing"  
 Concealed**

- K-Factor = 8.0 (115)
- **SIN RA3412**
- See Bulletin 034

**G5-56 QR "Sealing"  
 Concealed**

- K-Factor = 5.6 (80)
- **SIN RA3415**
- See Bulletin 034

**G5-42 QR "Sealing"  
 Concealed**

- K-Factor = 4.2(60)
- **SIN RA3413**
- See Bulletin 034

**G5-28 QR "Sealing"  
 Concealed**

- K-Factor = 2.8 (40)
- **SIN RA3411**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA3412</b>					
1916173498	G5801B	165°F	74°C	Bronze	\$ 70.22
1921173498	G5802B	212°F	100°C	Bronze	\$ 70.22
<b>MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA3415</b>					
1916173299	G51B	165°F	74°C	Bronze	\$ 56.62
1921173299	G52B	212°F	100°C	Bronze	\$ 56.62
<b>MODEL G5-42 CONCEALED K4.2 (60) THREADS 7/16" (10MM) RA3413</b>					
1916172899	G5421B	165°F	74°C	Bronze	\$ 70.22
1921172899	G5422B	212°F	100°C	Bronze	\$ 70.22
<b>MODEL G5-28 CONCEALED K2.8 (40) THREADS 3/8" (10MM) RA3411</b>					
1916172499	G5281B	165°F	74°C	Bronze	\$ 70.22
1921172499	G5282B	212°F	100°C	Bronze	\$ 70.22
<b>MODEL G5 SEALING CONCEALED COVERPLATE</b>					
6887201372	CG5S0W	135°F	57°C	White	\$ 93.24
6887201672	CG5S1W	165°F	74°C	White	\$ 93.24
6887201310	CG5S0SS	135°F	57°C	Stainless Steel	\$ 97.07
6887201610	CG5S1SS	165°F	74°C	Stainless Steel	\$ 97.07

6880170020      WFC      Requires Model FC Wrench      \$ 310.63

**Notes:**  
 Sprinkler and coverplates sold separately



### G5-56 Concealed

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014 300 PSI</b>					
2016173299	G51B3	165°F	74°C	Bronze	\$ 59.84
<b>MODEL G5 SEALING CONCEALED COVERPLATE REQUIRED</b>					
6887201372	CG5S0W	135°F	57°C	White	\$ 93.24
6887201672	CG5S1W	165°F	74°C	White	\$ 93.24
6887201310	CG5S0SS	135°F	57°C	Stainless Steel	\$ 97.07
6887201610	CG5S1SS	165°F	74°C	Stainless Steel	\$ 97.07

6880170020	WFC	Requires Model FC Wrench	\$ 310.63
------------	-----	--------------------------	-----------



### G5-56 300 QR "Sealing" Concealed

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034
- **300 PSI**





**G5-56 300  
 Concealer**

- K-Factor = 5.6 (80)
- **SIN RA4014**
- See Bulletin 034

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL G5-56 300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA4014</b>					
2016173299	G51B3	165°F	74°C	Bronze	\$ 59.84
<b>MODEL G5 COVERPLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	\$ 36.45
6887271372	CG50W	135°F	57°C	White	\$ 36.45
6887271311	CG50B	135°F	57°C	Bronze	\$ 50.12
6887271374	CG50OW	135°F	57°C	Off-White	\$ 49.58
6887271390	CG50SP	135°F	57°C	Specialty	\$ 49.71
6887271316	CG50FB	135°F	57°C	Black Painted	\$ 49.65
6887271367	CG50BP	135°F	57°C	Black Plated	\$ 60.67
6887271305	CG50BB	135°F	57°C	Bright Brass	\$ 60.67
6887271323	CG50CD	135°F	57°C	Satin Chrome	\$ 60.67
6887271310	CG50SS	135°F	57°C	Stainless Steel	\$ 60.67
6887271319	CG50EW	135°F	57°C	Euro White	\$ 36.45
6887271621	CG51C	165°F	74°C	Chrome	\$ 36.45
6887271672	CG51W	165°F	74°C	White	\$ 36.45
6887271611	CG51B	165°F	74°C	Bronze	\$ 50.12
6887271674	CG51OW	165°F	74°C	Off-White	\$ 49.58
6887271690	CG51SP	165°F	74°C	Specialty	\$ 49.71
6887271616	CG51FB	165°F	74°C	Black Painted	\$ 49.65
6887271667	CG51BP	165°F	74°C	Black Plated	\$ 60.67
6887271605	CG51BB	165°F	74°C	Bright Brass	\$ 60.67
6887271623	CG51CD	165°F	74°C	Satin Chrome	\$ 60.67
6887271610	CG51SS	165°F	74°C	Stainless Steel	\$ 60.67
6887271619	CG51EW	165°F	74°C	Euro White	\$ 36.45
6880170020	WFC	Requires Model FC Wrench			\$ 310.63



### F1FR56 CCP

- K-Factor = 5.6 (80)
- **SIN RA1414**
- See Bulletin 014

### F1FR56-300/CCP

- K-Factor = 5.6 (80)
- **SIN RA2614**
- See Bulletin 026
- 300 PSI

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1FR56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1414</b>					
BV13173299	F1FR56C0	135°F	57°C	Bronze	\$ 39.26
BV15173299	F1FR56C1	155°F	68°C	Bronze	\$ 39.26
BV17173299	F1FR56C5	175°F	79°C	Bronze	\$ 39.26
BV20173299	F1FR56C2	200°F	93°C	Bronze	\$ 39.26
<b>MODEL F1FR56-300 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA2614</b>					
BP131732R9	F1FR56C03	135°F	57°C	Bronze	\$ 41.39
BP151732R9	F1FR56C13	155°F	68°C	Bronze	\$ 41.39
BP171732R9	F1FR56C53	175°F	79°C	Bronze	\$ 41.39
BP201732R9	F1FR56C23	200°F	93°C	Bronze	\$ 41.39
<b>MODEL CCP COVERPLATES (1/2" ADJ)</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$ 84.76
6887161318	CCP0W76	135°F	57°C	White	\$ 33.03
6887161390	CCP0SP76	135°F	57°C	Specialty	\$ 55.47
6887161621	CCP1C76	165°F	74°C	Chrome	\$ 84.76
6887161618	CCP1W76	165°F	74°C	White	\$ 33.03
6887161690	CCP1SP76	165°F	74°C	Specialty	\$ 55.47
6880100000	WRC	Requires Model RC1 Sprinkler Wrench			\$ 311.84

**Notes:**

Sprinklers and coverplates sold and packaged separately



## XL Commercial

- K-Factor = 5.6 (80)
- Pendent = SIN R4514
- HSW = SIN R4534
- See Bulletin 145

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL XL PENDENT K5.6 (80) THREADS 1/2" (15MM) RA4514</b>					
1212213299	XLQRPC	165°F	74°C	Chrome	\$ 149.53
1212723299	XLQRPW	165°F	74°C	White	\$ 149.53
<b>MODEL XL HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA4534</b>					
1352213299	XLQRHC	165°F	74°C	Chrome	\$ 185.63
1352723299	XLQRHW	165°F	74°C	White	\$ 185.63
<b>REQUIRED ESCUTCHEONS FOR MODEL XL FLAT</b>					
6801210000	ZXFPC			Chrome	\$ 28.78
6801220000	ZXFPW			White	\$ 28.78
<b>REQUIRED ESCUTCHEONS FOR MODEL XL CONICAL</b>					
6801070000	ZXCPC			Chrome	\$ 28.78
6801080000	ZXCPW			White	\$ 28.78
<b>REQUIRED ESCUTCHEONS FOR MODEL XL HSW</b>					
6801120000	ZXCHC			Chrome	\$ 28.78
6801140000	ZXCHW			White	\$ 28.78

6880160000	WZXP	Requires Model ZX (Pendent) Sprinkler Wrench	\$ 310.63
6880160010	WZXH	Requires Model ZX (Horizontal) Sprinkler Wrench	\$ 310.63