



G6-80 HSW QR EC


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

Part Number	Short Code	Temperature		Finish	List Price
MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762					
2116173498	G61B	165°F	74°C	Bronze	A\$ 181.54
MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762					
2116173495	G61BM	165°F	74°C	Bronze	A\$ 181.54
MODEL G6 PLAIN COVERPLATES					
6887211311	CG60B	135°F	57°C	Bronze	A\$ 69.65
6887211321	CG60C	135°F	57°C	Chrome	A\$ 49.93
6887211372	CG60W	135°F	57°C	White	A\$ 49.93
6887211390	CG60SP	135°F	57°C	Specialty	A\$ 72.63

6880101010 WG6 Requires Model G6 Sprinkler Wrench A\$ 425.52

Notes:


Sprinkler and cover plates packaged and sold separately



JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 173
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price
MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326					
L192114198	JL112U1B	165°F	74°C	Bronze	A\$ 104.52
L192214198	JL112U1C	165°F	74°C	Chrome	A\$ 108.53
L192874198	JL112U1W	165°F	74°C	White	A\$ 108.53
L194114198	JL112U2B	212°F	100°C	Bronze	A\$ 104.52
L194214198	JL112U2C	212°F	100°C	Chrome	A\$ 108.53
L194874198	JL112U2W	212°F	100°C	White	A\$ 108.53
MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326					
L292114198	J112U1B	155°F	68°C	Bronze	A\$ 105.90
L292214198	J112U1C	155°F	68°C	Chrome	A\$ 109.85
L292874198	J112U1W	155°F	68°C	White	A\$ 109.85
L292104198	J112U1SS	155°F	68°C	Stainless Steel	A\$ 941.01
L294114198	J112U2B	200°F	93°C	Bronze	A\$ 105.90
L294214198	J112U2C	200°F	93°C	Chrome	A\$ 109.85
L294874198	J112U2W	200°F	93°C	White	A\$ 109.85
L294104198	J112U2SS	200°F	93°C	Stainless Steel	A\$ 941.01



JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price
MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216					
L172114198	JL112P1B	165°F	74°C	Bronze	A\$ 104.52
L172214198	JL112P1C	165°F	74°C	Chrome	A\$ 108.53
L172874198	JL112P1W	165°F	74°C	White	A\$ 108.53
L174114198	JL112P2B	212°F	100°C	Bronze	A\$ 104.52
L174214198	JL112P2C	212°F	100°C	Chrome	A\$ 108.53
L174874198	JL112P2W	212°F	100°C	White	A\$ 108.53
MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216					
L272114198	J112P1B	155°F	68°C	Bronze	A\$ 105.90
L272214198	J112P1C	155°F	68°C	Chrome	A\$ 109.85
L272874198	J112P1W	155°F	68°C	White	A\$ 109.85
L272104198	J112P1SS	155°F	68°C	Stainless Steel	A\$ 941.01
L274114198	J112P2B	200°F	93°C	Bronze	A\$ 105.90
L274214198	J112P2C	200°F	93°C	Chrome	A\$ 109.85
L274874198	J112P2W	200°F	93°C	White	A\$ 109.85
L274104198	J112P2SS	200°F	93°C	Stainless Steel	A\$ 941.01

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1 RECESSED ESCUTCHEON & COLLAR ASSEMBLY					
6801030000	GF1LB	3/4" (20mm)		Bronze	A\$ 26.16
6801000000	GF1LC	3/4" (20mm)		Chrome	A\$ 14.11
6801040000	GF1LW	3/4" (20mm)		White	A\$ 14.11
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	A\$ 83.12
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Bronze	A\$ 26.16
6800880001	GF2LC	3/4" (20mm)		Chrome	A\$ 14.11
6800880005	GF2LW	3/4" (20mm)		White	A\$ 14.11
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON					
6801402100	FPLC	3/4" (20mm)		Chrome	A\$ 27.21
6801407200	FPLW	3/4" (20mm)		White	A\$ 27.21
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	A\$124.66

6880090000 WJ1 Upright & Pendent Requires Model J1 Sprinkler Wrench A\$ 171.20
6880170032 WRJ Rec Pendent Requires Model J112 Sprinkler Wrench A\$ 425.52



F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



F1FR EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 K 5.6 (80) THREADS 1/2" (15MM) RA2845					
BB131130R9	F1FR56EC0B	135°F	57°C	Bronze	A\$ 79.51
BB132130R9	F1FR56EC0C	135°F	57°C	Chrome	A\$ 87.15
BB138730R9	F1FR56EC0W	135°F	57°C	White	A\$ 91.16
BB151130R9	F1FR56EC1B	155°F	68°C	Bronze	A\$ 79.51
BB152130R9	F1FR56EC1C	155°F	68°C	Chrome	A\$ 87.15
BB158730R9	F1FR56EC1W	155°F	68°C	White	A\$ 91.16
MODEL F1FREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842					
BJ13113998	F1FREC0LB	135°F	57°C	Bronze	A\$ 84.34
BJ13213998	F1FREC0LC	135°F	57°C	Chrome	A\$ 91.89
BJ13873998	F1FREC0LW	135°F	57°C	White	A\$ 99.20
BJ15113998	F1FREC1LB	155°F	68°C	Bronze	A\$ 84.34
BJ15213998	F1FREC1LC	155°F	68°C	Chrome	A\$ 91.89
BJ15873998	F1FREC1LW	155°F	68°C	White	A\$ 99.20
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Bronze	A\$ 26.16
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 14.11
6800840000	GF2W	1/2" (15mm)		White	A\$ 14.11
6800880004	GF2LB	3/4" (20mm)		Bronze	A\$ 26.16
6800880001	GF2LC	3/4" (20mm)		Chrome	A\$ 14.11
6800880005	GF2LW	3/4" (20mm)		White	A\$ 14.11
6800890004	GF2MB	10mm		Bronze	A\$ 26.16
6800890001	GF2MC	10mm		Chrome	A\$ 15.09
6800890005	GF2MW	10mm		White	A\$ 13.51
6880050100	WW2	Requires Model W2 Sprinkler Wrench			A\$ 141.29
6880060000	WGFR	For Recessed, Use Model GFR2			A\$ 427.18



F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**



F1FR-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56-300 EC K5.6 (80) THREADS 1/2" (15MM) RA3045					
BH131132R9	F1FR56EC0B3	135°F	57°C	Bronze	A\$ 84.62
BH132132R9	F1FR56EC0C3	135°F	57°C	Chrome	A\$ 91.31
BH138732R9	F1FR56EC0W3	135°F	57°C	White	A\$ 96.31
BH151132R9	F1FR56EC1B3	155°F	68°C	Bronze	A\$ 83.84
BH152132R9	F1FR56EC1C3	155°F	68°C	Chrome	A\$ 91.31
BH158732R9	F1FR56EC1W3	155°F	68°C	White	A\$ 95.41
MODEL F1FR-300 EC K8.0 (115) THREADS 3/4" (20MM) R5942					
BH13113998	F1FREC0LB3	135°F	57°C	Bronze	A\$ 87.54
BH13213998	F1FREC0LC3	135°F	57°C	Chrome	A\$ 95.41
BH13873998	F1FREC0LW3	135°F	57°C	White	A\$ 103.00
BH15113998	F1FREC1LB3	155°F	68°C	Bronze	A\$ 87.54
BH15213998	F1FREC1LC3	155°F	68°C	Chrome	A\$ 95.41
BH15873998	F1FREC1LW3	155°F	68°C	White	A\$ 103.00
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Bronze	A\$ 26.16
6800600001	GF1C	1/2" (15mm)		Chrome	A\$ 14.11
6800640001	GF1W	1/2" (15mm)		White	A\$ 14.11
6801030000	GF1LB	3/4" (20mm)		Bronze	A\$ 26.16
6801000000	GF1LC	3/4" (20mm)		Chrome	A\$ 14.11
6801040000	GF1LW	3/4" (20mm)		White	A\$ 14.11

6880050100	WW2	Requires Model W2 Sprinkler Wrench	A\$ 141.29
6880060000	WGFR	For Recessed, Use Model GFR2	A\$ 427.18



**F1FR-300 QREC-9
 HORIZONTAL
 SIDEWALL**

- K-Factor = 8.0 (115)
- **SIN RA5962**
- See Bulletin 159



**F1FR-300
 RECESSED QREC-9**

- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR EC9-300 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA5962					
BH13113598	F1FREC90B3	135°F	57°C	Bronze	A\$ 81.31
BH13213598	F1FREC90C3	135°F	57°C	Chrome	A\$ 86.31
BH13873598	F1FREC90W3	135°F	57°C	White	A\$ 91.74
BH15113598	F1FREC91B3	155°F	68°C	Bronze	A\$ 81.31
BH15213598	F1FREC91C3	155°F	68°C	Chrome	A\$ 86.31
BH15873598	F1FREC91W3	155°F	68°C	White	A\$ 91.74
BH17113598	F1FREC95B3	175°F	79°C	Bronze	A\$ 81.31
BH17213598	F1FREC95C3	175°F	79°C	Chrome	A\$ 86.31
BH17873598	F1FREC95W3	175°F	79°C	White	A\$ 91.74
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Bronze	A\$ 26.16
6800880001	GF2LC	3/4" (20mm)		Chrome	A\$ 14.11
6800880005	GF2LW	3/4" (20mm)		White	A\$ 14.11

6880050100	WW2	Requires Model W2 Sprinkler Wrench	A\$ 141.29
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	A\$ 427.18



F1FR56 QREC EC8

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



F1FR QREC EC9

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 EC8 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA2865					
BD131130R9	F1FR56EC80B	135°F	57°C	Bronze	A\$ 72.21
BD132130R9	F1FR56EC80C	135°F	57°C	Chrome	A\$ 76.72
BD138730R9	F1FR56EC80W	135°F	57°C	White	A\$ 82.32
BD151130R9	F1FR56EC81B	155°F	68°C	Bronze	A\$ 72.21
BD152130R9	F1FR56EC81C	155°F	68°C	Chrome	A\$ 76.72
BD158730R9	F1FR56EC81W	155°F	68°C	White	A\$ 82.32
BD171130R9	F1FR56EC85B	175°F	79°C	Bronze	A\$ 72.21
BD172130R9	F1FR56EC85C	175°F	79°C	Chrome	A\$ 76.72
BD178730R9	F1FR56EC85W	175°F	79°C	White	A\$ 82.32
MODEL F1FR EC9 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4862					
BK13113598	F1FREC90B	135°F	57°C	Bronze	A\$ 77.48
BK13213598	F1FREC90C	135°F	57°C	Chrome	A\$ 82.32
BK13873598	F1FREC90W	135°F	57°C	White	A\$ 87.52
BK15113598	F1FREC91B	155°F	68°C	Bronze	A\$ 77.48
BK15213598	F1FREC91C	155°F	68°C	Chrome	A\$ 82.32
BK15873598	F1FREC91W	155°F	68°C	White	A\$ 87.52
BK17113598	F1FREC95B	175°F	79°C	Bronze	A\$ 77.48
BK17213598	F1FREC95C	175°F	79°C	Chrome	A\$ 82.32
BK17873598	F1FREC95W	175°F	79°C	White	A\$ 87.52
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Bronze	A\$ 26.16
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 14.11
6800840000	GF2W	1/2" (15mm)		White	A\$ 14.11
6800880004	GF2LB	3/4" (20mm)		Bronze	A\$ 26.16
6800880001	GF2LC	3/4" (20mm)		Chrome	A\$ 14.11
6800880005	GF2LW	3/4" (20mm)		White	A\$ 14.11
6800890004	GF2MB	10mm		Bronze	A\$ 26.16
6800890001	GF2MC	10mm		Chrome	A\$ 15.09
6800890005	GF2MW	10mm		White	A\$ 13.51

6880050100	WW2	Requires Model W2 Sprinkler Wrench	A\$ 141.29
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	A\$ 427.18



F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

F1FR QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 151

F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**

F1FR-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 167
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 EC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845					
BM131730R9	F1FR56CE0	135°F	57°C	Bronze	A\$ 68.26
BM151730R9	F1FR56CE1	155°F	68°C	Bronze	A\$ 68.26
MODEL F1FR EC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842					
BM13173998	F1FRCELO	135°F	57°C	Bronze	A\$ 67.08
BM15173998	F1FRCEL1	155°F	68°C	Bronze	A\$ 67.08
MODEL F1FR56-300 EC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045					
BH131730R9	F1FR56CE03	135°F	57°C	Bronze	A\$ 70.88
BH151730R9	F1FR56CE13	155°F	68°C	Bronze	A\$ 70.88
MODEL F1FR-300 EC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942					
BH13173998	F1FRCE0L3	135°F	57°C	Bronze	A\$ 70.88
BH15173998	F1FRCE1L3	155°F	68°C	Bronze	A\$ 70.88
REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT					
6887161321	CCP0C76	135°F	57°C	Chrome	A\$ 116.11
6887161318	CCP0W76	135°F	57°C	White	A\$ 45.24
REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT					
6887171321	CCP05C76	135°F	57°C	Chrome	A\$ 116.11
6887171318	CCP05W76	135°F	57°C	White	A\$ 45.24
6887171390	CCP05SP76	135°F	57°C	Specialty	A\$ 75.98
6880100000	WRC	Requires Model RC1 Sprinkler Wrench			A\$ 427.18

Notes:

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately



DH56

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



DH56 CONCEALED

DH56 CNC

- SIN RA1564
- See Bulletin 015

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564					
BU15113299	DH561B	155°F	68°C	Bronze	A\$ 86.13
BU15213299	DH561C	155°F	68°C	Chrome	A\$ 94.46
BU15873299	DH561W	155°F	68°C	White	A\$ 94.46
BU20113299	DH562B	200°F	93°C	Bronze	A\$ 86.13
BU20213299	DH562C	200°F	93°C	Chrome	A\$ 94.46
BU20873299	DH562W	200°F	93°C	White	A\$ 94.46
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Bronze	A\$ 26.16
6800800000	GF2C	1/2" (15mm)		Chrome	A\$ 14.11
6800840000	GF2W	1/2" (15mm)		White	A\$ 14.11
MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564					
BT15173299	DH56C1	155°F	68°C	Bronze	A\$ 91.68
BT20173299	DH56C2	200°F	93°C	Bronze	A\$ 91.68
REQUIRED SWC COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	A\$ 46.78
6887131618	CHWNS1	165°F	74°C	White	A\$ 46.78

6880060000 WGFR Requires Model GFR2 Sprinkler Wrench A\$ 427.18

Notes:

Sprinkler and cover plates sold and packaged separately



DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362					
BU15113998	DH1B	155°F	68°C	Bronze	A\$ 92.69
BU15213998	DH1C	155°F	68°C	Chrome	A\$ 100.14
BU15873998	DH1W	155°F	68°C	White	A\$ 100.14
FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)					
6801402100	FPLC	3/4" (20mm)		Chrome	A\$ 27.21
6801407200	FPLW	3/4" (20mm)		White	A\$ 27.21
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Bronze	A\$ 26.16
6800880001	GF2LC	3/4" (20mm)		Chrome	A\$ 14.11
6800880005	GF2LW	3/4" (20mm)		White	A\$ 14.11
MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362					
BT15173998	DHC1	155°F	68°C	Bronze	A\$ 98.34
MODEL SWC-NS COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	A\$ 46.78
6880060000	WGFR	Requires Model GFR2 Sprinkler Wrench			A\$ 427.18

Notes:

Sprinkler and coverplates sold and packaged separately



**G4 XLO-QR
 ECLH/ECOH**

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

NEW



**KFR-CCS
 Combustible
 Concealed Space**

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

Part Number	Short Code	Temperature		Finish	List Price
MODEL G4XLO K11.2 (160) THREADS 3/4" (20MM) R7146					
1716174198	G4XLO	165°F	74°C	Bronze	A\$ 103.74
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	A\$ 49.93
6887271372	CG50W	135°F	57°C	White	A\$ 49.93
6887271311	CG50B	135°F	57°C	Bronze	A\$ 68.66
6887271374	CG50OW	135°F	57°C	Off-White	A\$ 67.92
6887271390	CG50SP	135°F	57°C	Specialty	A\$ 68.10
6887271316	CG50FB	135°F	57°C	Black Painted	A\$ 68.01
6887271367	CG50BP	135°F	57°C	Black Plated	A\$ 83.12
6887271305	CG50BB	135°F	57°C	Bright Brass	A\$ 83.12
6887271323	CG50CD	135°F	57°C	Satin Chrome	A\$ 83.12
6887271310	CG50SS	135°F	57°C	Stainless Steel	A\$ 83.12
6887271321	CG50C	135°F	57°C	Chrome	A\$ 49.93
6887271372	CG50W	135°F	57°C	White	A\$ 49.93
6887271390	CG50SP	135°F	57°C	Specialty	A\$ 68.10

6880170000 WG4 Requires Model G4 Sprinkler Wrench A\$ 425.52

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454					
MN211132R9	KFRCCS	212°F	100°C	Bronze	A\$ 94.40

6880050100 WW2 Requires Model W2 Sprinkler Wrench A\$ 141.29



SWC QREC

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

Part Number	Short Code	Temperature		Finish	List Price
MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962					
BM13173498	CEC9	135°F	57°C	Bronze	A\$ 80.97
BM15173498	CEC91	155°F	68°C	Bronze	A\$ 80.97
MODEL SWC-NS COVERPLATES					
6887131318	CHWNS	135°F	57°C	White	A\$ 46.78
6887131390	CHSPNS	135°F	57°C	Specialty	A\$ 70.14

6880060000 WGFR Requires Model GFR2 Wrench A\$ 427.18

Notes:

Covers can not be plated - only painted.
 Sprinkler and coverplates sold and packaged separately



GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553					
0116114598	GFRUV1B	165°F	74°C	Bronze	A\$ 158.79
0116214598	GFRUV1C	165°F	74°C	Chrome	A\$ 165.08
0121114598	GFRUV2B	212°F	100°C	Bronze	A\$ 158.79
0121214598	GFRUV2C	212°F	100°C	Chrome	A\$ 165.08

6880070000 WH Requires Model H Sprinkler Wrench A\$ 171.20

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043					
FB16114598	GFRPV1B	165°F	74°C	Bronze	A\$ 119.23
FB16214598	GFRPV1C	165°F	74°C	Chrome	A\$ 124.02
FB16874598	GFRPV1W	165°F	74°C	White	A\$ 129.35
FB21114598	GFRPV2B	212°F	100°C	Bronze	A\$ 119.23
FB21214598	GFRPV2C	212°F	100°C	Chrome	A\$ 124.02
FB21874598	GFRPV2W	212°F	100°C	White	A\$ 129.35

6880070000 WH Requires Model H Sprinkler Wrench A\$ 171.20

6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing A\$ 224.39

*Recessing available.



GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160



MBEC-14

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

Part Number	Short Code	Temperature		Finish	List Price
MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932					
4816114597	MB1B	165°F	74°C	Bronze	A\$ 127.28
4816214597	MB1C	165°F	74°C	Chrome	A\$ 146.01
4816874597	MB1W	165°F	74°C	White	A\$ 146.01
4821114597	MB2B	212°F	100°C	Bronze	A\$ 127.28
4821214597	MB2C	212°F	100°C	Chrome	A\$ 146.01
4821874597	MB2W	212°F	100°C	White	A\$ 146.01
6880070000	WH	Requires Model H Sprinkler Wrench			A\$ 171.20