



### F1RES 30 CCP

- K-Factor = 3.0 (43)
- SIN R3511
- See Bulletin 135



### F1RES 30 PENDENT & RECESSED PENDENT

- K-FACTOR = 3.0 (43)
- SIN R3511
- See Bulletin 135



### KRES 30 PENDENT

- K Factor =3.0 (43)
- SIN R3591
- Link Version
- See Bulletin 935

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES30 CCP K3.0 (43) THREADS 1/2" (15MM) R3511</b>					
		°F	°C		£ Call

<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	£ 64.21
6887161318	CCP0W76	135°F	57°C	White	£ 25.02
6887161390	CCP0SP76	135°F	57°C	Specialty	£ 42.02
6887171321	CCP05C76	135°F	57°C	Chrome	£ 64.21
6887171318	CCP05W76	135°F	57°C	White	£ 25.02
6887171390	CCP05SP76	135°F	57°C	Specialty	£ 42.02

<b>MODEL F1RES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3511</b>					
CV151121S9	30BN	155°F	68°C	Bronze	£ 42.63
CV152121S9	30CN	155°F	68°C	Chrome	£ 42.95
CV158721S9	30WN	155°F	68°C	White	£ 42.95
CV171121S9	30B5N	175°F	79°C	Bronze	£ 42.63
CV172121S9	30C5N	175°F	79°C	Chrome	£ 42.95
CV178721S9	30W5N	175°F	79°C	White	£ 42.95

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			£ 236.24
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			£ 78.14

<b>MODEL KRES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3591</b>					
MV161121R9	KRES301B	165°F	74°C	Bronze	£ 42.63
MV162121R9	KRES301C	165°F	74°C	Chrome	£ 42.95
MV168721R9	KRES301W	165°F	74°C	White	£ 42.95
MV211121R9	KRES302B	212°F	100°C	Bronze	£ 42.63
MV212121R9	KRES302C	212°F	100°C	Chrome	£ 42.95
MV218721R9	KRES302W	212°F	100°C	White	£ 42.95

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			£ 78.14
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			£ 236.24

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	£ 14.47
6800800000	GF2C	1/2" (15mm)		Chrome	£ 7.81
6800840000	GF2W	1/2" (15mm)		White	£ 7.81



### F1RES 49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135 & 176



### KRES49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletin
- Link Version



### F1RES 49 CCP

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3516</b>					
CV151128S9	49BN	155°F	68°C	Bronze	£ 42.63
CV152128S9	49CN	155°F	68°C	Chrome	£ 42.95
CV158728S9	49WN	155°F	68°C	White	£ 42.95
CV171128S9	49B5N	175°F	79°C	Bronze	£ 42.63
CV172128S9	49C5N	175°F	79°C	Chrome	£ 42.95
CV178728S9	49W5N	175°F	79°C	White	£ 42.95

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			£ 236.24
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			£ 78.14

<b>MODEL KRES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3596-LINK</b>					
MV161128R9	KRES491B	165°F	74°C	Bronze	£ 42.63
MV162128R9	KRES491C	165°F	74°C	Chrome	£ 42.95
MV168728R9	KRES491W	165°F	74°C	White	£ 42.95
MV211128R9	KRES492B	212°F	100°C	Bronze	£ 42.63
MV212128R9	KRES492C	212°F	100°C	Chrome	£ 42.95
MV218728R9	KRES492W	212°F	100°C	White	£ 42.95

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			£ 78.14
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			£ 236.24

<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	£ 14.47
6800600001	GF1C	1/2" (15mm)		Chrome	£ 7.81
6800640001	GF1W	1/2" (15mm)		White	£ 7.81

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	£ 14.47
6800800000	GF2C	1/2" (15mm)		Chrome	£ 7.81
6800840000	GF2W	1/2" (15mm)		White	£ 7.81

<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	£ 15.05
6801417200	FPW	Push-On Thread Off		White	£ 15.05

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49 CCP K4.9 (71) THREADS 1/2" (15MM) R3516</b>					
CM151728S9	49CCP1N	155°F	68°C	Bronze	£ 38.60

6880060000	WGFR	WRENCH,GFR2,RECESSED,CONCEALED,SP			£ 236.24
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			£ 78.14

<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	£ 64.21
6887161318	CCP0W76	135°F	57°C	White	£ 25.02
6887161390	CCP0SP76	135°F	57°C	Specialty	£ 42.02
6887171321	CCP05C76	135°F	57°C	Chrome	£ 64.21
6887171318	CCP05W76	135°F	57°C	White	£ 25.02
6887171390	CCP05SP76	135°F	57°C	Specialty	£ 42.02




### F1RES 44 HSW & REC HSW

- See Bulletins 135 & 176



### KRES44 HSW & REC HSW

- See Bulletins 935
- SIN RA3591
- Link version



### F1RES 44 SWC

- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) R3531</b>					
CV521125S9	44BN	155°F	68°C	Bronze	£ 43.97
CV522125S9	44CN	155°F	68°C	Chrome	£ 44.00
CV528725S9	44WN	155°F	68°C	White	£ 44.00
CV531125S9	44B5N	175°F	79°C	Bronze	£ 43.97
CV532125S9	44C5N	175°F	79°C	Chrome	£ 44.00
CV538725S9	44W5N	175°F	79°C	White	£ 44.00

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			£ 236.24
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			£ 78.14

<b>MODEL KRES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3591</b>					
MV521125R9	KRES441B	165°F	74°C	Bronze	£ 43.97
MV522125R9	KRES441C	165°F	74°C	Chrome	£ 44.00
MV528725R9	KRES441W	165°F	74°C	White	£ 44.00

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			£ 78.14
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			£ 236.24

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	£ 14.47
6800800000	GF2C	1/2" (15mm)		Chrome	£ 7.81
6800840000	GF2W	1/2" (15mm)		White	£ 7.81

<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	£ 15.05
6801417200	FPW	Push-On Thread Off		White	£ 15.05

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL SWC 44 RES K4.4 (63) THREADS 1/2" R3531</b>					
CM521725S9	SWC44N	155°F	68°C	Bronze	£ 43.13
CM531725S9	SWC445N	175°F	79°C	Bronze	£ 43.13
<b>REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC</b>					
6887131318	CHWNS	135°F	57°C	White	£ 25.87
6887131390	CHSPNS	135°F	57°C	Specialty	£ 38.79
<b>REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC-2</b>					
6887251318	SWC2W	135°F	57°C	White	£ 25.87



### F1RES 58 CCP

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58 CONCEALED CCP K5.8 (84) THREADS 1/2" (15MM) R3513</b>					
CM15173199	58CCP1	155°F	68°C	Bronze	£ 38.60
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	£ 64.21
6887161318	CCP0W76	135°F	57°C	White	£ 25.02
6887161390	CCP0SP76	135°F	57°C	Specialty	£ 42.02
6887171321	CCP05C76	135°F	57°C	Chrome	£ 64.21
6887171318	CCP05W76	135°F	57°C	White	£ 25.02
6887171390	CCP05SP76	135°F	57°C	Specialty	£ 42.02

6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED £ 236.24



### F1RES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3533**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58 HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) R3533</b>					
CV521131S9	58H1BN	155°F	68°C	Bronze	£ 43.97
CV522131S9	58H1CN	155°F	68°C	Chrome	£ 44.00
CV528731S9	58H1WN	155°F	68°C	White	£ 44.00
CV53113199	58H5B	175°F	79°C	Bronze	£ 43.97
CV53213199	58H5C	175°F	79°C	Chrome	£ 44.00
CV538731S9	58H5WN	175°F	79°C	White	£ 44.00
<b>MODEL KRES58 HORIZONTAL K5.8 (84) THREADS 1/2" RA3503 LINK</b>					
MV521131R9	KRES58H1B	165°F	74°C	Bronze	£ 43.97
MV522131R9	KRES58H1C	165°F	74°C	Chrome	£ 44.00
MV528731R9	KRES58H1W	165°F	74°C	White	£ 44.00



### KRES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3503**
- Link Version

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58 PENDENT K5.8 (84) THREADS 1/2" R3513</b>					
CV151131S9	58P1BN	155°F	68°C	Bronze	£ 42.63
CV152131S9	58P1CN	155°F	68°C	Chrome	£ 42.95
CV158731S9	58P1WN	155°F	68°C	White	£ 42.95
CV17113199	58P5B	175°F	79°C	Bronze	£ 42.63
CV17213199	58P5C	175°F	79°C	Chrome	£ 42.95
CV178731S9	58P5WN	175°F	79°C	White	£ 42.95
<b>MODEL KRES58 PENDENT K5.8 (84) THREADS 1/2" R3593 LINK</b>					
MV161131R9	KRES58P1B	165°F	74°C	Bronze	£ 42.63
MV162131R9	KRES58P1C	165°F	74°C	Chrome	£ 42.95
MV168731R9	KRES58P1W	165°F	74°C	White	£ 42.95
MV211131R9	KRES58P2B	212°F	100°C	Bronze	£ 42.63
MV212131R9	KRES58P2C	212°F	100°C	Chrome	£ 42.95
MV218731R9	KRES58P2W	212°F	100°C	White	£ 42.95



### F1RES 58 SP PENDENT

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletin 135

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Bronze	£ 14.47
6800800000	GF2C	1/2" (15mm)	Chrome	£ 7.81
6800840000	GF2W	1/2" (15mm)	White	£ 7.81
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>				
6801412100	FPC	Push-On Thread Off	Chrome	£ 15.05
6801417200	FPW	Push-On Thread Off	White	£ 15.05

6880050100 WW2 WRENCH,W2(PENDENT,UPRIGHT,HSW) £ 78.14  
 6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED £ 236.24  
 6880100100 WW1 WRENCH,W1 (RECESSED PENDENT,CCP,& HSW) £ 236.24



### F1RES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3533**
- See Bulletin 135
- **Bulb Version**



### KRES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3593**
- See Bulletin 935
- **Link Version**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3533</b>					
CV62113199	58H1BX	155°F	68°C	Bronze	£ 56.94
CV62213199	58H1CX	155°F	68°C	Chrome	£ 62.20
CV62873199	58H1WX	155°F	68°C	White	£ 62.20
CV63113199	58H5BX	175°F	79°C	Bronze	£ 56.94
CV63213199	58H5CX	175°F	79°C	Chrome	£ 62.20
CV63873199	58H5WX	175°F	79°C	White	£ 62.20
<b>MODEL KRES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3593</b>					
MV62113199	K58H1BX	165°F	74°C	Bronze	£ 56.94
MV62213199	K58H1CX	165°F	74°C	Chrome	£ 62.20
MV62873199	K58H1WX	165°F	74°C	White	£ 62.20
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	£ 14.47
6800800000	GF2C	1/2" (15mm)		Chrome	£ 7.81
6800840000	GF2W	1/2" (15mm)		White	£ 7.81
<b>MODEL FV RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801720600	FVB	1/2" (15mm)		Bronze	£ 13.66
6801722100	FVC	1/2" (15mm)		Chrome	£ 9.11
6801728700	FVW	1/2" (15mm)		White	£ 9.11

6880050100	WW2	Requires Model WW2 Sprinkler Wrench			£ 78.14
6880060000	WGFR	For Recessed & Concealed Use Model GFR2 Wrench			£ 236.24
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			£ 236.24

\* Low flow residential horizontal sidewall sprinklers engineered to provide a minimum design density of 0.05 gpm/ft<sup>2</sup> over the listed coverage areas



### F1RES 76 Pendant & Recessed Pendant

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176



### F1RES 76 CCP

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1RES76 PENDENT K7.6 (109) THREADS 3/4" (20MM) R7618</b>				
CV15113298	76P1B	155°F	68°C	Bronze £ 43.37
CV15213298	76P1C	155°F	68°C	Chrome £ 46.09
CV15873298	76P1W	155°F	68°C	White £ 46.09
CV17113298	76P5B	175°F	79°C	Bronze £ 43.37
CV17213298	76P5C	175°F	79°C	Chrome £ 46.09
CV17873298	76P5W	175°F	79°C	White £ 46.09
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6801030000	GF1LB	3/4"Adjustment	Bronze	£ 14.47
6801000000	GF1LC	3/4"Adjustment	Chrome	£ 7.81
6801040000	GF1LW	3/4"Adjustment	White	£ 7.81
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800880004	GF2LB	1/2"Adjustment	Bronze	£ 14.47
6800880001	GF2LC	1/2"Adjustment	Chrome	£ 7.81
6800880005	GF2LW	1/2"Adjustment	White	£ 7.81
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>				
6801402100	FPLC	Push-On Thread Off	Chrome	£ 15.05
6801407200	FPLW	Push-On Thread Off	White	£ 15.05

6880050100	WW2	Requires Model WW2 Sprinkler Wrench	£ 78.14
6880100120	WW4	For Recessed Use Model GFR2 Wrench	£ 236.24
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)	£ 236.24

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1RES76 HORIZONTAL CCP K7.6 (109) THREADS 3/4" (20MM) R7618</b>				
CM15173298	76CCP1	155°F	68°C	Bronze £ 54.22
CM17173298	76CCP5	175°F	79°C	Bronze £ 54.22
<b>MODEL CCP CONICAL CONCEALED COVERPLATES 5/16" ADJUSTMENT</b>				
6887171321	CCP05C76	135°F	57°C	Chrome £ 64.21
6887171318	CCP05W76	135°F	57°C	White £ 25.02
6887171390	CCP05SP76	135°F	57°C	Specialty £ 42.02
<b>MODEL CCP CONICAL CONCEALED COVERPLATES 1/2" ADJUSTMENT</b>				
6887161321	CCP0C76	135°F	57°C	Chrome £ 64.21
6887161318	CCP0W76	135°F	57°C	White £ 25.02

6880060000	WGFR	Requires GFR2 Wrench	£ 236.24
------------	------	----------------------	----------

#### Notes:

Sprinkler and coverplates sold and packaged separately



**RFC Series  
Residential  
Sprinklers Flat Cover  
Plate, Concealed  
Pendent Sprinklers**



### RFC30

- K-Factor = 3.0 (43)
- **SIN RA0611**
- See Bulletin 006

### RFC43

- K-Factor = 4.3 (62)
- **SIN RA0612**
- See Bulletin 006

### RFC49

- K-Factor = 4.9 (70)
- **SIN RA0616**
- See Bulletin 006

### RFC58

- K-Factor = 5.8 (84)
- **SIN RA0613**
- See Bulletin 006

### RFC76

- K-Factor = 7.6 (109)
- **SIN RA0618**
- See Bulletin 006

## For the Residential sprinkler design and installation guide see Bulletin 140

- Note: Sprinkler and coverplates sold and packaged separately

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFC30 FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA0611</b>					
1816172197	RFC30	165°F	74°C	Bronze	£ 55.07
<b>MODEL RFC43 FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA0612</b>					
1816172597	RFC43	165°F	74°C	Bronze	£ 55.07
1821172597	RFC432	212°F	100°C	Bronze	£ 55.07
<b>MODEL RFC49 FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA0616</b>					
1816172697	RFC49	165°F	74°C	Bronze	£ 55.07
1821172697	RFC492	212°F	100°C	Bronze	£ 55.07
<b>MODEL RFC58 FLAT CONCEALED K5.8 (84) THREADS 1/2" (15MM) RA0613</b>					
1816172997	RFC581	165°F	74°C	Bronze	£ 55.07
1821172997	RFC582	212°F	100°C	Bronze	£ 55.07
<b>MODEL RFC76 FLAT CONCEALED K7.6 (109) THREADS 3/4" (20MM) RA0618</b>					
1816173198	RFC761	165°F	74°C	Bronze	£ 86.73
1821173198	RFC762	212°F	100°C	Bronze	£ 86.73

6880170020	WFC	WRENCH,FC,CONCEALED			£ 235.33
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP			£ 235.33
6880103000	W8	WRENCH,W8, RFC PLASTIC SERVICE WRENCH			£ 147.27

<b>MODEL G5 COVER PLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	£ 27.61
6887271372	CG50W	135°F	57°C	White	£ 27.61
6887271311	CG50B	135°F	57°C	Bronze	£ 37.97
6887271374	CG50OW	135°F	57°C	Off-White	£ 37.56
6887271390	CG50SP	135°F	57°C	Specialty	£ 37.66
6887271316	CG50FB	135°F	57°C	Black Painted	£ 37.61
6887271367	CG50BP	135°F	57°C	Black Plated	£ 45.97
6887271305	CG50BB	135°F	57°C	Bright Brass	£ 45.97
6887271323	CG50CD	135°F	57°C	Satin Chrome	£ 45.97
6887271310	CG50SS	135°F	57°C	Stainless Steel	£ 45.97
6887271621	CG51C	165°F	74°C	Chrome	£ 27.61
6887271672	CG51W	165°F	74°C	White	£ 27.61
6887271611	CG51B	165°F	74°C	Bronze	£ 37.97
6887271674	CG51OW	165°F	74°C	Off-White	£ 37.56
6887271690	CG51SP	165°F	74°C	Specialty	£ 37.66
6887271616	CG51FB	165°F	74°C	Black Painted	£ 37.61
6887271667	CG51BP	165°F	74°C	Black Plated	£ 45.97
6887271605	CG51BB	165°F	74°C	Bright Brass	£ 45.97
6887271623	CG51CD	165°F	74°C	Satin Chrome	£ 45.97
6887271610	CG51SS	165°F	74°C	Stainless Steel	£ 45.97



**RFS42 Residential  
 Flat Plate  
 Concealed HSW**

- K-Factor = 4.2 (60)
- **SIN RA4835**
- See Bulletin 048

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFS42 HSW CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA4835</b>					
2216172499	RFS42	165°F	74°C	Bronze	£ 109.96
<b>MODEL RFS42 COVERPLATES</b>					
6887231311	CRFS0B	135°F	57°C	Bronze	£ 38.52
6887231321	CRFS0C	135°F	57°C	Chrome	£ 38.16
6887231372	CRFS0W	135°F	57°C	White	£ 38.16

**Notes:**

Sprinklers and coverplates sold and packaged separately

**NEW**





## F3RES44 DRY HSW

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 1" (IS07-R1) RA5231</b>			
HP[TEMP]11[DIM]	2" to 5-3/4"	Bronze	£ 294.15
HP[TEMP]21[DIM]	2" to 5-3/4"	Chrome	£ 294.15
HP[TEMP]08[DIM]	2" to 5-3/4"	White	£ 294.15
HP[TEMP]11[DIM]	6" to 8-3/4"	Bronze	£ 303.35
HP[TEMP]21[DIM]	6" to 8-3/4"	Chrome	£ 303.35
HP[TEMP]08[DIM]	6" to 8-3/4"	White	£ 303.35
HP[TEMP]11[DIM]	9" to 11-3/4"	Bronze	£ 312.54
HP[TEMP]21[DIM]	9" to 11-3/4"	Chrome	£ 312.54
HP[TEMP]08[DIM]	9" to 11-3/4"	White	£ 312.54
HP[TEMP]11[DIM]	12" to 14-3/4"	Bronze	£ 321.73
HP[TEMP]21[DIM]	12" to 14-3/4"	Chrome	£ 321.73
HP[TEMP]08[DIM]	12" to 14-3/4"	White	£ 321.73
HP[TEMP]11[DIM]	15" to 17-3/4"	Bronze	£ 330.92
HP[TEMP]21[DIM]	15" to 17-3/4"	Chrome	£ 330.92
HP[TEMP]08[DIM]	15" to 17-3/4"	White	£ 330.92
HP[TEMP]11[DIM]	18" to 20-3/4"	Bronze	£ 340.12
HP[TEMP]21[DIM]	18" to 20-3/4"	Chrome	£ 340.12
HP[TEMP]08[DIM]	18" to 20-3/4"	White	£ 340.12
HP[TEMP]11[DIM]	21" to 24"	Bronze	£ 349.31
HP[TEMP]21[DIM]	21" to 24"	Chrome	£ 349.31
HP[TEMP]08[DIM]	21" to 24"	White	£ 349.31
<b>MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HP5[TEMP]11[DIM]	2" to 5-3/4"	Bronze	£ 294.15
HP5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	£ 294.15
HP5[TEMP]08[DIM]	2" to 5-3/4"	White	£ 294.15
HP5[TEMP]11[DIM]	6" to 8-3/4"	Bronze	£ 303.35
HP5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	£ 303.35
HP5[TEMP]08[DIM]	6" to 8-3/4"	White	£ 303.35
HP5[TEMP]11[DIM]	9" to 11-3/4"	Bronze	£ 312.54
HP5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	£ 312.54
HP5[TEMP]08[DIM]	9" to 11-3/4"	White	£ 312.54
HP5[TEMP]11[DIM]	12" to 14-3/4"	Bronze	£ 321.73
HP5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	£ 321.73
HP5[TEMP]08[DIM]	12" to 14-3/4"	White	£ 321.73
HP5[TEMP]11[DIM]	15" to 17-3/4"	Bronze	£ 330.92
HP5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	£ 330.92
HP5[TEMP]08[DIM]	15" to 17-3/4"	White	£ 330.92
HP5[TEMP]11[DIM]	18" to 20-3/4"	Bronze	£ 340.12
HP5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	£ 340.12
HP5[TEMP]08[DIM]	18" to 20-3/4"	White	£ 340.12
HP5[TEMP]11[DIM]	21" to 24"	Bronze	£ 349.31
HP5[TEMP]21[DIM]	21" to 24"	Chrome	£ 349.31
HP5[TEMP]08[DIM]	21" to 24"	White	£ 349.31

6880130001      WF3R      Requires Model F3R Wrench      £      125.02

\* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F3RES44 DRY  
 RECESSED HSW /  
 F2**

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

**PRICING  
 INCLUDES F2  
 ESCUTCHEON**

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 1"(ISO 7-R1) RA5231</b>			
HR[TEMP]11[DIM]	2" to 5-3/4"	Bronze	£ 268.34
HR[TEMP]21[DIM]	2" to 5-3/4"	Chrome	£ 264.44
HR[TEMP]08[DIM]	2" to 5-3/4"	White	£ 264.44
HR[TEMP]11[DIM]	6" to 8-3/4"	Bronze	£ 286.72
HR[TEMP]21[DIM]	6" to 8-3/4"	Chrome	£ 282.83
HR[TEMP]08[DIM]	6" to 8-3/4"	White	£ 282.83
HR[TEMP]11[DIM]	9" to 11-3/4"	Bronze	£ 297.75
HR[TEMP]21[DIM]	9" to 11-3/4"	Chrome	£ 293.87
HR[TEMP]08[DIM]	9" to 11-3/4"	White	£ 293.87
HR[TEMP]11[DIM]	12" to 14-3/4"	Bronze	£ 308.78
HR[TEMP]21[DIM]	12" to 14-3/4"	Chrome	£ 304.90
HR[TEMP]08[DIM]	12" to 14-3/4"	White	£ 304.90
HR[TEMP]11[DIM]	15" to 17-3/4"	Bronze	£ 321.65
HR[TEMP]21[DIM]	15" to 17-3/4"	Chrome	£ 317.77
HR[TEMP]08[DIM]	15" to 17-3/4"	White	£ 317.77
HR[TEMP]11[DIM]	18" to 20-3/4"	Bronze	£ 332.68
HR[TEMP]21[DIM]	18" to 20-3/4"	Chrome	£ 328.79
HR[TEMP]08[DIM]	18" to 20-3/4"	White	£ 328.79
HR[TEMP]11[DIM]	21" to 24"	Bronze	£ 343.71
HR[TEMP]21[DIM]	21" to 24"	Chrome	£ 339.82
HR[TEMP]08[DIM]	21" to 24"	White	£ 339.82
<b>MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HR5[TEMP]11[DIM]	2" to 5-3/4"	Bronze	£ 268.34
HR5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	£ 257.38
HR5[TEMP]08[DIM]	2" to 5-3/4"	White	£ 257.38
HR5[TEMP]11[DIM]	6" to 8-3/4"	Bronze	£ 286.72
HR5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	£ 275.77
HR5[TEMP]08[DIM]	6" to 8-3/4"	White	£ 275.77
HR5[TEMP]11[DIM]	9" to 11-3/4"	Bronze	£ 297.75
HR5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	£ 286.80
HR5[TEMP]08[DIM]	9" to 11-3/4"	White	£ 286.80
HR5[TEMP]11[DIM]	12" to 14-3/4"	Bronze	£ 308.78
HR5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	£ 297.83
HR5[TEMP]08[DIM]	12" to 14-3/4"	White	£ 297.83
HR5[TEMP]11[DIM]	15" to 17-3/4"	Bronze	£ 321.65
HR5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	£ 310.70
HR5[TEMP]08[DIM]	15" to 17-3/4"	White	£ 310.70
HR5[TEMP]11[DIM]	18" to 20-3/4"	Bronze	£ 332.68
HR5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	£ 321.73
HR5[TEMP]08[DIM]	18" to 20-3/4"	White	£ 321.73
HR5[TEMP]11[DIM]	21" to 24"	Bronze	£ 343.71
HR5[TEMP]21[DIM]	21" to 24"	Chrome	£ 332.76
HR5[TEMP]08[DIM]	21" to 24"	White	£ 332.76

6880070100      WXLO      Requires Model XLO2 Wrench      £      124.09



**F3RES44 DRY HSW / HB**

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 1" (ISO 7-R1) RA5231</b>			
HQ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	£ 266.58
HQ[TEMP]08[DIM]	3 1/2" to 5-3/4"	White	£ 266.58
HQ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	£ 279.44
HQ[TEMP]08[DIM]	6" to 8-3/4"	White	£ 279.44
HQ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	£ 290.48
HQ[TEMP]08[DIM]	9" to 11-3/4"	White	£ 290.48
HQ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	£ 301.51
HQ[TEMP]08[DIM]	12" to 14-3/4"	White	£ 301.51
HQ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	£ 312.54
HQ[TEMP]08[DIM]	15" to 17-3/4"	White	£ 312.54
HQ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	£ 323.57
HQ[TEMP]08[DIM]	18" to 20-3/4"	White	£ 323.57
HQ[TEMP]21[DIM]	21" to 24"	Chrome	£ 334.60
HQ[TEMP]08[DIM]	21" to 24"	White	£ 334.60
<b>MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HQ5[TEMP]21[DIM]	4-1/4" to 5-3/4"	Chrome	£ 266.58
HQ5[TEMP]08[DIM]	4-1/4" to 5-3/4"	White	£ 266.58
HQ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	£ 279.44
HQ5[TEMP]08[DIM]	6" to 8-3/4"	White	£ 279.44
HQ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	£ 290.48
HQ5[TEMP]08[DIM]	9" to 11-3/4"	White	£ 290.48
HQ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	£ 301.51
HQ5[TEMP]08[DIM]	12" to 14-3/4"	White	£ 301.51
HQ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	£ 312.54
HQ5[TEMP]08[DIM]	15" to 17-3/4"	White	£ 312.54
HQ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	£ 323.57
HQ5[TEMP]08[DIM]	18" to 20-3/4"	White	£ 323.57
HQ5[TEMP]21[DIM]	21" to 24"	Chrome	£ 334.60
HQ5[TEMP]08[DIM]	21" to 24"	White	£ 334.60
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	£ 1.18
6999994881	SKIRTW	White	£ 1.22

6880130001      WF3R      Requires Model F3R Wrench      £      125.02

\* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F1RES 30 LL  
 Pendant &  
 Recessed Pendant**

- K-Factor = 3.0 (43)
- **SIN RA3311**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES30LL PENDENT K3.0 (43) THREADS 1/2" (15MM) RA3311</b>					
CV151121P9	30BLL	155°F	68°C	Bronze	£ 67.05
CV152121P9	30CLL	155°F	68°C	Chrome	£ 71.50
CV158721P9	30WLL	155°F	68°C	White	£ 71.50
CV171121P9	30B5LL	175°F	79°C	Bronze	£ 67.05
CV172121P9	30C5LL	175°F	79°C	Chrome	£ 71.50
CV178721P9	30W5LL	175°F	79°C	White	£ 71.50
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	£ 14.47
6800800000	GF2C	1/2" (15mm)		Chrome	£ 7.81
6800840000	GF2W	1/2" (15mm)		White	£ 7.81
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	£ 15.05
6801417200	FPW	Push-On Thread Off		White	£ 15.05



**F1RES 30 LL CCP**

- K-Factor = 3.0 (43)
- **SIN RA3311**
- Low Lead Sprinklers
- See Bulletin 033

6880050100	WW2	Requires Model W2 Sprinkler Wrench		£ 78.14
6880100120	WW4	For Recessed Use Model GFR2 Wrench		£ 236.24

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES30LL HORIZONTAL CCP K3.0 (43) THREADS 1/2" (15MM) RA3311</b>					
CM151721P9	30CCP1LL	155°F	68°C	Bronze	£ 71.50
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	£ 64.21
6887161318	CCP0W76	135°F	57°C	White	£ 25.02
6887161390	CCP0SP76	135°F	57°C	Specialty	£ 42.02
6887171321	CCP05C76	135°F	57°C	Chrome	£ 64.21
6887171318	CCP05W76	135°F	57°C	White	£ 25.02
6887171390	CCP05SP76	135°F	57°C	Specialty	£ 42.02

6880060000	WGFR	For Recessed Use Model GFR2 Wrench		£ 236.24
------------	------	------------------------------------	--	----------



**F1RES 49 LL  
Pendent &  
Recessed Pendant**

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033



**F1RES 49 LL CCP**

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49LL PENDENT K4.9 (70) THREADS 1/2" (15MM) RA3316</b>					
CV151128P9	49BLL	155°F	68°C	Bronze	£ 67.05
CV152128P9	49CLL	155°F	68°C	Chrome	£ 71.50
CV158728P9	49WLL	155°F	68°C	White	£ 71.50
CV171128P9	49B5LL	175°F	79°C	Bronze	£ 67.05
CV172128P9	49C5LL	175°F	79°C	Chrome	£ 71.50
CV178728P9	49W5LL	175°F	79°C	White	£ 71.50
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	£ 14.47
6800600001	GF1C	1/2" (15mm)		Chrome	£ 7.81
6800640001	GF1W	1/2" (15mm)		White	£ 7.81
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	£ 14.47
6800800000	GF2C	1/2" (15mm)		Chrome	£ 7.81
6800840000	GF2W	1/2" (15mm)		White	£ 7.81
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	£ 15.05
6801417200	FPW	Push-On Thread Off		White	£ 15.05

6880050100	WW2	Requires Model W2 Sprinkler Wrench		£ 78.14
6880100120	WW4	For Recessed Use Model GFR2 Wrench		£ 236.24

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49LL PENDENT CCP K4.9 (70) THREADS 1/2" (15MM) RA3316</b>					
CM151728P9	49CCP1LL	155°F	68°C	Bronze	£ 71.50
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	£ 64.21
6887161318	CCP0W76	135°F	57°C	White	£ 25.02
6887161390	CCP0SP76	135°F	57°C	Specialty	£ 42.02
6887171321	CCP05C76	135°F	57°C	Chrome	£ 64.21
6887171318	CCP05W76	135°F	57°C	White	£ 25.02
6887171390	CCP05SP76	135°F	57°C	Specialty	£ 42.02

6880060000	WGFR	For Recessed Use Model GFR2 Wrench		£ 236.24
------------	------	------------------------------------	--	----------



### F1RES 44 LL HSW & REC HSW

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033



### F1RES 44 LL SWC

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1RES44LL HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3331</b>				
CV521125P9	44BLL	155°F	68°C	Bronze £ 69.28
CV522125P9	44CLL	155°F	68°C	Chrome £ 72.62
CV528725P9	44WLL	155°F	68°C	White £ 72.62
CV531125P9	44B5LL	175°F	79°C	Bronze £ 69.28
CV532125P9	44C5LL	175°F	79°C	Chrome £ 72.62
CV538725P9	44W5LL	175°F	79°C	White £ 72.62
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Bronze	£ 14.47
6800800000	GF2C	1/2" (15mm)	Chrome	£ 7.81
6800840000	GF2W	1/2" (15mm)	White	£ 7.81
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>				
6801412100	FPC	Push-On Thread Off	Chrome	£ 15.05
6801417200	FPW	Push-On Thread Off	White	£ 15.05

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F1RES44LL SWC K4.4 (63) THREADS 1/2" (15MM) RA3331</b>				
CM521725P9	SWC44LL	155°F	68°C	Bronze £ 72.62
<b>MODEL F1RES44LL COVERPLATES 1/2" ADJUSTMENT</b>				
6887131318	CHWNS	135°F	57°C	White £ 25.87
6887131390	CHSPNS	135°F	57°C	Specialty £ 38.79

6880050100	WW2	Requires Model W2 Sprinkler Wrench		£ 78.14
6880060000	WGFR	For Recessed & Concealed Use Model GFR2 Wrench		£ 236.24



### F1RES 58 LL Pendent & Recessed Pendent

- K-Factor = 5.8 (84)
- **SIN RA3313**
- See Bulletin 033



### F1RES 58 LL CCP

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033



### F1RES 58 LL HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58LL PENDENT K5.8 (84) THREADS 1/2" (15MM) RA3313</b>					
CV151131P9	58P1BLL	155°F	68°C	Bronze	£ 67.05
CV152131P9	58P1CLL	155°F	68°C	Chrome	£ 71.50
CV158731P9	58P1WLL	155°F	68°C	White	£ 71.50
CV171131P9	58P5BLL	175°F	79°C	Bronze	£ 67.05
CV172131P9	58P5CLL	175°F	79°C	Chrome	£ 71.50
CV178731P9	58P5WLL	175°F	79°C	White	£ 71.50
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	£ 14.47
6800600001	GF1C	1/2" (15mm)		Chrome	£ 7.81
6800640001	GF1W	1/2" (15mm)		White	£ 7.81
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	£ 14.47
6800800000	GF2C	1/2" (15mm)		Chrome	£ 7.81
6800840000	GF2W	1/2" (15mm)		White	£ 7.81
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	£ 15.05
6801417200	FPW	Push-On Thread Off		White	£ 15.05

6880050100	WW2	Requires Model W2 Sprinkler Wrench		£ 78.14
6880060000	WGFR	For Recessed Use Model GFR2 Wrench		£ 236.24

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58LL CCP K5.8 (84) THREADS 1/2" (15MM) RA3333</b>					
CM151731P9	58CCP1LL	155°F	68°C	Bronze	£ 71.50
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	£ 64.21
6887161318	CCP0W76	135°F	57°C	White	£ 25.02
6887161390	CCP0SP76	135°F	57°C	Specialty	£ 42.02
6887171321	CCP05C76	135°F	57°C	Chrome	£ 64.21
6887171318	CCP05W76	135°F	57°C	White	£ 25.02
6887171390	CCP05SP76	135°F	57°C	Specialty	£ 42.02

6880060000	WGFR	Requires Model GFR2 Wrench		£ 236.24
------------	------	----------------------------	--	----------

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58LL HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3333</b>					
CV521131P9	58H1BLL	155°F	68°C	Bronze	£ 69.28
CV522131P9	58H1CLL	155°F	68°C	Chrome	£ 72.62
CV528731P9	58H1WLL	155°F	68°C	White	£ 72.62
CV531131P9	58H5BLL	175°F	79°C	Bronze	£ 69.28
CV532131P9	58H5CLL	175°F	79°C	Chrome	£ 72.62
CV538731P9	58H5WLL	175°F	79°C	White	£ 72.62
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	£ 14.47
6800800000	GF2C	1/2" (15mm)		Chrome	£ 7.81
6800840000	GF2W	1/2" (15mm)		White	£ 7.81
6801412100	FPC	Push-On Thread Off		Chrome	£ 15.05
6801417200	FPW	Push-On Thread Off		White	£ 15.05

6880050100	WW2	Requires Model W2 Sprinkler Wrench		£ 78.14
6880060000	WGFR	For Recessed & Concealed Use Model GFR2 Wrench		£ 236.24
6880100100	WW1	WRENCH, W1 (RECESSED PENDENT, CCP, & HSW)		£ 236.24



**RFC30 LL Flat Concealed**

- K-Factor = 3.0 (43)
- **SIN RA3211**
- See Bulletin 006


Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFC30LL FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA3211</b>					
18161721P7	RFC30LL	165°F	74°C	Bronze	£ 83.80
<b>MODEL RFC43LL FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA3212</b>					
18161725P7	RFC43LL	165°F	74°C	Bronze	£ 83.80
<b>MODEL RFC49LL FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA3216</b>					
18161726P7	RFC49LL	165°F	74°C	Bronze	£ 83.80
18211726P7	RFC492LL	212°F	100°C	Bronze	£ 83.80
<b>REQUIRED COVERPLATES</b>					
6887271372	CG50W	135°F	57°C	White	£ 27.61
6887271310	CG50SS	135°F	57°C	Stainless Steel	£ 45.97

Specifically Listed for use in Multi-Purpose Systems that serve both domestic water and fire protection



**RFC43 LL Flat Concealed**

- K-Factor = 4.3 (62)
- **SIN RA3212**
- See Bulletin 006



**RFC49 LL Flat Concealed**

- K-Factor = 4.9 (70)
- **SIN RA3216**
- See Bulletin 006