



F3QR56 DRY UPRIGHT

- K-Factor = 5.6 (80)
- **SIN R5724**
- 1" Size
- See Bulletin 157
- Finish is Brass only
- Available lengths 5" to 48"

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY UPRIGHT K5.6 (80) THREADS 1" (25MM) R5724			
H1[TEMP]11[DIM]	5" to 8-3/4"	Bronze	S\$ 376.01
H1[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 397.99
H1[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 419.98
H1[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 442.01
H1[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 463.94
H1[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 485.94
H1[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 507.96
H1[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 529.85
H1[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 551.96
H1[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 573.95
H1[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 595.95
H1[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 617.94
H1[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 639.88
H1[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 661.93

6880130001	WF3R	Required F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214



F3QR56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT K5.6 (80) THREADS 3/4" (20MM) R5714			
H25[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 405.33
H25[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 405.33
H25[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 414.07
H25[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 427.28
H25[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 427.28
H25[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 436.12
H25[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 449.25
H25[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 449.25
H25[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 458.10
H25[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 471.26
H25[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 471.26
H25[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 480.11
H25[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 493.27
H25[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 493.27
H25[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 502.06
H25[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 515.22
H25[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 515.22
H25[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 524.04
H25[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 537.20
H25[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 537.20
H25[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 546.10
H25[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 559.23
H25[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 559.23
H25[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 568.02
H25[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 581.12
H25[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 581.12
H25[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 590.03
H25[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 603.22
H25[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 603.22
H25[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 611.96
H25[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 625.23
H25[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 625.23
H25[TEMP]08[DIM]	33" to 36"	White	S\$ 634.01

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT K5.6 (80) THREADS 1" (25MM) R5714			
H2[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 354.07
H2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 354.07
H2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 362.79
H2[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 376.01
H2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 376.01
H2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 384.84
H2[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 397.99
H2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 397.99
H2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 406.84
H2[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 419.98
H2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 419.98
H2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 428.84
H2[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 442.01
H2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 442.01
H2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 450.80
H2[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 463.94
H2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 463.94
H2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 472.77
H2[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 485.94
H2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 485.94
H2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 494.82
H2[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 507.96
H2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 507.96
H2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 516.74
H2[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 529.85
H2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 529.85
H2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 538.75
H2[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 551.96
H2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 551.96
H2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 560.69
H2[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 573.95
H2[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 573.95
H2[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 582.73
H2[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 595.95
H2[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 595.95
H2[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 604.74
H2[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 617.94
H2[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 617.94
H2[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 626.66
H2[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 639.88
H2[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 639.88
H2[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 648.73
H2[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 661.93
H2[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 661.93
H2[TEMP]08[DIM]	45" to 48"	White	S\$ 670.68

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY PENDENT /HB

- K-Factor = 5.6 (80)
- **SIN R5714**
- NEW 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT / HB K5.6 (80) THREADS 3/4" (15MM) R5714			
HJ5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 443.83
HJ5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 452.88
HJ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 466.44
HJ5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 475.47
HJ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 489.06
HJ5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 498.12
HJ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 511.74
HJ5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 520.79
HJ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 534.36
HJ5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 543.39
HJ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 557.01
HJ5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 566.03
HJ5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 579.61
HJ5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 588.71
HJ5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 602.27
HJ5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 611.26
HJ5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 624.86
HJ5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 633.97
HJ5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 647.51
HJ5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 656.56
HJ5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 670.18
HJ5[TEMP]08[DIM]	33" to 36"	White	S\$ 679.23
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



**F3QR56 DRY
 PENDENT / HB**

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT / HB K5.6 (80) THREADS 1" (25MM) R5714			
HJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 392.56
HJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 401.61
HJ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 415.18
HJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 424.20
HJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 437.80
HJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 446.86
HJ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 460.46
HJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 469.51
HJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 483.09
HJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 492.13
HJ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 505.73
HJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 514.76
HJ[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 528.33
HJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 537.43
HJ[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 551.01
HJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 559.99
HJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 573.60
HJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 582.70
HJ[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 596.24
HJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 605.29
HJ[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 618.92
HJ[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 627.97
HJ[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 641.53
HJ[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 650.62
HJ[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 664.21
HJ[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 664.21
HJ[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 686.79
HJ[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 695.85
HJ[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 709.45
HJ[TEMP]08[DIM]	45" to 48"	White	S\$ 718.49
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11




F3QR56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT REC FP K5.6 (80) THREADS 3/4" (20MM) R5714			
H65[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 460.35
H65[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 460.35
H65[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 469.40
H65[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 482.96
H65[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 482.96
H65[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 491.99
H65[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 505.58
H65[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 505.58
H65[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 514.64
H65[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 528.26
H65[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 528.26
H65[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 537.31
H65[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 550.88
H65[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 550.88
H65[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 559.91
H65[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 573.53
H65[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 573.53
H65[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 582.55
H65[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 596.13
H65[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 596.13
H65[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 605.23
H65[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 618.79
H65[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 618.79
H65[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 627.78
H65[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 641.38
H65[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 641.38
H65[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 650.49
H65[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 664.03
H65[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 664.03
H65[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 673.08
H65[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 686.70
H65[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 686.70
H65[TEMP]08[DIM]	33" to 36"	White	S\$ 695.75

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11




F3QR56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY REC FP PENDENT K5.6 (80) THREADS 1" (25MM) R5714			
H6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 409.08
H6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 409.08
H6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 418.13
H6[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 431.70
H6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 431.70
H6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 440.72
H6[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 454.31
H6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 454.31
H6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 463.38
H6[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 476.98
H6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 476.98
H6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 486.03
H6[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 499.61
H6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 499.61
H6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 508.65
H6[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 522.25
H6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 522.25
H6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 531.28
H6[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 544.85
H6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 544.85
H6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 553.95
H6[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 567.53
H6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 567.53
H6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 576.51
H6[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 590.12
H6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 590.12
H6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 599.22
H6[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 612.76
H6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 612.76
H6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 621.81
H6[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 635.44
H6[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 635.44
H6[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 644.49
H6[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 658.05
H6[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 658.05
H6[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 667.14
H6[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 680.73
H6[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 680.73
H6[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 689.82
H6[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 703.31
H6[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 703.31
H6[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 712.37
H6[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 725.97
H6[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 725.97
H6[TEMP]08[DIM]	45" to 48"	White	S\$ 735.01

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



**F3QR56 DRY REC
 F1 PENDENT**

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT REC F1 K5.6 (80) THREADS 3/4" (20MM) R5714			
H95[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 464.34
H95[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 452.64
H95[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 461.69
H95[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 486.94
H95[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 475.25
H95[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 484.28
H95[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 509.58
H95[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 497.86
H95[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 506.93
H95[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 532.24
H95[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 520.54
H95[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 529.60
H95[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 554.86
H95[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 543.16
H95[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 552.20
H95[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 577.51
H95[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 565.80
H95[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 574.83
H95[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 600.11
H95[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 588.42
H95[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 597.51
H95[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 622.78
H95[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 611.08
H95[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 620.07
H95[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 645.38
H95[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 633.67
H95[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 642.77
H95[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 668.02
H95[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 656.32
H95[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 665.37
H95[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 690.70
H95[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 678.99
H95[TEMP]08[DIM]	33" to 36"	White	S\$ 688.04

6880070100	WXLO	Requies Model XL02 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



**F3QR56 DRY REC
 F1 PENDENT**

- K-Factor = 5.6 (80)
- **SIN R5714**
- 1" Size
- See Bulletin 157
- **Pricing includes F1 Escutcheon**

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY PENDENT REC F1 K5.6 (80) THREAD 1" (25MM) R5714			
H9[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 413.08
H9[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 401.36
H9[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 410.42
H9[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 435.68
H9[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 423.97
H9[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 433.00
H9[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 458.30
H9[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 446.60
H9[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 455.67
H9[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 480.98
H9[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 469.27
H9[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 478.32
H9[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 503.60
H9[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 491.90
H9[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 500.92
H9[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 526.23
H9[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 514.54
H9[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 523.57
H9[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 548.84
H9[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 537.14
H9[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 546.24
H9[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 571.52
H9[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 559.82
H9[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 568.79
H9[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 594.11
H9[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 582.41
H9[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 591.51
H9[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 616.76
H9[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 605.04
H9[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 614.09
H9[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 639.42
H9[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 627.72
H9[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 636.77
H9[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 662.04
H9[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 650.34
H9[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 659.42
H9[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 684.72
H9[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 673.02
H9[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 682.10
H9[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 707.29
H9[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 695.60
H9[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 704.66
H9[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 729.96
H9[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 718.26
H9[TEMP]08[DIM]	45" to 48"	White	S\$ 727.30

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5734			
H45[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 438.37
H45[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 438.37
H45[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 447.41
H45[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 443.94
H45[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 443.94
H45[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 475.47
H45[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 483.70
H45[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 483.70
H45[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 492.71
H45[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 506.26
H45[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 506.26
H45[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 515.36
H45[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 528.94
H45[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 528.94
H45[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 537.93
H45[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 551.53
H45[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 551.53
H45[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 560.57
H45[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 574.24
H45[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 574.24
H45[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 583.31
H45[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 596.86
H45[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 596.86
H45[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 605.88
H45[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 619.43
H45[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 619.43
H45[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 628.57
H45[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 642.07
H45[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 642.07
H45[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 651.15
H45[TEMP]11[DIM]	33" to 35 3/4"	Bronze	S\$ 664.73
H45[TEMP]21[DIM]	33" to 35 3/4"	Chrome	S\$ 664.73
H45[TEMP]08[DIM]	33" to 35 3/4"	White	S\$ 673.78
H45[TEMP]11[DIM]	36"to 38-3/4"	Bronze	S\$ 687.55
H45[TEMP]21[DIM]	36"to 38-3/4"	Chrome	S\$ 687.55
H45[TEMP]08[DIM]	36"to 38-3/4"	White	S\$ 696.68
H45[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 710.37
H45[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 710.37
H45[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 719.49
H45[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 733.18
H45[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 733.18
H45[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 742.31
H45[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 756.00
H45[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 756.00
H45[TEMP]08[DIM]	45" to 48"	White	S\$ 765.13

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5734			
H4[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 387.11
H4[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 387.11
H4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 396.15
H4[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 409.76
H4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 409.76
H4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 424.20
H4[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 432.44
H4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 432.44
H4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 441.45
H4[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 455.00
H4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 455.00
H4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 464.10
H4[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 477.66
H4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 477.66
H4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 486.65
H4[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 500.27
H4[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 500.27
H4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 509.29
H4[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 522.96
H4[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 522.96
H4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 532.03
H4[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 545.58
H4[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 545.58
H4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 554.60
H4[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 568.17
H4[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 568.17
H4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 577.31
H4[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 590.81
H4[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 590.81
H4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 599.89
H4[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 613.45
H4[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 613.45
H4[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 622.51
H4[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 636.09
H4[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 636.09
H4[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 645.19
H4[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 704.02
H4[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 704.02
H4[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 713.12
H4[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 726.66
H4[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 726.66
H4[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 733.44
H4[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 735.68
H4[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 735.68
H4[TEMP]08[DIM]	45" to 48"	White	S\$ 744.71

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL / HB K5.6 (80) THREADS 3/4" (20MM) R5734			
HK5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 466.44
HK5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 475.47
HK5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 489.06
HK5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 498.12
HK5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 511.74
HK5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 515.66
HK5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 534.36
HK5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 543.39
HK5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 557.01
HK5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 566.03
HK5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 579.61
HK5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 588.71
HK5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 602.27
HK5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 611.26
HK5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 624.86
HK5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 633.97
HK5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 647.51
HK5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 656.56
HK5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 670.18
HK5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 679.23
HK5[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 692.81
HK5[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 701.89
HK5[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 715.63
HK5[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 724.71
HK5[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 738.45
HK5[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 747.53
HK5[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 761.26
HK5[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 770.34
HK5[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 784.08
HK5[TEMP]08[DIM]	45" to 48"	White	S\$ 793.16
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) R5734			
HK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 415.18
HK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 424.20
HK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 437.80
HK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 446.86
HK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 460.46
HK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 469.51
HK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 483.09
HK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 492.13
HK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 505.73
HK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 514.76
HK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 528.33
HK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 537.43
HK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 551.01
HK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 559.99
HK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 573.60
HK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 582.70
HK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 596.24
HK[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 605.29
HK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 618.92
HK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 627.97
HK[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 641.53
HK[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 650.62
HK[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 664.21
HK[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 673.30
HK[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 732.12
HK[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 741.11
HK[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 754.75
HK[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 763.79
HK[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 777.37
HK[TEMP]08[DIM]	45" to 48"	White	S\$ 786.44
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL REC FP K5.6 (80) THREADS 3/4" (20MM) R5734			
H55[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 482.96
H55[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 482.96
H55[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 491.99
H55[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 489.06
H55[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 489.06
H55[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 514.64
H55[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 528.26
H55[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 528.26
H55[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 537.31
H55[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 550.88
H55[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 550.88
H55[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 559.91
H55[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 573.53
H55[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 573.53
H55[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 582.55
H55[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 596.13
H55[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 596.13
H55[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 605.23
H55[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 618.79
H55[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 618.79
H55[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 627.78
H55[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 641.38
H55[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 641.38
H55[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 650.49
H55[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 664.03
H55[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 664.03
H55[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 673.08
H55[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 686.70
H55[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 686.70
H55[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 695.75
H55[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 709.33
H55[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 709.33
H55[TEMP]08[DIM]	33" to 36"	White	S\$ 718.41

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL REC FP K5.6 (80) THREADS 1" (25MM) R5734			
H5[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 431.70
H5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 431.70
H5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 440.72
H5[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 454.31
H5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 454.31
H5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 463.38
H5[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 476.98
H5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 476.98
H5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 486.03
H5[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 499.61
H5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 499.61
H5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 508.65
H5[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 522.25
H5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 522.25
H5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 531.28
H5[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 544.85
H5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 544.85
H5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 553.95
H5[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 567.53
H5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 567.53
H5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 576.51
H5[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 590.12
H5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 590.12
H5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 599.22
H5[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 612.76
H5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 612.76
H5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 621.81
H5[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 635.44
H5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 635.44
H5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 644.49
H5[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 658.05
H5[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 658.05
H5[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 667.14
H5[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 680.73
H5[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 680.73
H5[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 689.82
H5[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 748.64
H5[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 748.64
H5[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 757.63
H5[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 771.27
H5[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 771.27
H5[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 780.31
H5[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 793.89
H5[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 793.89
H5[TEMP]08[DIM]	45" to 48"	White	S\$ 802.96

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL REC F1 K5.6 (80) THREADS 3/4" (20MM) R5734			
H05[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 486.94
H05[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 475.25
H05[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 484.28
H05[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 509.58
H05[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 497.86
H05[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 506.93
H05[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 532.24
H05[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 520.54
H05[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 529.60
H05[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 554.86
H05[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 543.16
H05[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 552.20
H05[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 577.51
H05[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 565.80
H05[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 574.83
H05[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 600.11
H05[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 588.42
H05[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 597.51
H05[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 622.78
H05[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 611.08
H05[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 620.07
H05[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 645.38
H05[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 633.67
H05[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 642.77
H05[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 668.02
H05[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 656.32
H05[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 665.37
H05[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 690.70
H05[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 678.99
H05[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 688.04
H05[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 713.32
H05[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 701.60
H05[TEMP]08[DIM]	33" to 36"	White	S\$ 659.42

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5734**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY HORIZONTAL REC F1 K5.6 (80) THREADS 1" (25MM) R5734			
H0[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 435.68
H0[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 423.97
H0[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 433.00
H0[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 458.30
H0[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 446.60
H0[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 455.67
H0[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 480.98
H0[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 469.27
H0[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 478.32
H0[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 503.60
H0[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 491.90
H0[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 500.92
H0[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 526.23
H0[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 514.54
H0[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 523.57
H0[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 548.84
H0[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 537.14
H0[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 546.24
H0[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 571.52
H0[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 559.82
H0[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 568.79
H0[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 594.11
H0[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 582.41
H0[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 591.51
H0[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 616.76
H0[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 605.04
H0[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 614.09
H0[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 639.42
H0[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 627.72
H0[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 636.77
H0[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 662.04
H0[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 650.34
H0[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 659.42
H0[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 684.72
H0[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 673.02
H0[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 682.10
H0[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 752.62
H0[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 740.93
H0[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 749.92
H0[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 775.26
H0[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 763.56
H0[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 772.60
H0[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 797.89
H0[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 786.18
H0[TEMP]08[DIM]	45" to 48"	White	S\$ 795.24

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN R5714**
- 3/4" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY CONCEALED K5.6 (80) THREADS 3/4" (20MM) R5714			
HG5[TEMP]17[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 565.19
HG5[TEMP]17[DIM]	6" to 8-3/4"	Bronze	S\$ 587.81
HG5[TEMP]17[DIM]	9" to 11-3/4"	Bronze	S\$ 610.40
HG5[TEMP]17[DIM]	12" to 14-3/4"	Bronze	S\$ 633.06
HG5[TEMP]17[DIM]	15" to 17-3/4"	Bronze	S\$ 655.68
HG5[TEMP]17[DIM]	18" to 20-3/4"	Bronze	S\$ 678.38
HG5[TEMP]17[DIM]	21" to 23-3/4"	Bronze	S\$ 700.97
HG5[TEMP]17[DIM]	24" to 26-3/4"	Bronze	S\$ 723.57
HG5[TEMP]17[DIM]	27" to 29-3/4"	Bronze	S\$ 746.20
HG5[TEMP]17[DIM]	30" to 32-3/4"	Bronze	S\$ 768.84
HG5[TEMP]17[DIM]	33" to 36"	Bronze	S\$ 740.27

MODEL CCP CONICAL CONCEALED COVERPLATES - REQUIRED					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 119.38
6887161318	CCP0W76	135°F	57°C	White	S\$ 46.52
6887161621	CCP1C76	165°F	74°C	Chrome	S\$ 119.38
6887161618	CCP1W76	165°F	74°C	White	S\$ 46.52

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN 5714**
- 1" Size
- See Bulletin 157

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) 5714			
HG[TEMP]17[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 513.91
HG[TEMP]17[DIM]	6" to 8-3/4"	Bronze	S\$ 536.55
HG[TEMP]17[DIM]	9" to 11-3/4"	Bronze	S\$ 559.14
HG[TEMP]17[DIM]	12" to 14-3/4"	Bronze	S\$ 581.79
HG[TEMP]17[DIM]	15" to 17-3/4"	Bronze	S\$ 604.40
HG[TEMP]17[DIM]	18" to 20-3/4"	Bronze	S\$ 627.10
HG[TEMP]17[DIM]	21" to 23-3/4"	Bronze	S\$ 649.69
HG[TEMP]17[DIM]	24" to 26-3/4"	Bronze	S\$ 672.29
HG[TEMP]17[DIM]	27" to 29-3/4"	Bronze	S\$ 694.94
HG[TEMP]17[DIM]	30" to 32-3/4"	Bronze	S\$ 717.56
HG[TEMP]17[DIM]	33" to 35-3/4"	Bronze	S\$ 740.27
HG[TEMP]17[DIM]	36" to 38-3/4"	Bronze	S\$ 762.84
HG[TEMP]17[DIM]	39" to 41-3/4"	Bronze	S\$ 785.51
HG[TEMP]17[DIM]	42" to 44-3/4"	Bronze	S\$ 808.14
HG[TEMP]17[DIM]	45" to 48"	Bronze	S\$ 830.79
MODEL CCP CONICAL CONCEALED COVERPLATES - REQUIRED			
6887161321	CCP0C76	135°F 57°C	Chrome S\$ 119.38
6887161318	CCP0W76	135°F 57°C	White S\$ 46.52
6887161621	CCP1C76	165°F 74°C	Chrome S\$ 119.38
6887161618	CCP1W76	165°F 74°C	White S\$ 46.52

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3QR80 DRY PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY PENDENT K8.0 (115) THREADS 1" (25MM) RA6112			
Q2[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 444.34
Q2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 444.34
Q2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 454.59
Q2[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 469.97
Q2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 469.97
Q2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 506.03
Q2[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 497.32
Q2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 497.32
Q2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 534.75
Q2[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 526.37
Q2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 526.37
Q2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 536.62
Q2[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 553.71
Q2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 553.71
Q2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 592.17
Q2[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 581.05
Q2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 581.05
Q2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 620.88
Q2[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 608.40
Q2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 608.40
Q2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 646.17
Q2[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 635.74
Q2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 635.74
Q2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 678.30
Q2[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 663.09
Q2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 663.09
Q2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 673.34
Q2[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 690.42
Q2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 690.42
Q2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 735.72
Q2[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 717.77
Q2[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 717.77
Q2[TEMP]08[DIM]	33" to 36"	White	S\$ 764.44

6880130001 WF3R Requires F3R Sprinkler Wrench S\$ 232.43



**F3QR80 DRY
 PENDENT /HB**

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY PENDENT / HB K8.0 (115) THREADS 1" (25MM) RA6112			
QJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 550.30
QJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 562.25
QJ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 581.05
QJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 594.73
QJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 613.53
QJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 625.49
QJ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 644.29
QJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 657.96
QJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 676.76
QJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 688.72
QJ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 709.22
QJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 721.20
QJ[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 740.00
QJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 753.66
QJ[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 772.46
QJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 784.43
QJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 803.23
QJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 816.89
QJ[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 835.69
QJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 847.66
QJ[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 866.45
QJ5[TEMP]08[DIM]	33" to 36"	White	S\$ 880.12
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001 WF3R Requires F3R Sprinkler Wrench S\$ 232.43



F3QR80 REC FP PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 PENDENT REC FP K8.0 (115) THREADS 1" (25MM) RA6112			
Q6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 546.31
Q6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 546.31
Q6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 559.97
Q6[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 577.07
Q6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 577.07
Q6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 589.03
Q6[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 607.83
Q6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 607.83
Q6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 619.80
Q6[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 638.58
Q6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 638.58
Q6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 650.56
Q6[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 669.36
Q6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 669.36
Q6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 681.31
Q6[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 700.11
Q6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 700.11
Q6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 712.08
Q6[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 730.87
Q6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 730.87
Q6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 742.84
Q6[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 761.64
Q6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 761.64
Q6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 773.60
Q6[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 790.70
Q6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 790.70
Q6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 804.36
Q6[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 821.45
Q6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 821.45
Q6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 833.41
Q6[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 852.21
Q6[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 852.21
Q6[TEMP]08[DIM]	33" to 36"	White	S\$ 864.18

6880070100 WXLO Requires Model XL02 Sprinkler Wrench S\$ 230.71



F3QR80 DRY HSW

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6132			
Q4[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 444.34
Q4[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 444.34
Q4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 454.59
Q4[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 469.97
Q4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 469.97
Q4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 481.94
Q4[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 497.32
Q4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 497.32
Q4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 509.27
Q4[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 526.37
Q4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 526.37
Q4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 536.62
Q4[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 553.71
Q4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 553.71
Q4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 563.97
Q4[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 581.05
Q4[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 581.05
Q4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 591.31
Q4[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 608.40
Q4[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 608.40
Q4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 618.66
Q4[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 635.74
Q4[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 635.74
Q4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 645.99
Q4[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 663.09
Q4[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 663.09
Q4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 673.34
Q4[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 690.42
Q4[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 690.42
Q4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 700.69
Q4[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 717.77
Q4[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 717.77
Q4[TEMP]08[DIM]	33" to 36"	White	S\$ 728.03

6880130001 WF3R Requires F3R Sprinkler Wrench S\$ 232.43



F3QR80 DRY HSW / HB

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA6132			
QK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 550.30
QK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 562.25
QK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 581.05
QK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 594.73
QK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 613.53
QK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 625.49
QK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 644.29
QK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 657.96
QK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 676.76
QK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 688.72
QK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 709.22
QK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 721.20
QK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 740.00
QK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 753.66
QK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 772.46
QK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 784.43
QK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 803.23
QK[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 816.89
QK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 835.69
QK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 847.66
QK[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 866.45
QK[TEMP]08[DIM]	33" to 36"	White	S\$ 880.12
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001 WF3R Requires F3R Sprinkler Wrench S\$ 232.43



F3QR80 DRY REC FP HSW

- K-Factor = 8.0 (115)
- **SIN RA6132**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY HORIZONTAL REC FP K8.0 (115) THREADS 1" (25MM) RA6132			
Q5[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 546.31
Q5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 546.31
Q5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 559.97
Q5[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 577.07
Q5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 577.07
Q5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 589.03
Q5[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 607.83
Q5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 607.83
Q5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 619.80
Q5[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 638.58
Q5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 638.58
Q5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 650.56
Q5[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 669.36
Q5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 669.36
Q5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 681.31
Q5[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 700.11
Q5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 700.11
Q5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 712.08
Q5[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 730.87
Q5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 730.87
Q5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 742.84
Q5[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 761.64
Q5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 761.64
Q5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 773.60
Q5[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 790.70
Q5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 790.70
Q5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 804.36
Q5[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 821.45
Q5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 821.45
Q5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 833.41
Q5[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 852.21
Q5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 852.21
Q5[TEMP]08[DIM]	33" to 36"	White	S\$ 864.18

6880070100 WXLO Requires Model XL02 Sprinkler Wrench S\$ 230.71



F3QR80 DRY CONCEALED

- K-Factor = 8.0 (115)
- **SIN RA6112**
- 1" Size
- See Bulletin 061

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3QR80 DRY CONCEALED K8.0 (115) THREADS 1" (25MM) RA6112			
QG[TEMP]17[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 719.48
QG[TEMP]17[DIM]	6" to 8-3/4"	Bronze	S\$ 751.95
QG[TEMP]17[DIM]	9" to 11-3/4"	Bronze	S\$ 782.71
QG[TEMP]17[DIM]	12" to 14-3/4"	Bronze	S\$ 815.19
QG[TEMP]17[DIM]	15" to 17-3/4"	Bronze	S\$ 845.94
QG[TEMP]17[DIM]	18" to 20-3/4"	Bronze	S\$ 878.42
QG[TEMP]17[DIM]	21" to 23-3/4"	Bronze	S\$ 910.90
QG[TEMP]17[DIM]	24" to 26-3/4"	Bronze	S\$ 941.65
QG[TEMP]17[DIM]	27" to 29-3/4"	Bronze	S\$ 974.13
QG[TEMP]17[DIM]	30" to 32-3/4"	Bronze	S\$ 1,004.89
QG[TEMP]17[DIM]	33" to 36"	Bronze	S\$ 1,037.35
REQUIRED COVERPLATES			
6887161321	CCP0C76	135°F 57°C	Chrome S\$ 119.38
6887161318	CCP0W76	135°F 57°C	White S\$ 46.52
6887161621	CCP1C76	165°F 74°C	Chrome S\$ 119.38
6887161618	CCP1W76	165°F 74°C	White S\$ 46.52

6880070100 WXLO Requires Model XLO2 Sprinkler Wrench S\$ 230.71



G5-56 DRY

- K-Factor = 5.6 (80)
- **SIN RA5114**
- 1" Size
- See Bulletin 051
- **Sprinkler available in 165 & 212 Degree**

Part Number	Size	Finish	List Price
MODEL G5-56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) RA5114			
HN[TEMP]17[DIM]	4-1/4" to 5-3/4"	Bronze	S\$ 717.77
HN[TEMP]17[DIM]	6" to 8-3/4"	Bronze	S\$ 743.40
HN[TEMP]17[DIM]	9" to 11-3/4"	Bronze	S\$ 763.91
HN[TEMP]17[DIM]	12" to 14-3/4"	Bronze	S\$ 786.13
HN[TEMP]17[DIM]	15" to 17-3/4"	Bronze	S\$ 808.36
HN[TEMP]17[DIM]	18" to 20-3/4"	Bronze	S\$ 830.57
HN[TEMP]17[DIM]	21" to 23-3/4"	Bronze	S\$ 851.07
HN[TEMP]17[DIM]	24" to 26-3/4"	Bronze	S\$ 875.00
HN[TEMP]17[DIM]	27" to 29-3/4"	Bronze	S\$ 897.22
HN[TEMP]17[DIM]	30" to 32-3/4"	Bronze	S\$ 922.85
HN[TEMP]17[DIM]	33" to 35-3/4"	Bronze	S\$ 957.03
HN[TEMP]17[DIM]	36" to 38-3/4"	Bronze	S\$ 974.13
HN[TEMP]17[DIM]	39" to 41-3/4"	Bronze	S\$ 999.76
HN[TEMP]17[DIM]	42" to 44-3/4"	Bronze	S\$ 1,018.56
HN[TEMP]17[DIM]	45" to 48"	Bronze	S\$ 1,033.94
MODEL G5 COVER PLATES			
6887271321	CG50C	135°F 57°C	Chrome S\$ 51.34
6887271372	CG50W	135°F 57°C	White S\$ 51.34
6887271311	CG50B	135°F 57°C	Bronze S\$ 70.60
6887271374	CG50OW	135°F 57°C	Off-White S\$ 69.83
6887271390	CG50SP	135°F 57°C	Specialty S\$ 70.02
6887271316	CG50FB	135°F 57°C	Black Painted S\$ 69.93
6887271367	CG50BP	135°F 57°C	Black Plated S\$ 85.46
6887271305	CG50BB	135°F 57°C	Bright Brass S\$ 85.46
6887271323	CG50CD	135°F 57°C	Satin Chrome S\$ 85.46
6887271310	CG50SS	135°F 57°C	Stainless Steel S\$ 85.46
6887271319	CG50EW	135°F 57°C	Euro White S\$ 51.34
6887271621	CG51C	165°F 74°C	Chrome S\$ 51.34
6887271672	CG51W	165°F 74°C	White S\$ 51.34
6887271611	CG51B	165°F 74°C	Bronze S\$ 70.60
6887271674	CG51OW	165°F 74°C	Off-White S\$ 69.83
6887271690	CG51SP	165°F 74°C	Specialty S\$ 70.02
6887271616	CG51FB	165°F 74°C	Black Painted S\$ 69.93
6887271667	CG51BP	165°F 74°C	Black Plated S\$ 85.46
6887271605	CG51BB	165°F 74°C	Bright Brass S\$ 85.46
6887271623	CG51CD	165°F 74°C	Satin Chrome S\$ 85.46
6887271610	CG51SS	165°F 74°C	Stainless Steel S\$ 85.46
6887271619	CG51EW	165°F 74°C	Euro White S\$ 51.34

6880170020 WFC Requires Model FC Wrench S\$ 437.51



DH56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) RA1664			
H7[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 488.02
H7[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 488.02
H7[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 500.75
H7[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 519.75
H7[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 519.75
H7[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 532.44
H7[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 551.38
H7[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 551.38
H7[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 564.08
H7[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 583.12
H7[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 583.12
H7[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 595.76
H7[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 614.82
H7[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 614.82
H7[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 627.49
H7[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 645.55
H7[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 645.55
H7[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 659.18
H7[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 678.12
H7[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 678.12
H7[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 690.87
H7[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 709.88
H7[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 709.88
H7[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 722.47
H7[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 741.59
H7[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 741.59
H7[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 754.22
H7[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 773.28
H7[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 773.28
H7[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 785.94
H7[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 804.93
H7[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 804.93
H7[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 817.59
H7[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 836.59
H7[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 836.59
H7[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 849.24
H7[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 868.23
H7[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 868.23
H7[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 880.91
H7[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 899.88
H7[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 899.88
H7[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 912.57
H7[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 931.54
H7[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 931.54
H7[TEMP]08[DIM]	45" to 48"	White	S\$ 944.22

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11




DH56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) RA1664			
HM[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 527.34
HM[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 540.08
HM[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 559.11
HM[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 571.73
HM[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 590.65
HM[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 603.37
HM[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 622.46
HM[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 635.09
HM[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 654.11
HM[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 666.77
HM[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 685.83
HM[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 698.49
HM[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 717.47
HM[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 730.19
HM[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 749.15
HM[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 761.83
HM[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 780.93
HM[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 793.57
HM[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 812.59
HM[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 825.23
HM[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 844.18
HM[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 856.94
HM[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 875.93
HM[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 888.61
HM[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 907.67
HM[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 920.33
HM[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 939.36
HM[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 951.95
HM[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 971.04
HM[TEMP]08[DIM]	45" to 48"	White	S\$ 983.73
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



DH56 DRY REC HSW

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH56 DRY HORIZONTAL FP REC K5.6 (80) THREADS 1" (25MM) RA1664			
H8[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	\$ 543.86
H8[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	\$ 543.86
H8[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	\$ 556.60
H8[TEMP]11[DIM]	6" to 8-3/4"	Bronze	\$ 575.62
H8[TEMP]21[DIM]	6" to 8-3/4"	Chrome	\$ 575.62
H8[TEMP]08[DIM]	6" to 8-3/4"	White	\$ 588.25
H8[TEMP]11[DIM]	9" to 11-3/4"	Bronze	\$ 607.17
H8[TEMP]21[DIM]	9" to 11-3/4"	Chrome	\$ 607.17
H8[TEMP]08[DIM]	9" to 11-3/4"	White	\$ 619.89
H8[TEMP]11[DIM]	12" to 14-3/4"	Bronze	\$ 638.98
H8[TEMP]21[DIM]	12" to 14-3/4"	Chrome	\$ 638.98
H8[TEMP]08[DIM]	12" to 14-3/4"	White	\$ 651.60
H8[TEMP]11[DIM]	15" to 17-3/4"	Bronze	\$ 670.63
H8[TEMP]21[DIM]	15" to 17-3/4"	Chrome	\$ 670.63
H8[TEMP]08[DIM]	15" to 17-3/4"	White	\$ 683.29
H8[TEMP]11[DIM]	18" to 20-3/4"	Bronze	\$ 702.35
H8[TEMP]21[DIM]	18" to 20-3/4"	Chrome	\$ 702.35
H8[TEMP]08[DIM]	18" to 20-3/4"	White	\$ 715.01
H8[TEMP]11[DIM]	21" to 23-3/4"	Bronze	\$ 733.99
H8[TEMP]21[DIM]	21" to 23-3/4"	Chrome	\$ 733.99
H8[TEMP]08[DIM]	21" to 23-3/4"	White	\$ 746.71
H8[TEMP]11[DIM]	24" to 26-3/4"	Bronze	\$ 765.67
H8[TEMP]21[DIM]	24" to 26-3/4"	Chrome	\$ 765.67
H8[TEMP]08[DIM]	24" to 26-3/4"	White	\$ 778.36
H8[TEMP]11[DIM]	27" to 29-3/4"	Bronze	\$ 797.45
H8[TEMP]21[DIM]	27" to 29-3/4"	Chrome	\$ 797.45
H8[TEMP]08[DIM]	27" to 29-3/4"	White	\$ 810.09
H8[TEMP]11[DIM]	30" to 32-3/4"	Bronze	\$ 829.10
H8[TEMP]21[DIM]	30" to 32-3/4"	Chrome	\$ 829.10
H8[TEMP]08[DIM]	30" to 32-3/4"	White	\$ 841.75
H8[TEMP]11[DIM]	33" to 35-3/4"	Bronze	\$ 860.70
H8[TEMP]21[DIM]	33" to 35-3/4"	Chrome	\$ 860.70
H8[TEMP]08[DIM]	33" to 35-3/4"	White	\$ 873.46
H8[TEMP]11[DIM]	36" to 38-3/4"	Bronze	\$ 892.44
H8[TEMP]21[DIM]	36" to 38-3/4"	Chrome	\$ 892.44
H8[TEMP]08[DIM]	36" to 38-3/4"	White	\$ 905.13
H8[TEMP]11[DIM]	39" to 41-3/4"	Bronze	\$ 924.19
H8[TEMP]21[DIM]	39" to 41-3/4"	Chrome	\$ 924.19
H8[TEMP]08[DIM]	39" to 41-3/4"	White	\$ 936.85
H8[TEMP]11[DIM]	42" to 44-3/4"	Bronze	\$ 955.88
H8[TEMP]21[DIM]	42" to 44-3/4"	Chrome	\$ 955.88
H8[TEMP]08[DIM]	42" to 44-3/4"	White	\$ 968.47
H8[TEMP]11[DIM]	45" to 48"	Bronze	\$ 987.56
H8[TEMP]21[DIM]	45" to 48"	Chrome	\$ 987.56
H8[TEMP]08[DIM]	45" to 48"	White	\$ 1,000.25

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	\$ 50.11



DH56 DRY CONCEALED

- K-Factor = 5.6 (80)
- **SIN RA1664**
- 1" Size
- See Bulletin 016

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) RA1664			
HH[TEMP]17[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 664.90
HH[TEMP]17[DIM]	6" to 8-3/4"	Bronze	S\$ 696.65
HH[TEMP]17[DIM]	9" to 11-3/4"	Bronze	S\$ 728.28
HH[TEMP]17[DIM]	12" to 14-3/4"	Bronze	S\$ 759.94
HH[TEMP]17[DIM]	15" to 17-3/4"	Bronze	S\$ 791.72
HH[TEMP]17[DIM]	18" to 20-3/4"	Bronze	S\$ 823.36
HH[TEMP]17[DIM]	21" to 23-3/4"	Bronze	S\$ 855.09
HH[TEMP]17[DIM]	24" to 26-3/4"	Bronze	S\$ 887.36
HH[TEMP]17[DIM]	27" to 29-3/4"	Bronze	S\$ 950.06
HH[TEMP]17[DIM]	30" to 32-3/4"	Bronze	S\$ 1,013.45
HH[TEMP]17[DIM]	33" to 35-3/4"	Bronze	S\$ 1,076.88
HH[TEMP]17[DIM]	36" to 38-3/4"	Bronze	S\$ 1,108.54
HH[TEMP]17[DIM]	39" to 41-3/4"	Bronze	S\$ 1,140.24
HH[TEMP]17[DIM]	42" to 44-3/4"	Bronze	S\$ 1,171.97
HH[TEMP]17[DIM]	45" to 48"	Bronze	S\$ 1,203.62
MODEL CCP CONICAL CONCEALED COVERPLATES - REQUIRED			
6887131318	CHWNS	135°F 57°C	White S\$ 48.10
6887131390	CHSPNS	135°F 57°C	Specialty S\$ 72.12

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



DH80 DRY HSW Extended Coverage HSW

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH80 DRY HORIZONTAL EC K8.0 (115) THREADS 1" (25MM) RA5532			
Q7[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 580.75
Q7[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 580.75
Q7[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 595.89
Q7[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 618.51
Q7[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 618.51
Q7[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 633.59
Q7[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 656.15
Q7[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 656.15
Q7[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 671.26
Q7[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 693.91
Q7[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 693.91
Q7[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 708.97
Q7[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 731.65
Q7[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 731.65
Q7[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 746.71
Q7[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 768.21
Q7[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 768.21
Q7[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 784.41
Q7[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 806.97
Q7[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 806.97
Q7[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 822.14
Q7[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 844.76
Q7[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 844.76
Q7[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 859.74
Q7[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 882.50
Q7[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 882.50
Q7[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 897.51
Q7[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 920.21
Q7[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 920.21
Q7[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 935.26
Q7[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 957.87
Q7[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 957.87
Q7[TEMP]08[DIM]	33" to 36"	White	S\$ 972.94

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



**DH80 DRY HSW /
 HB Extended
 Coverage HSW**

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH80 DRY EC HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA5532			
QM[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 685.54
QM[TEMP]08[DIM]	2" to 5-3/4"		S\$ Call
QM[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 726.84
QM[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 743.25
QM[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 767.86
QM[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 784.40
QM[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 809.21
QM[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 825.64
QM[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 850.36
QM[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 866.80
QM[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 891.55
QM[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 908.02
QM[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 932.71
QM[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 949.26
QM[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 973.90
QM[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 990.37
QM[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 1,015.20
QM[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 1,031.64
QM[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 1,056.36
QM[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,072.80
QM[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,097.43
QM[TEMP]08[DIM]	33" to 36"	White	S\$ 1,114.01
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001	WF3R	Requires F3R Sprinkler Wrench	S\$	232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$	50.11



**DH80 DRY REC
 HSW Extended
 Coverage HSW**

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH80 DRY EC HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA5532			
Q8[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 649.32
Q8[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 649.32
Q8[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 664.60
Q8[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 687.44
Q8[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 687.34
Q8[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 702.59
Q8[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 725.30
Q8[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 725.30
Q8[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 740.56
Q8[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 763.48
Q8[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 763.48
Q8[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 778.63
Q8[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 801.47
Q8[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 801.47
Q8[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 816.63
Q8[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 839.51
Q8[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 839.51
Q8[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 854.69
Q8[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 877.48
Q8[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 877.48
Q8[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 892.76
Q8[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 915.49
Q8[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 915.49
Q8[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 930.73
Q8[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 953.62
Q8[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 953.62
Q8[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 968.81
Q8[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 991.64
Q8[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 991.64
Q8[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 1,006.80
Q8[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 1,029.53
Q8[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 1,029.53
Q8[TEMP]08[DIM]	33" to 36"	White	S\$ 1,044.86

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$	230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$	50.11



**DH80 DRY
 CONCEALED
 Extended Coverage
 HSW**

- K-Factor = 8.0 (115)
- **SIN RA5532**
- 1" Size
- See Bulletin 055

Order Matrix	
Temp/Dim	Conversion
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL DH80 DRY EC HORIZONTAL CONCEALED K8.0 (115) THREADS 1" (25MM) RA5532			
QH[TEMP]17[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 804.52
QH[TEMP]17[DIM]	6" to 8-3/4"	Bronze	S\$ 842.93
QH[TEMP]17[DIM]	9" to 11-3/4"	Bronze	S\$ 881.22
QH[TEMP]17[DIM]	12" to 14-3/4"	Bronze	S\$ 919.54
QH[TEMP]17[DIM]	15" to 17-3/4"	Bronze	S\$ 957.99
QH[TEMP]17[DIM]	18" to 20-3/4"	Bronze	S\$ 996.26
QH[TEMP]17[DIM]	21" to 23-3/4"	Bronze	S\$ 1,034.64
QH[TEMP]17[DIM]	24" to 26-3/4"	Bronze	S\$ 1,073.72
QH[TEMP]17[DIM]	27" to 29-3/4"	Bronze	S\$ 1,149.56
QH[TEMP]17[DIM]	30" to 32-3/4"	Bronze	S\$ 1,226.27
QH[TEMP]17[DIM]	33" to 36"	Bronze	S\$ 1,303.03
MODEL SWC COVERPLATE-REQUIRED			
6887131318	CHWNS	135°F 57°C	White S\$ 48.10
6887131390	CHSPNS	135°F 57°C	Specialty S\$ 72.12

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY UPRIGHT

- K-Factor = 5.6 (80)
- **SIN R5324**
- 1" Size
- See Bulletin 153
- Finish is Brass only
- Available lengths 5" to 48"

Part Number	Size	Finish	List Price
MODEL F3-56 DRY UPRIGHT K5.6 (80) THREADS 1" (25MM) R5324			
F1[TEMP]11[DIM]	5" to 8-3/4"	Bronze	S\$ 338.63
F1[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 360.69
F1[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 382.62
F1[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 404.62
F1[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 426.61
F1[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 448.55
F1[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 470.58
F1[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 492.54
F1[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 514.61
F1[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 536.61
F1[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 558.53
F1[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 580.57
F1[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 602.52
F1[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 624.50

6880130001	WF3R	Required F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214



F3-56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314			
F25[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 367.91
F25[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 367.91
F25[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 376.72
F25[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 389.91
F25[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 389.91
F25[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 398.69
F25[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 411.97
F25[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 411.97
F25[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 420.68
F25[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 433.89
F25[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 433.89
F25[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 442.69
F25[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 455.90
F25[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 455.90
F25[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 464.69
F25[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 477.88
F25[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 477.88
F25[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 486.65
F25[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 499.83
F25[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 499.83
F25[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 508.63
F25[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 521.84
F25[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 521.84
F25[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 530.64
F25[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 543.82
F25[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 543.82
F25[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 552.61
F25[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 565.89
F25[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 565.89
F25[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 574.59
F25[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 587.87
F25[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 587.87
F25[TEMP]08[DIM]	33" to 36"	White	S\$ 596.63

6880130001	WF3R	Requires Model F3 Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY PENDENT K5.6 (80) THREADS 1" (25MM) R5314			
F2[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 316.65
F2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 316.65
F2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 325.46
F2[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 338.63
F2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 338.63
F2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 347.41
F2[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 360.69
F2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 360.69
F2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 369.42
F2[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 382.62
F2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 382.62
F2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 391.42
F2[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 404.62
F2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 404.62
F2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 413.41
F2[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 426.61
F2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 426.61
F2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 435.39
F2[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 448.55
F2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 448.55
F2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 457.36
F2[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 470.58
F2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 470.58
F2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 479.38
F2[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 492.54
F2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 492.54
F2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 501.33
F2[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 514.61
F2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 514.61
F2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 523.33
F2[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 536.61
F2[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 536.61
F2[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 545.35
F2[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 558.53
F2[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 558.53
F2[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 567.33
F2[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 580.57
F2[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 580.57
F2[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 589.27
F2[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 602.52
F2[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 602.52
F2[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 611.28
F2[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 624.50
F2[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 624.50
F2[TEMP]08[DIM]	45" to 48"	White	S\$ 633.31

6880130001	WF3R	Required Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11

Notes:
 *Approved "A" Dimensions Up to 48" (1219mm)



**F3-56 DRY
 PENDENT / HB**

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY PENDENT / HB K5.6 (80) THREADS 3/4" (20MM) R5314			
FJ5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 405.33
FJ5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 414.37
FJ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 427.95
FJ5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 437.05
FJ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 450.59
FJ5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 459.64
FJ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 473.19
FJ5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 482.24
FJ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 495.89
FJ5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 504.88
FJ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 518.70
FJ5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 527.53
FJ5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 541.13
FJ5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 550.18
FJ5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 563.73
FJ5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 572.81
FJ5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 586.39
FJ5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 595.43
FJ5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 609.06
FJ5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 618.09
FJ5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 631.69
FJ5[TEMP]08[DIM]	33" to 36"	White	S\$ 640.76
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001	WF3R	Requires Model F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



**F3-56 DRY
 PENDENT / HB**

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY PENDENT/ HB K5.6 (80) THREADS 1" (25MM) R5314			
FJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 354.07
FJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 363.09
FJ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 376.69
FJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 385.77
FJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 399.33
FJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 408.36
FJ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 421.93
FJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 430.98
FJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 444.61
FJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 453.60
FJ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 467.26
FJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 476.25
FJ[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 489.86
FJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 499.07
FJ[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 512.47
FJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 521.75
FJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 535.12
FJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 544.56
FJ[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 557.78
FJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 566.83
FJ[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 580.42
FJ[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 589.44
FJ[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 604.40
FJ[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 613.45
FJ[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 627.10
FJ[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 636.09
FJ[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 649.69
FJ[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 658.75
FJ[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 672.29
FJ[TEMP]08[DIM]	45" to 48"	White	S\$ 681.34
MODEL HB REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001	WF3R	Required F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11

Notes:
***Approved "A" Dimensions Up to 48" (1219mm)**



F3-56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC FP PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314			
F65[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 421.85
F65[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 421.85
F65[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 430.89
F65[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 444.49
F65[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 444.49
F65[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 453.57
F65[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 467.12
F65[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 467.12
F65[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 476.16
F65[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 489.71
F65[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 489.71
F65[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 498.76
F65[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 512.41
F65[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 512.41
F65[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 521.40
F65[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 535.04
F65[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 535.04
F65[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 544.05
F65[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 557.64
F65[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 557.64
F65[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 566.70
F65[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 580.26
F65[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 580.26
F65[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 589.33
F65[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 602.91
F65[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 602.91
F65[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 611.95
F65[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 625.56
F65[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 625.56
F65[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 634.61
F65[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 648.21
F65[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 648.21
F65[TEMP]08[DIM]	33" to 36"	White	S\$ 657.28

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY REC FP PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC FP PENDENT K5.6 (80) THREADS 1" (25MM) R5314			
F6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 370.59
F6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 370.59
F6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 379.63
F6[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 393.21
F6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 393.21
F6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 402.29
F6[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 415.86
F6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 415.86
F6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 424.88
F6[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 438.45
F6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 438.45
F6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 447.50
F6[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 461.13
F6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 461.13
F6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 470.13
F6[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 483.78
F6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 483.78
F6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 492.77
F6[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 506.38
F6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 506.38
F6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 515.43
F6[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 528.99
F6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 528.99
F6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 538.05
F6[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 551.65
F6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 551.65
F6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 560.67
F6[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 574.30
F6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 574.30
F6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 583.35
F6[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 596.94
F6[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 596.94
F6[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 606.00
F6[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 620.94
F6[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 620.94
F6[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 629.97
F6[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 643.62
F6[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 643.62
F6[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 652.61
F6[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 666.21
F6[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 666.21
F6[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 675.27
F6[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 688.81
F6[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 688.81
F6[TEMP]08[DIM]	45" to 48"	White	S\$ 697.86

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC F1 PENDENT K5.6 (80) THREADS 3/4" (20MM) R5314			
F95[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 425.84
F95[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 414.14
F95[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 423.18
F95[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 448.47
F95[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 436.76
F95[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 445.86
F95[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 471.11
F95[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 459.41
F95[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 468.45
F95[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 493.70
F95[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 482.00
F95[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 491.05
F95[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 516.39
F95[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 504.69
F95[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 513.68
F95[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 539.03
F95[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 527.33
F95[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 536.33
F95[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 561.63
F95[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 549.93
F95[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 558.98
F95[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 584.25
F95[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 572.54
F95[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 581.60
F95[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 606.90
F95[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 595.20
F95[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 604.24
F95[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 628.50
F95[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 617.85
F95[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 626.90
F95[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 652.20
F95[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 640.50
F95[TEMP]08[DIM]	33" to 36"	White	S\$ 649.57

6880070100 WXLO Requires Model XLO2 Sprinkler Wrench S\$ 230.71



F3-56 DRY REC F1 PENDENT

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC F1 PENDENT K5.6(80) THREADS 1" (25MM) R5314			
F9[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 374.58
F9[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 362.88
F9[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 371.92
F9[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 397.20
F9[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 385.50
F9[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 394.58
F9[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 419.85
F9[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 408.13
F9[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 417.17
F9[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 442.43
F9[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 430.72
F9[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 439.77
F9[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 465.11
F9[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 453.42
F9[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 462.42
F9[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 487.76
F9[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 476.05
F9[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 485.06
F9[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 510.37
F9[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 498.67
F9[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 507.72
F9[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 532.97
F9[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 521.27
F9[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 530.34
F9[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 555.64
F9[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 543.92
F9[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 552.96
F9[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 578.29
F9[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 566.59
F9[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 575.64
F9[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 600.92
F9[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 589.22
F9[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 598.29
F9[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 624.92
F9[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 613.21
F9[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 622.26
F9[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 647.60
F9[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 635.91
F9[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 644.90
F9[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 670.19
F9[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 658.50
F9[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 667.56
F9[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 692.81
F9[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 681.10
F9[TEMP]08[DIM]	45" to 48"	White	S\$ 690.15

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5334			
F45[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 348.60
F45[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 348.60
F45[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 357.69
F45[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 422.54
F45[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 422.54
F45[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 431.56
F45[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 445.08
F45[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 445.08
F45[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 454.15
F45[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 467.82
F45[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 467.82
F45[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 476.84
F45[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 490.43
F45[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 490.43
F45[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 499.54
F45[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 513.11
F45[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 513.11
F45[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 522.05
F45[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 535.63
F45[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 535.63
F45[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 544.79
F45[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 558.30
F45[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 558.30
F45[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 567.32
F45[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 580.98
F45[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 580.98
F45[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 590.03
F45[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 603.66
F45[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 603.66
F45[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 612.65
F45[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 626.22
F45[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 626.22
F45[TEMP]08[DIM]	33" to 36"	White	S\$ 635.30

6880130001	WF3R	Requires Model F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334			
F4[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 348.60
F4[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 348.60
F4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 357.69
F4[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 371.28
F4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 371.28
F4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 380.30
F4[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 393.82
F4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 393.82
F4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 402.89
F4[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 416.56
F4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 416.56
F4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 425.57
F4[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 439.16
F4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 439.16
F4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 448.28
F4[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 461.83
F4[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 461.83
F4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 470.79
F4[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 484.36
F4[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 484.36
F4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 493.53
F4[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 507.04
F4[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 507.04
F4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 516.04
F4[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 529.70
F4[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 529.70
F4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 538.75
F4[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 552.40
F4[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 552.40
F4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 561.37
F4[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 574.96
F4[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 574.96
F4[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 584.04
F4[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 597.67
F4[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 597.67
F4[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 606.66
F4[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 620.19
F4[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 620.19
F4[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 629.37
F4[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 642.89
F4[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 642.89
F4[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 651.89
F4[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 665.51
F4[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 665.51
F4[TEMP]08[DIM]	45" to 48"	White	S\$ 674.57

6880130001	WF3R	Required Model F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY HORIZONTAL / HB K5.6 (80) THREADS 3/4" (20MM) R5334			
FK5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 427.97
FK5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 437.05
FK5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 450.60
FK5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 459.64
FK5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 473.19
FK5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 482.24
FK5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 495.89
FK5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 504.88
FK5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 518.52
FK5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 527.53
FK5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 541.13
FK5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 550.18
FK5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 563.74
FK5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 572.81
FK5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 586.39
FK5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 595.43
FK5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 609.04
FK5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 618.09
FK5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 631.69
FK5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 640.76
FK5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 654.25
FK5[TEMP]08[DIM]	33" to 36"	White	S\$ 663.36
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001	WF3R	Requires Model F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY HSW / HB

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY HORIZONTAL / HB K5.6 (80) THREADS 1" (25MM) R5334			
FK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 376.69
FK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 385.77
FK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 399.33
FK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 408.36
FK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 421.93
FK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 430.98
FK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 444.61
FK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 453.61
FK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 467.26
FK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 476.25
FK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 489.86
FK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 498.91
FK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 512.47
FK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 521.53
FK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 535.12
FK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 544.15
FK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 557.78
FK[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 566.83
FK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 580.42
FK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 589.48
FK[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 602.21
FK[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 612.09
FK[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 625.67
FK[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 634.72
FK[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 605.86
FK[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 614.38
FK[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 670.98
FK[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 680.03
FK[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 693.62
FK[TEMP]08[DIM]	45" to 48"	White	S\$ 702.67
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001	WF3R	Required Model F3R Sprinkler Wrench	S\$ 232.43
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC FP HORIZONTAL K5.6 (80) THREADS 3/4" (20MM) R5334			
F55[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 444.49
F55[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 444.49
F55[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 453.57
F55[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 467.12
F55[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 467.12
F55[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 476.16
F55[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 489.71
F55[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 489.71
F55[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 498.76
F55[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 512.41
F55[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 512.41
F55[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 521.40
F55[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 535.04
F55[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 535.04
F55[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 544.05
F55[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 557.64
F55[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 557.64
F55[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 566.70
F55[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 580.26
F55[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 580.26
F55[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 589.33
F55[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 602.91
F55[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 602.91
F55[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 611.95
F55[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 625.56
F55[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 625.56
F55[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 634.61
F55[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 648.21
F55[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 648.21
F55[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 657.28
F55[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 670.77
F55[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 670.77
F55[TEMP]08[DIM]	33" to 36"	White	S\$ 679.88

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY REC FP HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC FP HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334			
F5[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 393.21
F5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 393.21
F5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 402.29
F5[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 415.86
F5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 415.86
F5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 424.88
F5[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 438.45
F5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 438.45
F5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 447.50
F5[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 461.13
F5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 461.13
F5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 470.13
F5[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 483.78
F5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 483.78
F5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 492.77
F5[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 506.38
F5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 506.38
F5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 515.43
F5[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 528.99
F5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 528.99
F5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 538.05
F5[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 551.65
F5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 551.65
F5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 560.67
F5[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 574.30
F5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 574.30
F5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 583.35
F5[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 596.94
F5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 596.94
F5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 606.00
F5[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 619.49
F5[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 619.49
F5[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 628.62
F5[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 642.19
F5[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 642.19
F5[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 651.24
F5[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 664.79
F5[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 664.79
F5[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 673.90
F5[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 687.50
F5[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 687.50
F5[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 696.55
F5[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 710.14
F5[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 710.14
F5[TEMP]08[DIM]	45" to 48"	White	S\$ 719.19

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC F1 HORIZONTAL K5.6 (80) 3/4" (20MM) R5334			
F05[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 448.47
F05[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 436.76
F05[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 445.86
F05[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 471.11
F05[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 459.41
F05[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 468.45
F05[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 493.70
F05[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 482.00
F05[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 491.05
F05[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 516.39
F05[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 504.69
F05[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 513.68
F05[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 539.03
F05[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 527.33
F05[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 536.33
F05[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 561.63
F05[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 549.93
F05[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 558.98
F05[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 584.25
F05[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 572.54
F05[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 581.60
F05[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 606.90
F05[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 595.20
F05[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 604.24
F05[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 629.56
F05[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 617.85
F05[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 626.90
F05[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 652.20
F05[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 640.50
F05[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 649.57
F05[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 674.76
F05[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 663.06
F05[TEMP]08[DIM]	33" to 36"	White	S\$ 672.17

6880070100	WXLO	Requires Model XL02 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 DRY REC F1 HSW

- K-Factor = 5.6 (80)
- **SIN R5334**
- 1" Size
- 1" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Notes:

In white applications, sprinkler can remain chrome.

Part Number	Size	Finish	List Price
MODEL F3-56 DRY REC F1 HORIZONTAL K5.6 (80) THREADS 1" (25MM) R5334			
F0[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 397.20
F0[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 385.50
F0[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 394.58
F0[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 419.85
F0[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 408.13
F0[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 417.17
F0[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 442.43
F0[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 460.87
F0[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 439.77
F0[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 465.11
F0[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 453.42
F0[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 462.42
F0[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 487.76
F0[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 476.05
F0[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 485.06
F0[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 510.37
F0[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 498.67
F0[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 507.72
F0[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 532.97
F0[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 521.27
F0[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 530.34
F0[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 555.64
F0[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 543.92
F0[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 552.96
F0[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 578.29
F0[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 566.59
F0[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 575.64
F0[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 600.92
F0[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 589.22
F0[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 598.29
F0[TEMP]11[DIM]	33" to 35-3/4"	Bronze	S\$ 623.48
F0[TEMP]21[DIM]	33" to 35-3/4"	Chrome	S\$ 611.78
F0[TEMP]08[DIM]	33" to 35-3/4"	White	S\$ 620.89
F0[TEMP]11[DIM]	36" to 38-3/4"	Bronze	S\$ 646.17
F0[TEMP]21[DIM]	36" to 38-3/4"	Chrome	S\$ 634.48
F0[TEMP]08[DIM]	36" to 38-3/4"	White	S\$ 643.53
F0[TEMP]11[DIM]	39" to 41-3/4"	Bronze	S\$ 668.78
F0[TEMP]21[DIM]	39" to 41-3/4"	Chrome	S\$ 657.08
F0[TEMP]08[DIM]	39" to 41-3/4"	White	S\$ 666.19
F0[TEMP]11[DIM]	42" to 44-3/4"	Bronze	S\$ 691.49
F0[TEMP]21[DIM]	42" to 44-3/4"	Chrome	S\$ 679.79
F0[TEMP]08[DIM]	42" to 44-3/4"	White	S\$ 688.84
F0[TEMP]11[DIM]	45" to 48"	Bronze	S\$ 714.12
F0[TEMP]21[DIM]	45" to 48"	Chrome	S\$ 702.43
F0[TEMP]08[DIM]	45" to 48"	White	S\$ 711.48

6880070100	WXLO	Requires XL02 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



F3-56 CONCEALED

- K-Factor = 5.6 (80)
- **SIN R5314**
- 3/4" Size
- See Bulletin 153

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(1)
155°F (68°C)	(2)
175°F (79°C)	(3)
200°F (93°C)	(5)
286°F (141°C)	(8)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-56 CONCEALED K5.6 (80) THREADS 3/4" (20MM) R5314			
FG5[TEMP]17[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 526.22
FG5[TEMP]17[DIM]	6" to 8-3/4"	Bronze	S\$ 548.91
FG5[TEMP]17[DIM]	9" to 11-3/4"	Bronze	S\$ 571.46
FG5[TEMP]17[DIM]	12" to 14-3/4"	Chrome	S\$ 594.12
FG5[TEMP]17[DIM]	15" to 17-3/4"	Chrome	S\$ 616.79
FG5[TEMP]17[DIM]	18" to 20-3/4"	Chrome	S\$ 639.42
FG5[TEMP]17[DIM]	21" to 23-3/4"	Chrome	S\$ 662.02
FG5[TEMP]17[DIM]	24" to 26-3/4"	Chrome	S\$ 685.07
FG5[TEMP]17[DIM]	27" to 29-3/4"	Chrome	S\$ 729.87
FG5[TEMP]17[DIM]	30" to 32-3/4"	Chrome	S\$ 775.17
FG5[TEMP]17[DIM]	33" to 36"	Chrome	S\$ 820.42
MODEL CCP CONICAL CONCEALED COVER PLATES			
6887161321	CCP0C76	135°F 57°C	Chrome S\$ 119.38
6887161318	CCP0W76	135°F 57°C	White S\$ 46.52
6887161621	CCP1C76	165°F 74°C	Chrome S\$ 119.38
6887161618	CCP1W76	165°F 74°C	White S\$ 46.52

6880070100	WXLO	Requires Model XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11



**F3-56 DRY
 CONCEALED**

- K-Factor = 5.6 (80)
- **SIN R5314**
- 1" Size
- See Bulletin 153

Part Number	Size	Finish	List Price
MODEL F3-56 DRY CONCEALED K5.6 (80) THREADS 1" (25MM) R5314			
FG[TEMP]17[DIM]	3-1/2" to 5-3/4"	Brass	S\$ 474.96
FG[TEMP]17[DIM]	6" to 8-3/4"	Brass	S\$ 497.64
FG[TEMP]17[DIM]	9" to 11-3/4"	Brass	S\$ 520.18
FG[TEMP]17[DIM]	12" to 14-3/4"	Brass	S\$ 542.86
FG[TEMP]17[DIM]	15" to 17-3/4"	Brass	S\$ 565.51
FG[TEMP]17[DIM]	18" to 20-3/4"	Brass	S\$ 588.16
FG[TEMP]17[DIM]	21" to 23-3/4"	Brass	S\$ 610.76
FG[TEMP]17[DIM]	24" to 26-3/4"	Brass	S\$ 633.81
FG[TEMP]17[DIM]	27" to 29-3/4"	Brass	S\$ 678.60
FG[TEMP]17[DIM]	30" to 32-3/4"	Brass	S\$ 723.89
FG[TEMP]17[DIM]	33" to 35-3/4"	Brass	S\$ 769.16
FG[TEMP]17[DIM]	36" to 38-3/4"	Brass	S\$ 791.81
FG[TEMP]17[DIM]	39" to 41-3/4"	Brass	S\$ 814.43
FG[TEMP]17[DIM]	42" to 44-3/4"	Brass	S\$ 837.14
FG[TEMP]17[DIM]	45" to 48"	Brass	S\$ 859.71
MODEL CCP CONICAL CONCEALED COVER PLATES			
6887161321	CCP0C76	135°F 57°C	Brass S\$ 119.38
6887161318	CCP0W76	135°F 57°C	White S\$ 46.52
6887161621	CCP1C76	165°F 74°C	Brass S\$ 119.38
6887161618	CCP1W76	165°F 74°C	White S\$ 46.52

6880070100	WXLO	Requires XLO2 Sprinkler Wrench	S\$ 230.71
6990004858	DEKTITE	Dektite Pipe Flashing, 1/4" - 2"	S\$ 50.11

Notes:

Sprinklers and coverplates sold and packaged separately



F3-80 DRY PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6012**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY PENDENT K8.0 (115) THREADS 1" (25MM) RA6012			
P2[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 399.90
P2[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 399.90
P2[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 410.16
P2[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 427.25
P2[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 427.25
P2[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 439.21
P2[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 454.59
P2[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 454.59
P2[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 466.56
P2[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 481.94
P2[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 481.94
P2[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 493.89
P2[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 510.99
P2[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 510.99
P2[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 521.24
P2[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 538.33
P2[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 538.33
P2[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 548.58
P2[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 565.68
P2[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 565.68
P2[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 577.63
P2[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 593.01
P2[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 593.01
P2[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 604.98
P2[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 620.36
P2[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 620.36
P2[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 632.33
P2[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 649.41
P2[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 649.41
P2[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 659.67
P2[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 676.76
P2[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 676.76
P2[TEMP]08[DIM]	33" to 36"	White	S\$ 687.02

6880130001 WF3R Requires Model F3 Sprinkler Wrench S\$ 232.43



**F3-80 DRY
 PENDENT / HB**

- K-Factor = 8.0 (115)
- SIN RA6012
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY PENDENT / HB K8.0 (115) THREADS 1" (25MM) RA6012			
PJ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 478.52
PJ[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 490.47
PJ[TEMP]21[DIM]	6" to 8-3/4"	White	S\$ 509.27
PJ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 521.24
PJ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 540.05
PJ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 552.00
PJ[TEMP]21[DIM]	12" to 14-3/4"	White	S\$ 570.80
PJ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 582.76
PJ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 601.56
PJ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 613.53
PJ[TEMP]21[DIM]	18" to 20-3/4"	White	S\$ 630.61
PJ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 644.29
PJ[TEMP]21[DIM]	21" to 23-3/4"	White	S\$ 661.37
PJ[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 673.34
PJ[TEMP]21[DIM]	24" to 26-3/4"	White	S\$ 692.14
PJ[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 704.10
PJ[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 722.90
PJ[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 734.87
PJ[TEMP]21[DIM]	30" to 32-3/4"	White	S\$ 753.66
PJ[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 765.63
PJ[TEMP]21[DIM]	33" to 36"	White	S\$ 784.43
PJ[TEMP]08[DIM]	33" to 36"	White	S\$ 798.09
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001 WF3R Requires Model F3 Sprinkler Wrench S\$ 232.43



F3-80 DRY REC FP PENDENT

- K-Factor = 8.0 (115)
- **SIN RA6012**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY REC FP PENDENT K8.0 (115) THREADS 1" (25MM) RA6012			
P6[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 477.95
P6[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 477.95
P6[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 489.91
P6[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 507.01
P6[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 507.01
P6[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 518.96
P6[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 536.04
P6[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 536.04
P6[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 548.02
P6[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 565.10
P6[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 565.10
P6[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 577.07
P6[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 595.87
P6[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 595.87
P6[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 606.12
P6[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 624.92
P6[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 624.92
P6[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 636.88
P6[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 653.98
P6[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 653.98
P6[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 665.93
P6[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 683.03
P6[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 683.03
P6[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 694.99
P6[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 712.08
P6[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 712.08
P6[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 724.04
P6[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 742.84
P6[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 742.84
P6[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 753.09
P6[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 771.90
P6[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 771.90
P6[TEMP]08[DIM]	33" to 36"	White	S\$ 783.85

6880070100 WXLO Requires Model XL02 Sprinkler Wrench S\$ 230.71



F3-80 DRY HSW

- K-Factor = 8.0 (115)
- **SIN RA6032**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6032			
P4[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 399.90
P4[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 399.90
P4[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 410.16
P4[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 427.25
P4[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 427.25
P4[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 439.21
P4[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 454.59
P4[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 454.59
P4[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 466.56
P4[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 481.94
P4[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 481.94
P4[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 493.89
P4[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 510.99
P4[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 510.99
P4[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 521.24
P4[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 538.33
P4[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 538.33
P4[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 548.58
P4[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 565.68
P4[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 565.68
P4[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 577.63
P4[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 593.01
P4[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 593.01
P4[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 604.98
P4[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 620.36
P4[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 620.36
P4[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 632.33
P4[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 649.41
P4[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 649.41
P4[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 659.67
P4[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 676.76
P4[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 676.76
P4[TEMP]08[DIM]	33" to 36"	White	S\$ 687.02

6880130001 WF3R Requires Model F3 Sprinkler Wrench S\$ 232.43



F3-80 DRY HSW / HB

- K-Factor = 8.0 (115)
- **SIN RA6032**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY HORIZONTAL / HB K8.0 (115) THREADS 1" (25MM) RA6032			
PK[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 478.52
PK[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 490.47
PK[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 509.27
PK[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 521.24
PK[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 540.05
PK[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 552.00
PK[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 570.80
PK[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 582.76
PK[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 601.56
PK[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 613.53
PK[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 630.61
PK[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 644.29
PK[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 661.37
PK[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 673.34
PK[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 692.14
PK[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 704.10
PK[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 722.90
PK[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 734.87
PK[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 753.66
PK[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 765.63
PK[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 784.43
PK[TEMP]08[DIM]	33" to 36"	White	S\$ 798.09
REQUIRED SKIRTS			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001 WF3R Requires Model F3 Sprinkler Wrench S\$ 232.43



F3-80 DRY REC FP HSW

- K-Factor = 8.0 (115)
- **SIN RA6032**
- 1" Size
- See Bulletin 060

Order Matrix	
Temp/Dim	Conversion
135°F (57°C)	(01)
155°F (68°C)	(02)
175°F (79°C)	(03)
200°F (93°C)	(05)
286°F (141°C)	(08)
6" Dim	0600
10-1/2" Dim	1012
12-1/4" Dim	1214

Part Number	Size	Finish	List Price
MODEL F3-80 DRY REC FP HORIZONTAL K8.0 (115) THREADS 1" (25MM) RA6032			
P5[TEMP]11[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 477.95
P5[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 477.95
P5[TEMP]08[DIM]	3-1/2" to 5-3/4"	White	S\$ 489.91
P5[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 507.01
P5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 507.01
P5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 518.96
P5[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 536.04
P5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 536.04
P5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 548.02
P5[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 565.10
P5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 565.10
P5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 577.07
P5[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 595.87
P5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 595.87
P5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 606.12
P5[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 624.92
P5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 624.92
P5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 636.88
P5[TEMP]11[DIM]	21" to 23-3/4"	Bronze	S\$ 653.98
P5[TEMP]21[DIM]	21" to 23-3/4"	Chrome	S\$ 653.98
P5[TEMP]08[DIM]	21" to 23-3/4"	White	S\$ 665.93
P5[TEMP]11[DIM]	24" to 26-3/4"	Bronze	S\$ 683.03
P5[TEMP]21[DIM]	24" to 26-3/4"	Chrome	S\$ 683.03
P5[TEMP]08[DIM]	24" to 26-3/4"	White	S\$ 694.99
P5[TEMP]11[DIM]	27" to 29-3/4"	Bronze	S\$ 712.08
P5[TEMP]21[DIM]	27" to 29-3/4"	Chrome	S\$ 712.08
P5[TEMP]08[DIM]	27" to 29-3/4"	White	S\$ 724.04
P5[TEMP]11[DIM]	30" to 32-3/4"	Bronze	S\$ 742.84
P5[TEMP]21[DIM]	30" to 32-3/4"	Chrome	S\$ 742.84
P5[TEMP]08[DIM]	30" to 32-3/4"	White	S\$ 753.09
P5[TEMP]11[DIM]	33" to 36"	Bronze	S\$ 771.90
P5[TEMP]21[DIM]	33" to 36"	Chrome	S\$ 771.90
P5[TEMP]08[DIM]	33" to 36"	White	S\$ 783.85

6880070100 WXLO Requires Model XL02 Sprinkler Wrench S\$ 230.71



**F3-80 DRY
 CONCEALED**

- K-Factor = 8.0 (115)
- **SIN RA6012**
- 1" Size
- See Bulletin 060

Part Number	Size	Finish	List Price
MODEL F3-80 DRY CONCEALED K8.0 (115) THREADS 1" (25MM) RA6012			
PG[TEMP]17[DIM]	3-1/2" to 5-3/4"	Bronze	S\$ 618.66
PG[TEMP]17[DIM]	6" to 8-3/4"	Bronze	S\$ 647.71
PG[TEMP]17[DIM]	9" to 11-3/4"	Bronze	S\$ 676.76
PG[TEMP]17[DIM]	12" to 14-3/4"	Bronze	S\$ 705.82
PG[TEMP]17[DIM]	15" to 17-3/4"	Bronze	S\$ 736.57
PG[TEMP]17[DIM]	18" to 20-3/4"	Bronze	S\$ 765.63
PG[TEMP]17[DIM]	21" to 23-3/4"	Bronze	S\$ 794.68
PG[TEMP]17[DIM]	24" to 26-3/4"	Bronze	S\$ 825.44
PG[TEMP]17[DIM]	27" to 29-3/4"	Bronze	S\$ 883.55
PG[TEMP]17[DIM]	30" to 32-3/4"	Bronze	S\$ 880.12
PG[TEMP]17[DIM]	33" to 36"	Bronze	S\$ 999.76
MODEL CCP CONICAL CONCEALED COVERPLATES			
6887161321	CCP0C76	135°F 57°C	Chrome S\$ 119.38
6887161318	CCP0W76	135°F 57°C	White S\$ 46.52
6887161621	CCP1C76	165°F 74°C	Chrome S\$ 119.38
6887161618	CCP1W76	165°F 74°C	White S\$ 46.52

6880070100 WXLO Requires Model XLO2 Sprinkler Wrench S\$ 230.71

Notes:

Sprinklers and coverplates sold and packaged separately