



G6-80 HSW QR EC


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

Part Number	Short Code	Temperature		Finish	List Price
MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762					
2116173498	G61B	165°F	74°C	Bronze	S\$ 186.66
MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762					
2116173495	G61BM	165°F	74°C	Bronze	S\$ 186.66
MODEL G6 PLAIN COVERPLATES					
6887211311	CG60B	135°F	57°C	Bronze	S\$ 71.61
6887211321	CG60C	135°F	57°C	Chrome	S\$ 51.34
6887211372	CG60W	135°F	57°C	White	S\$ 51.34
6887211390	CG60SP	135°F	57°C	Specialty	S\$ 74.67

6880101010 WG6 Requires Model G6 Sprinkler Wrench S\$ 437.51

Notes:


Sprinkler and cover plates packaged and sold separately



JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 173
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price
MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326					
L192114198	JL112U1B	165°F	74°C	Bronze	S\$ 107.47
L192214198	JL112U1C	165°F	74°C	Chrome	S\$ 111.59
L192874198	JL112U1W	165°F	74°C	White	S\$ 111.59
L194114198	JL112U2B	212°F	100°C	Bronze	S\$ 107.47
L194214198	JL112U2C	212°F	100°C	Chrome	S\$ 111.59
L194874198	JL112U2W	212°F	100°C	White	S\$ 111.59
MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326					
L292114198	J112U1B	155°F	68°C	Bronze	S\$ 108.88
L292214198	J112U1C	155°F	68°C	Chrome	S\$ 112.94
L292874198	J112U1W	155°F	68°C	White	S\$ 112.94
L292104198	J112U1SS	155°F	68°C	Stainless Steel	S\$ 967.52
L294114198	J112U2B	200°F	93°C	Bronze	S\$ 108.88
L294214198	J112U2C	200°F	93°C	Chrome	S\$ 112.94
L294874198	J112U2W	200°F	93°C	White	S\$ 112.94
L294104198	J112U2SS	200°F	93°C	Stainless Steel	S\$ 967.52



JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

Part Number	Short Code	Temperature		Finish	List Price
MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216					
L172114198	JL112P1B	165°F	74°C	Bronze	S\$ 107.47
L172214198	JL112P1C	165°F	74°C	Chrome	S\$ 111.59
L172874198	JL112P1W	165°F	74°C	White	S\$ 111.59
L174114198	JL112P2B	212°F	100°C	Bronze	S\$ 107.47
L174214198	JL112P2C	212°F	100°C	Chrome	S\$ 111.59
L174874198	JL112P2W	212°F	100°C	White	S\$ 111.59
MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216					
L272114198	J112P1B	155°F	68°C	Bronze	S\$ 108.88
L272214198	J112P1C	155°F	68°C	Chrome	S\$ 112.94
L272874198	J112P1W	155°F	68°C	White	S\$ 112.94
L272104198	J112P1SS	155°F	68°C	Stainless Steel	S\$ 967.52
L274114198	J112P2B	200°F	93°C	Bronze	S\$ 108.88
L274214198	J112P2C	200°F	93°C	Chrome	S\$ 112.94
L274874198	J112P2W	200°F	93°C	White	S\$ 112.94
L274104198	J112P2SS	200°F	93°C	Stainless Steel	S\$ 967.52

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1 RECESSED ESCUTCHEON & COLLAR ASSEMBLY					
6801030000	GF1LB	3/4" (20mm)		Bronze	S\$ 26.89
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 14.51
6801040000	GF1LW	3/4" (20mm)		White	S\$ 14.51
6800970010	GF1LSS	3/4" (20mm)		Stainless Steel	S\$ 85.46
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Bronze	S\$ 26.89
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 14.51
6800880005	GF2LW	3/4" (20mm)		White	S\$ 14.51
MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON					
6801402100	FPLC	3/4" (20mm)		Chrome	S\$ 27.97
6801407200	FPLW	3/4" (20mm)		White	S\$ 27.97
6801401000	FPLSS	3/4" (20mm)		Stainless Steel	S\$128.17

6880090000 WJ1 Upright & Pendent Requires Model J1 Sprinkler Wrench S\$ 176.02
6880170032 WRJ Rec Pendent Requires Model J112 Sprinkler Wrench S\$ 437.51



F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



F1FR EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 K 5.6 (80) THREADS 1/2" (15MM) RA2845					
BB131130R9	F1FR56EC0B	135°F	57°C	Bronze	S\$ 81.75
BB132130R9	F1FR56EC0C	135°F	57°C	Chrome	S\$ 89.61
BB138730R9	F1FR56EC0W	135°F	57°C	White	S\$ 93.73
BB151130R9	F1FR56EC1B	155°F	68°C	Bronze	S\$ 81.75
BB152130R9	F1FR56EC1C	155°F	68°C	Chrome	S\$ 89.61
BB158730R9	F1FR56EC1W	155°F	68°C	White	S\$ 93.73
MODEL F1FREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842					
BJ13113998	F1FREC0LB	135°F	57°C	Bronze	S\$ 86.72
BJ13213998	F1FREC0LC	135°F	57°C	Chrome	S\$ 94.48
BJ13873998	F1FREC0LW	135°F	57°C	White	S\$ 101.99
BJ15113998	F1FREC1LB	155°F	68°C	Bronze	S\$ 86.72
BJ15213998	F1FREC1LC	155°F	68°C	Chrome	S\$ 94.48
BJ15873998	F1FREC1LW	155°F	68°C	White	S\$ 101.99
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)		White	S\$ 14.51
6800880004	GF2LB	3/4" (20mm)		Bronze	S\$ 26.89
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 14.51
6800880005	GF2LW	3/4" (20mm)		White	S\$ 14.51
6800890004	GF2MB	10mm		Bronze	S\$ 26.89
6800890001	GF2MC	10mm		Chrome	S\$ 15.52
6800890005	GF2MW	10mm		White	S\$ 13.89
6880050100	WW2	Requires Model W2 Sprinkler Wrench			S\$ 145.27
6880060000	WGFR	For Recessed, Use Model GFR2			S\$ 439.21



F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**



F1FR-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56-300 EC K5.6 (80) THREADS 1/2" (15MM) RA3045					
BH131132R9	F1FR56EC0B3	135°F	57°C	Bronze	S\$ 87.01
BH132132R9	F1FR56EC0C3	135°F	57°C	Chrome	S\$ 93.88
BH138732R9	F1FR56EC0W3	135°F	57°C	White	S\$ 99.03
BH151132R9	F1FR56EC1B3	155°F	68°C	Bronze	S\$ 86.20
BH152132R9	F1FR56EC1C3	155°F	68°C	Chrome	S\$ 93.88
BH158732R9	F1FR56EC1W3	155°F	68°C	White	S\$ 98.10
MODEL F1FR-300 EC K8.0 (115) THREADS 3/4" (20MM) R5942					
BH13113998	F1FREC0LB3	135°F	57°C	Bronze	S\$ 90.01
BH13213998	F1FREC0LC3	135°F	57°C	Chrome	S\$ 98.10
BH13873998	F1FREC0LW3	135°F	57°C	White	S\$ 105.90
BH15113998	F1FREC1LB3	155°F	68°C	Bronze	S\$ 90.01
BH15213998	F1FREC1LC3	155°F	68°C	Chrome	S\$ 98.10
BH15873998	F1FREC1LW3	155°F	68°C	White	S\$ 105.90
MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800630001	GF1B	1/2" (15mm)		Bronze	S\$ 26.89
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 14.51
6800640001	GF1W	1/2" (15mm)		White	S\$ 14.51
6801030000	GF1LB	3/4" (20mm)		Bronze	S\$ 26.89
6801000000	GF1LC	3/4" (20mm)		Chrome	S\$ 14.51
6801040000	GF1LW	3/4" (20mm)		White	S\$ 14.51

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 145.27
6880060000	WGFR	For Recessed, Use Model GFR2	S\$ 439.21



**F1FR-300 QREC-9
 HORIZONTAL
 SIDEWALL**

- K-Factor = 8.0 (115)
- **SIN RA5962**
- See Bulletin 159



**F1FR-300
 RECESSED QREC-9**

- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 159
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR EC9-300 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA5962					
BH13113598	F1FREC90B3	135°F	57°C	Bronze	S\$ 83.60
BH13213598	F1FREC90C3	135°F	57°C	Chrome	S\$ 88.74
BH13873598	F1FREC90W3	135°F	57°C	White	S\$ 94.33
BH15113598	F1FREC91B3	155°F	68°C	Bronze	S\$ 83.60
BH15213598	F1FREC91C3	155°F	68°C	Chrome	S\$ 88.74
BH15873598	F1FREC91W3	155°F	68°C	White	S\$ 94.33
BH17113598	F1FREC95B3	175°F	79°C	Bronze	S\$ 83.60
BH17213598	F1FREC95C3	175°F	79°C	Chrome	S\$ 88.74
BH17873598	F1FREC95W3	175°F	79°C	White	S\$ 94.33
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Bronze	S\$ 26.89
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 14.51
6800880005	GF2LW	3/4" (20mm)		White	S\$ 14.51

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 145.27
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	S\$ 439.21



F1FR56 QREC EC8

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



F1FR QREC EC9

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 EC8 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA2865					
BD131130R9	F1FR56EC80B	135°F	57°C	Bronze	S\$ 74.25
BD132130R9	F1FR56EC80C	135°F	57°C	Chrome	S\$ 78.89
BD138730R9	F1FR56EC80W	135°F	57°C	White	S\$ 84.64
BD151130R9	F1FR56EC81B	155°F	68°C	Bronze	S\$ 74.25
BD152130R9	F1FR56EC81C	155°F	68°C	Chrome	S\$ 78.89
BD158730R9	F1FR56EC81W	155°F	68°C	White	S\$ 84.64
BD171130R9	F1FR56EC85B	175°F	79°C	Bronze	S\$ 74.25
BD172130R9	F1FR56EC85C	175°F	79°C	Chrome	S\$ 78.89
BD178730R9	F1FR56EC85W	175°F	79°C	White	S\$ 84.64
MODEL F1FR EC9 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4862					
BK13113598	F1FREC90B	135°F	57°C	Bronze	S\$ 79.66
BK13213598	F1FREC90C	135°F	57°C	Chrome	S\$ 84.64
BK13873598	F1FREC90W	135°F	57°C	White	S\$ 89.99
BK15113598	F1FREC91B	155°F	68°C	Bronze	S\$ 79.66
BK15213598	F1FREC91C	155°F	68°C	Chrome	S\$ 84.64
BK15873598	F1FREC91W	155°F	68°C	White	S\$ 89.99
BK17113598	F1FREC95B	175°F	79°C	Bronze	S\$ 79.66
BK17213598	F1FREC95C	175°F	79°C	Chrome	S\$ 84.64
BK17873598	F1FREC95W	175°F	79°C	White	S\$ 89.99
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)		White	S\$ 14.51
6800880004	GF2LB	3/4" (20mm)		Bronze	S\$ 26.89
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 14.51
6800880005	GF2LW	3/4" (20mm)		White	S\$ 14.51
6800890004	GF2MB	10mm		Bronze	S\$ 26.89
6800890001	GF2MC	10mm		Chrome	S\$ 15.52
6800890005	GF2MW	10mm		White	S\$ 13.89

6880050100	WW2	Requires Model W2 Sprinkler Wrench	S\$ 145.27
6880060000	WGFR	For Recessed Use Model GFR2 Wrench	S\$ 439.21



F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

F1FR QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 151

F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- SIN RA3045
- See Bulletin 030
- **300 PSI**

F1FR-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 167
- **300 PSI**

Part Number	Short Code	Temperature		Finish	List Price
MODEL F1FR56 EC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845					
BM131730R9	F1FR56CE0	135°F	57°C	Bronze	S\$ 70.18
BM151730R9	F1FR56CE1	155°F	68°C	Bronze	S\$ 70.18
MODEL F1FR EC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842					
BM13173998	F1FRCELO	135°F	57°C	Bronze	S\$ 68.97
BM15173998	F1FRCEL1	155°F	68°C	Bronze	S\$ 68.97
MODEL F1FR56-300 EC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045					
BH131730R9	F1FR56CE03	135°F	57°C	Bronze	S\$ 72.88
BH151730R9	F1FR56CE13	155°F	68°C	Bronze	S\$ 72.88
MODEL F1FR-300 EC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942					
BH13173998	F1FRCE0L3	135°F	57°C	Bronze	S\$ 72.88
BH15173998	F1FRCE1L3	155°F	68°C	Bronze	S\$ 72.88
REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 119.38
6887161318	CCP0W76	135°F	57°C	White	S\$ 46.52
REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT					
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 119.38
6887171318	CCP05W76	135°F	57°C	White	S\$ 46.52
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 78.13

6880100000 WRC Requires Model RC1 Sprinkler Wrench S\$ 439.21

Notes:

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately



DH56

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



DH56 CONCEALED

DH56 CNC

- SIN RA1564
- See Bulletin 015

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564					
BU15113299	DH561B	155°F	68°C	Bronze	S\$ 88.56
BU15213299	DH561C	155°F	68°C	Chrome	S\$ 97.12
BU15873299	DH561W	155°F	68°C	White	S\$ 97.12
BU20113299	DH562B	200°F	93°C	Bronze	S\$ 88.56
BU20213299	DH562C	200°F	93°C	Chrome	S\$ 97.12
BU20873299	DH562W	200°F	93°C	White	S\$ 97.12
MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY					
6800830000	GF2B	1/2" (15mm)		Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)		White	S\$ 14.51

MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564					
BT15173299	DH56C1	155°F	68°C	Bronze	S\$ 94.26
BT20173299	DH56C2	200°F	93°C	Bronze	S\$ 94.26
REQUIRED SWC COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	S\$ 48.10
6887131618	CHWNS1	165°F	74°C	White	S\$ 48.10

6880060000 WGFR Requires Model GFR2 Sprinkler Wrench S\$ 439.21

Notes:

Sprinkler and cover plates sold and packaged separately



DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

Part Number	Short Code	Temperature		Finish	List Price
MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362					
BU15113998	DH1B	155°F	68°C	Bronze	S\$ 95.30
BU15213998	DH1C	155°F	68°C	Chrome	S\$ 102.97
BU15873998	DH1W	155°F	68°C	White	S\$ 102.97
FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)					
6801402100	FPLC	3/4" (20mm)		Chrome	S\$ 27.97
6801407200	FPLW	3/4" (20mm)		White	S\$ 27.97
MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY					
6800880004	GF2LB	3/4" (20mm)		Bronze	S\$ 26.89
6800880001	GF2LC	3/4" (20mm)		Chrome	S\$ 14.51
6800880005	GF2LW	3/4" (20mm)		White	S\$ 14.51
MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362					
BT15173998	DHC1	155°F	68°C	Bronze	S\$ 101.11
MODEL SWC-NS COVERPLATE					
6887131318	CHWNS	135°F	57°C	White	S\$ 48.10
6880060000	WGFR	Requires Model GFR2 Sprinkler Wrench			S\$ 439.21

Notes:

Sprinkler and coverplates sold and packaged separately



**G4 XLO-QR
ECLH/ECOH**

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

NEW



**KFR-CCS
Combustible
Concealed Space**

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

Part Number	Short Code	Temperature		Finish	List Price
MODEL G4XLO K11.2 (160) THREADS 3/4" (20MM) R7146					
1716174198	G4XLO	165°F	74°C	Bronze	S\$ 106.66
MODEL G5 COVER PLATES					
6887271321	CG50C	135°F	57°C	Chrome	S\$ 51.34
6887271372	CG50W	135°F	57°C	White	S\$ 51.34
6887271311	CG50B	135°F	57°C	Bronze	S\$ 70.60
6887271374	CG50OW	135°F	57°C	Off-White	S\$ 69.83
6887271390	CG50SP	135°F	57°C	Specialty	S\$ 70.02
6887271316	CG50FB	135°F	57°C	Black Painted	S\$ 69.93
6887271367	CG50BP	135°F	57°C	Black Plated	S\$ 85.46
6887271305	CG50BB	135°F	57°C	Bright Brass	S\$ 85.46
6887271323	CG50CD	135°F	57°C	Satin Chrome	S\$ 85.46
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$ 85.46
6887271321	CG50C	135°F	57°C	Chrome	S\$ 51.34
6887271372	CG50W	135°F	57°C	White	S\$ 51.34
6887271390	CG50SP	135°F	57°C	Specialty	S\$ 70.02

6880170000 WG4 Requires Model G4 Sprinkler Wrench S\$ 437.51

Part Number	Short Code	Temperature		Finish	List Price
MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454					
MN211132R9	KFRCCS	212°F	100°C	Bronze	S\$ 97.06

6880050100 WW2 Requires Model W2 Sprinkler Wrench S\$ 145.27



SWC QREC

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

Part Number	Short Code	Temperature		Finish	List Price
MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962					
BM13173498	CEC9	135°F	57°C	Bronze	S\$ 83.25
BM15173498	CEC91	155°F	68°C	Bronze	S\$ 83.25
MODEL SWC-NS COVERPLATES					
6887131318	CHWNS	135°F	57°C	White	S\$ 48.10
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 72.12

6880060000 WGFR Requires Model GFR2 Wrench S\$ 439.21

Notes:

Covers can not be plated - only painted.
 Sprinkler and coverplates sold and packaged separately



GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553					
0116114598	GFRUV1B	165°F	74°C	Bronze	S\$ 163.26
0116214598	GFRUV1C	165°F	74°C	Chrome	S\$ 169.73
0121114598	GFRUV2B	212°F	100°C	Bronze	S\$ 163.26
0121214598	GFRUV2C	212°F	100°C	Chrome	S\$ 169.73

6880070000 WH Requires Model H Sprinkler Wrench S\$ 176.02

Part Number	Short Code	Temperature		Finish	List Price
MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043					
FB16114598	GFRPV1B	165°F	74°C	Bronze	S\$122.59
FB16214598	GFRPV1C	165°F	74°C	Chrome	S\$127.52
FB16874598	GFRPV1W	165°F	74°C	White	S\$132.99
FB21114598	GFRPV2B	212°F	100°C	Bronze	S\$122.59
FB21214598	GFRPV2C	212°F	100°C	Chrome	S\$127.52
FB21874598	GFRPV2W	212°F	100°C	White	S\$132.99

6880070000 WH Requires Model H Sprinkler Wrench S\$ 176.02

6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing S\$ 230.71

*Recessing available.



GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160



MBEC-14

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

Part Number	Short Code	Temperature		Finish	List Price
MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932					
4816114597	MB1B	165°F	74°C	Bronze	S\$ 130.86
4816214597	MB1C	165°F	74°C	Chrome	S\$ 150.12
4816874597	MB1W	165°F	74°C	White	S\$ 150.12
4821114597	MB2B	212°F	100°C	Bronze	S\$ 130.86
4821214597	MB2C	212°F	100°C	Chrome	S\$ 150.12
4821874597	MB2W	212°F	100°C	White	S\$ 150.12

6880070000	WH	Requires Model H Sprinkler Wrench	S\$ 176.02
------------	----	-----------------------------------	------------