



### F1RES 30 CCP

- K-Factor = 3.0 (43)
- SIN R3511
- See Bulletin 135



### F1RES 30 PENDENT & RECESSED PENDENT

- K-FACTOR = 3.0 (43)
- SIN R3511
- See Bulletin 135



### KRES 30 PENDENT

- K Factor =3.0 (43)
- SIN R3591
- Link Version
- See Bulletin 935

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES30 CCP K3.0 (43) THREADS 1/2" (15MM) R3511</b>					
		°F	°C		S\$ Call

<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$119.38
6887161318	CCP0W76	135°F	57°C	White	S\$ 46.52
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 78.13
6887171321	CCP05C76	135°F	57°C	Chrome	S\$119.38
6887171318	CCP05W76	135°F	57°C	White	S\$ 46.52
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 78.13

<b>MODEL F1RES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3511</b>					
CV151121S9	30BN	155°F	68°C	Bronze	S\$ 79.25
CV152121S9	30CN	155°F	68°C	Chrome	S\$ 79.84
CV158721S9	30WN	155°F	68°C	White	S\$ 79.84
CV171121S9	30B5N	175°F	79°C	Bronze	S\$ 79.25
CV172121S9	30C5N	175°F	79°C	Chrome	S\$ 79.84
CV178721S9	30W5N	175°F	79°C	White	S\$ 79.84

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$439.21
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			S\$145.27

<b>MODEL KRES30 PENDENT K3.0 (43) THREADS 1/2" (15MM) R3591</b>					
MV161121R9	KRES301B	165°F	74°C	Bronze	S\$ 79.25
MV162121R9	KRES301C	165°F	74°C	Chrome	S\$ 79.84
MV168721R9	KRES301W	165°F	74°C	White	S\$ 79.84
MV211121R9	KRES302B	212°F	100°C	Bronze	S\$ 79.25
MV212121R9	KRES302C	212°F	100°C	Chrome	S\$ 79.84
MV218721R9	KRES302W	212°F	100°C	White	S\$ 79.84

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			S\$145.27
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			S\$439.21

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)		White	S\$ 14.51



### F1RES 49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135 & 176



### KRES49 Pendant & Recessed Pendant

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletin
- Link Version



### F1RES 49 CCP

- K-Factor = 4.9 (71)
- **SIN R3516**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3516</b>					
CV151128S9	49BN	155°F	68°C	Bronze	\$S 79.25
CV152128S9	49CN	155°F	68°C	Chrome	\$S 79.84
CV158728S9	49WN	155°F	68°C	White	\$S 79.84
CV171128S9	49B5N	175°F	79°C	Bronze	\$S 79.25
CV172128S9	49C5N	175°F	79°C	Chrome	\$S 79.84
CV178728S9	49W5N	175°F	79°C	White	\$S 79.84

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			\$S439.21
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$S 145.27

<b>MODEL KRES49 PENDENT K4.9 (71) THREADS 1/2" (15MM) R3596-LINK</b>					
MV161128R9	KRES491B	165°F	74°C	Bronze	\$S 79.25
MV162128R9	KRES491C	165°F	74°C	Chrome	\$S 79.84
MV168728R9	KRES491W	165°F	74°C	White	\$S 79.84
MV211128R9	KRES492B	212°F	100°C	Bronze	\$S 79.25
MV212128R9	KRES492C	212°F	100°C	Chrome	\$S 79.84
MV218728R9	KRES492W	212°F	100°C	White	\$S 79.84

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$S 145.27
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			\$S439.21

<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	\$S 26.89
6800600001	GF1C	1/2" (15mm)		Chrome	\$S 14.51
6800640001	GF1W	1/2" (15mm)		White	\$S 14.51

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	\$S 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	\$S 14.51
6800840000	GF2W	1/2" (15mm)		White	\$S 14.51

<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	\$S 27.97
6801417200	FPW	Push-On Thread Off		White	\$S 27.97

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49 CCP K4.9 (71) THREADS 1/2" (15MM) R3516</b>					
CM151728S9	49CCP1N	155°F	68°C	Bronze	\$S 71.77

6880060000	WGFR	WRENCH,GFR2,RECESSED,CONCEALED,SP			\$S439.21
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			\$S 145.27

<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	\$S119.38
6887161318	CCP0W76	135°F	57°C	White	\$S 46.52
6887161390	CCP0SP76	135°F	57°C	Specialty	\$S 78.13
6887171321	CCP05C76	135°F	57°C	Chrome	\$S119.38
6887171318	CCP05W76	135°F	57°C	White	\$S 46.52
6887171390	CCP05SP76	135°F	57°C	Specialty	\$S 78.13




### F1RES 44 HSW & REC HSW

- See Bulletins 135 & 176



### KRES44 HSW & REC HSW

- See Bulletins 935
- SIN RA3591
- Link version



### F1RES 44 SWC

- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) R3531</b>					
CV521125S9	44BN	155°F	68°C	Bronze	S\$ 81.75
CV522125S9	44CN	155°F	68°C	Chrome	S\$ 81.81
CV528725S9	44WN	155°F	68°C	White	S\$ 81.81
CV531125S9	44B5N	175°F	79°C	Bronze	S\$ 81.75
CV532125S9	44C5N	175°F	79°C	Chrome	S\$ 81.81
CV538725S9	44W5N	175°F	79°C	White	S\$ 81.81

6880100120	WW4	WRENCH,W4,RECESSED,CONCEALED			S\$439.21
6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			S\$ 145.27

<b>MODEL KRES44 HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3591</b>					
MV521125R9	KRES441B	165°F	74°C	Bronze	S\$ 81.75
MV522125R9	KRES441C	165°F	74°C	Chrome	S\$ 81.81
MV528725R9	KRES441W	165°F	74°C	White	S\$ 81.81

6880050100	WW2	WRENCH,W2(PENDENT,UPRIGHT,HSW)			S\$ 145.27
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			S\$439.21

<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)		White	S\$ 14.51

<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 27.97
6801417200	FPW	Push-On Thread Off		White	S\$ 27.97

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL SWC 44 RES K4.4 (63) THREADS 1/2" R3531</b>					
CM521725S9	SWC44N	155°F	68°C	Bronze	S\$ 80.18
CM531725S9	SWC445N	175°F	79°C	Bronze	S\$ 80.18
<b>REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC</b>					
6887131318	CHWNS	135°F	57°C	White	S\$ 48.10
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 72.12
<b>REQUIRED COVERPLATES (1/2" ADJUSTMENT) SWC-2</b>					
6887251318	SWC2W	135°F	57°C	White	S\$ 48.10



### F1RES 58 CCP

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58 CONCEALED CCP K5.8 (84) THREADS 1/2" (15MM) R3513</b>					
CM15173199	58CCP1	155°F	68°C	Bronze	S\$ 71.77
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 119.38
6887161318	CCP0W76	135°F	57°C	White	S\$ 46.52
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 78.13
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 119.38
6887171318	CCP05W76	135°F	57°C	White	S\$ 46.52
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 78.13

6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED S\$ 439.21



### F1RES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3533**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58 HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) R3533</b>					
CV521131S9	58H1BN	155°F	68°C	Bronze	S\$ 81.75
CV522131S9	58H1CN	155°F	68°C	Chrome	S\$ 81.81
CV528731S9	58H1WN	155°F	68°C	White	S\$ 81.81
CV53113199	58H5B	175°F	79°C	Bronze	S\$ 81.75
CV53213199	58H5C	175°F	79°C	Chrome	S\$ 81.81
CV538731S9	58H5WN	175°F	79°C	White	S\$ 81.81
<b>MODEL KRES58 HORIZONTAL K5.8 (84) THREADS 1/2" RA3503 LINK</b>					
MV521131R9	KRES58H1B	165°F	74°C	Bronze	S\$ 81.75
MV522131R9	KRES58H1C	165°F	74°C	Chrome	S\$ 81.81
MV528731R9	KRES58H1W	165°F	74°C	White	S\$ 81.81



### KRES 58 HSW & REC HSW

- K-Factor = 5.8 (84)
- **SIN R3503**
- Link Version

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58 PENDENT K5.8 (84) THREADS 1/2" R3513</b>					
CV151131S9	58P1BN	155°F	68°C	Bronze	S\$ 79.25
CV152131S9	58P1CN	155°F	68°C	Chrome	S\$ 79.84
CV158731S9	58P1WN	155°F	68°C	White	S\$ 79.84
CV17113199	58P5B	175°F	79°C	Bronze	S\$ 79.25
CV17213199	58P5C	175°F	79°C	Chrome	S\$ 79.84
CV178731S9	58P5WN	175°F	79°C	White	S\$ 79.84
<b>MODEL KRES58 PENDENT K5.8 (84) THREADS 1/2" R3593 LINK</b>					
MV161131R9	KRES58P1B	165°F	74°C	Bronze	S\$ 79.25
MV162131R9	KRES58P1C	165°F	74°C	Chrome	S\$ 79.84
MV168731R9	KRES58P1W	165°F	74°C	White	S\$ 79.84
MV211131R9	KRES58P2B	212°F	100°C	Bronze	S\$ 79.25
MV212131R9	KRES58P2C	212°F	100°C	Chrome	S\$ 79.84
MV218731R9	KRES58P2W	212°F	100°C	White	S\$ 79.84



### F1RES 58 SP PENDENT

- K-Factor = 5.8 (84)
- **SIN R3513**
- See Bulletin 135

Part Number	Short Code	Temperature	Finish	List Price
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>				
6800830000	GF2B	1/2" (15mm)	Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)	Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)	White	S\$ 14.51
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>				
6801412100	FPC	Push-On Thread Off	Chrome	S\$ 27.97
6801417200	FPW	Push-On Thread Off	White	S\$ 27.97

6880050100 WW2 WRENCH,W2(PENDENT,UPRIGHT,HSW) S\$ 145.27  
 6880100120 WW4 WRENCH,W4,RECESSED,CONCEALED S\$ 439.21  
 6880100100 WW1 WRENCH,W1 (RECESSED PENDENT,CCP,& HSW) S\$ 439.21



### F1RES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3533**
- See Bulletin 135
- **Bulb Version**



### KRES 58 HSWX

- K-Factor = 5.8 (84)
- **SIN RA3593**
- See Bulletin 935
- **Link Version**

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3533</b>					
CV62113199	58H1BX	155°F	68°C	Bronze	S\$105.86
CV62213199	58H1CX	155°F	68°C	Chrome	S\$115.64
CV62873199	58H1WX	155°F	68°C	White	S\$115.64
CV63113199	58H5BX	175°F	79°C	Bronze	S\$105.86
CV63213199	58H5CX	175°F	79°C	Chrome	S\$115.64
CV63873199	58H5WX	175°F	79°C	White	S\$115.64
<b>MODEL KRES58X HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3593</b>					
MV62113199	K58H1BX	165°F	74°C	Bronze	S\$105.86
MV62213199	K58H1CX	165°F	74°C	Chrome	S\$115.64
MV62873199	K58H1WX	165°F	74°C	White	S\$115.64
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)		White	S\$ 14.51
<b>MODEL FV RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801720600	FVB	1/2" (15mm)		Bronze	S\$ 25.40
6801722100	FVC	1/2" (15mm)		Chrome	S\$ 16.93
6801728700	FVW	1/2" (15mm)		White	S\$ 16.93

6880050100	WW2	Requires Model WW2 Sprinkler Wrench			S\$ 145.27
6880060000	WGFR	For Recessed & Concealed Use Model GFR2 Wrench			S\$ 439.21
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)			S\$ 439.21

\* Low flow residential horizontal sidewall sprinklers engineered to provide a minimum design density of 0.05 gpm/ft<sup>2</sup> over the listed coverage areas



### F1RES 76 Pendant & Recessed Pendant

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176



### F1RES 76 CCP

- K-Factor = 7.6 (109)
- **SIN R7618**
- See Bulletins 135 & 176

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES76 PENDENT K7.6 (109) THREADS 3/4" (20MM) R7618</b>					
CV15113298	76P1B	155°F	68°C	Bronze	S\$ 80.63
CV15213298	76P1C	155°F	68°C	Chrome	S\$ 85.69
CV15873298	76P1W	155°F	68°C	White	S\$ 85.69
CV17113298	76P5B	175°F	79°C	Bronze	S\$ 80.63
CV17213298	76P5C	175°F	79°C	Chrome	S\$ 85.69
CV17873298	76P5W	175°F	79°C	White	S\$ 85.69
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6801030000	GF1LB	3/4"Adjustment		Bronze	S\$ 26.89
6801000000	GF1LC	3/4"Adjustment		Chrome	S\$ 14.51
6801040000	GF1LW	3/4"Adjustment		White	S\$ 14.51
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800880004	GF2LB	1/2"Adjustment		Bronze	S\$ 26.89
6800880001	GF2LC	1/2"Adjustment		Chrome	S\$ 14.51
6800880005	GF2LW	1/2"Adjustment		White	S\$ 14.51
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801402100	FPLC	Push-On Thread Off		Chrome	S\$ 27.97
6801407200	FPLW	Push-On Thread Off		White	S\$ 27.97

6880050100	WW2	Requires Model WW2 Sprinkler Wrench		S\$ 145.27
6880100120	WW4	For Recessed Use Model GFR2 Wrench		S\$ 439.21
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)		S\$ 439.21

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES76 HORIZONTAL CCP K7.6 (109) THREADS 3/4" (20MM) R7618</b>					
CM15173298	76CCP1	155°F	68°C	Bronze	S\$ 100.81
CM17173298	76CCP5	175°F	79°C	Bronze	S\$ 100.81
<b>MODEL CCP CONICAL CONCEALED COVERPLATES 5/16" ADJUSTMENT</b>					
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 119.38
6887171318	CCP05W76	135°F	57°C	White	S\$ 46.52
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 78.13
<b>MODEL CCP CONICAL CONCEALED COVERPLATES 1/2" ADJUSTMENT</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 119.38
6887161318	CCP0W76	135°F	57°C	White	S\$ 46.52

6880060000	WGFR	Requires GFR2 Wrench		S\$ 439.21
------------	------	----------------------	--	------------

**Notes:**

Sprinkler and coverplates sold and packaged separately



**RFC Series Residential Sprinklers Flat Cover Plate, Concealed Pendant Sprinklers**



Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFC30 FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA0611</b>					
1816172197	RFC30	165°F	74°C	Bronze	S\$102.39
<b>MODEL RFC43 FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA0612</b>					
1816172597	RFC43	165°F	74°C	Bronze	S\$102.39
1821172597	RFC432	212°F	100°C	Bronze	S\$102.39
<b>MODEL RFC49 FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA0616</b>					
1816172697	RFC49	165°F	74°C	Bronze	S\$102.39
1821172697	RFC492	212°F	100°C	Bronze	S\$102.39
<b>MODEL RFC58 FLAT CONCEALED K5.8 (84) THREADS 1/2" (15MM) RA0613</b>					
1816172997	RFC581	165°F	74°C	Bronze	S\$102.39
1821172997	RFC582	212°F	100°C	Bronze	S\$102.39
<b>MODEL RFC76 FLAT CONCEALED K7.6 (109) THREADS 3/4" (20MM) RA0618</b>					
1816173198	RFC761	165°F	74°C	Bronze	S\$161.24
1821173198	RFC762	212°F	100°C	Bronze	S\$161.24

**RFC30**

- K-Factor = 3.0 (43)
- **SIN RA0611**
- See Bulletin 006

**RFC43**

- K-Factor = 4.3 (62)
- **SIN RA0612**
- See Bulletin 006

**RFC49**

- K-Factor = 4.9 (70)
- **SIN RA0616**
- See Bulletin 006

**RFC58**

- K-Factor = 5.8 (84)
- **SIN RA0613**
- See Bulletin 006

**RFC76**

- K-Factor = 7.6 (109)
- **SIN RA0618**
- See Bulletin 006

6880170020	WFC	WRENCH,FC,CONCEALED			S\$ 437.51
6880100110	W3	WRENCH W3 FOR WRENCH-ABLE PROTECTIVE CAP			S\$ 437.51
6880103000	W8	WRENCH,W8, RFC PLASTIC SERVICE WRENCH			S\$ 273.80

<b>MODEL G5 COVER PLATES</b>					
6887271321	CG50C	135°F	57°C	Chrome	S\$ 51.34
6887271372	CG50W	135°F	57°C	White	S\$ 51.34
6887271311	CG50B	135°F	57°C	Bronze	S\$ 70.60
6887271374	CG50OW	135°F	57°C	Off-White	S\$ 69.83
6887271390	CG50SP	135°F	57°C	Specialty	S\$ 70.02
6887271316	CG50FB	135°F	57°C	Black Painted	S\$ 69.93
6887271367	CG50BP	135°F	57°C	Black Plated	S\$ 85.46
6887271305	CG50BB	135°F	57°C	Bright Brass	S\$ 85.46
6887271323	CG50CD	135°F	57°C	Satin Chrome	S\$ 85.46
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$ 85.46
6887271621	CG51C	165°F	74°C	Chrome	S\$ 51.34
6887271672	CG51W	165°F	74°C	White	S\$ 51.34
6887271611	CG51B	165°F	74°C	Bronze	S\$ 70.60
6887271674	CG51OW	165°F	74°C	Off-White	S\$ 69.83
6887271690	CG51SP	165°F	74°C	Specialty	S\$ 70.02
6887271616	CG51FB	165°F	74°C	Black Painted	S\$ 69.93
6887271667	CG51BP	165°F	74°C	Black Plated	S\$ 85.46
6887271605	CG51BB	165°F	74°C	Bright Brass	S\$ 85.46
6887271623	CG51CD	165°F	74°C	Satin Chrome	S\$ 85.46
6887271610	CG51SS	165°F	74°C	Stainless Steel	S\$ 85.46

**For the Residential sprinkler design and installation guide see Bulletin 140**

- Note: Sprinkler and coverplates sold and packaged separately



**RFS42 Residential  
 Flat Plate  
 Concealed HSW**

- K-Factor = 4.2 (60)
- **SIN RA4835**
- See Bulletin 048

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFS42 HSW CONCEALED K4.2 (60) THREADS 1/2" (15MM) RA4835</b>					
2216172499	RFS42	165°F	74°C	Bronze	S\$ 204.44
<b>MODEL RFS42 COVERPLATES</b>					
6887231311	CRFS0B	135°F	57°C	Bronze	S\$ 71.61
6887231321	CRFS0C	135°F	57°C	Chrome	S\$ 70.95
6887231372	CRFS0W	135°F	57°C	White	S\$ 70.95

**Notes:**

Sprinklers and coverplates sold and packaged separately

**NEW**





## F3RES44 DRY HSW

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 1" (IS07-R1) RA5231</b>			
HP[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 546.88
HP[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 546.88
HP[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 546.88
HP[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 563.97
HP[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 563.97
HP[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 563.97
HP[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 581.05
HP[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 581.05
HP[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 581.05
HP[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 598.15
HP[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 598.15
HP[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 598.15
HP[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 615.23
HP[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 615.23
HP[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 615.23
HP[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 632.33
HP[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 632.33
HP[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 632.33
HP[TEMP]11[DIM]	21" to 24"	Bronze	S\$ 649.41
HP[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 649.41
HP[TEMP]08[DIM]	21" to 24"	White	S\$ 649.41
<b>MODEL F3RES44 DRY HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HP5[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 546.88
HP5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 546.88
HP5[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 546.88
HP5[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 563.97
HP5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 563.97
HP5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 563.97
HP5[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 581.05
HP5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 581.05
HP5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 581.05
HP5[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 598.15
HP5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 598.15
HP5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 598.15
HP5[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 615.23
HP5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 615.23
HP5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 615.23
HP5[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 632.33
HP5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 632.33
HP5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 632.33
HP5[TEMP]11[DIM]	21" to 24"	Bronze	S\$ 649.41
HP5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 649.41
HP5[TEMP]08[DIM]	21" to 24"	White	S\$ 649.41

6880130001      WF3R      Requires Model F3R Wrench      S\$      232.43

\* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F3RES44 DRY  
 RECESSED HSW /  
 F2**

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

**PRICING  
 INCLUDES F2  
 ESCUTCHEON**

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 1"(ISO 7-R1) RA5231</b>			
HR[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 498.88
HR[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 491.64
HR[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 491.64
HR[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 533.06
HR[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 525.82
HR[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 525.82
HR[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 553.57
HR[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 546.34
HR[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 546.34
HR[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 574.07
HR[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 566.85
HR[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 566.85
HR[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 598.00
HR[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 590.77
HR[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 590.77
HR[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 618.51
HR[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 611.28
HR[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 611.28
HR[TEMP]11[DIM]	21" to 24"	Bronze	S\$ 639.01
HR[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 631.78
HR[TEMP]08[DIM]	21" to 24"	White	S\$ 631.78
<b>MODEL F3RES44 DRY REC HORIZONTAL K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HR5[TEMP]11[DIM]	2" to 5-3/4"	Bronze	S\$ 498.88
HR5[TEMP]21[DIM]	2" to 5-3/4"	Chrome	S\$ 478.52
HR5[TEMP]08[DIM]	2" to 5-3/4"	White	S\$ 478.52
HR5[TEMP]11[DIM]	6" to 8-3/4"	Bronze	S\$ 533.06
HR5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 512.70
HR5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 512.70
HR5[TEMP]11[DIM]	9" to 11-3/4"	Bronze	S\$ 553.57
HR5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 533.20
HR5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 533.20
HR5[TEMP]11[DIM]	12" to 14-3/4"	Bronze	S\$ 574.07
HR5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 553.71
HR5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 553.71
HR5[TEMP]11[DIM]	15" to 17-3/4"	Bronze	S\$ 598.00
HR5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 577.63
HR5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 577.63
HR5[TEMP]11[DIM]	18" to 20-3/4"	Bronze	S\$ 618.51
HR5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 598.15
HR5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 598.15
HR5[TEMP]11[DIM]	21" to 24"	Bronze	S\$ 639.01
HR5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 618.66
HR5[TEMP]08[DIM]	21" to 24"	White	S\$ 618.66
6880070100	WXLO	Requires Model XLO2 Wrench	S\$ 230.71



**F3RES44 DRY HSW / HB**

- K-Factor = 4.4 (63)
- **SIN RA5231**
- See Bulletin 052

Part Number	Size	Finish	List Price
<b>MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 1" (ISO 7-R1) RA5231</b>			
HQ[TEMP]21[DIM]	3-1/2" to 5-3/4"	Chrome	S\$ 495.61
HQ[TEMP]08[DIM]	3 1/2" to 5-3/4"	White	S\$ 495.61
HQ[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 519.53
HQ[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 519.53
HQ[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 540.05
HQ[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 540.05
HQ[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 560.55
HQ[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 560.55
HQ[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 581.05
HQ[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 581.05
HQ[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 601.56
HQ[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 601.56
HQ[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 622.06
HQ[TEMP]08[DIM]	21" to 24"	White	S\$ 622.06
<b>MODEL F3RES44 DRY HORIZONTAL HB K4.4 (63) THREADS 3/4" (ISO 7-R3/4) RA5231</b>			
HQ5[TEMP]21[DIM]	4-1/4" to 5-3/4"	Chrome	S\$ 495.61
HQ5[TEMP]08[DIM]	4-1/4" to 5-3/4"	White	S\$ 495.61
HQ5[TEMP]21[DIM]	6" to 8-3/4"	Chrome	S\$ 519.53
HQ5[TEMP]08[DIM]	6" to 8-3/4"	White	S\$ 519.53
HQ5[TEMP]21[DIM]	9" to 11-3/4"	Chrome	S\$ 540.05
HQ5[TEMP]08[DIM]	9" to 11-3/4"	White	S\$ 540.05
HQ5[TEMP]21[DIM]	12" to 14-3/4"	Chrome	S\$ 560.55
HQ5[TEMP]08[DIM]	12" to 14-3/4"	White	S\$ 560.55
HQ5[TEMP]21[DIM]	15" to 17-3/4"	Chrome	S\$ 581.05
HQ5[TEMP]08[DIM]	15" to 17-3/4"	White	S\$ 581.05
HQ5[TEMP]21[DIM]	18" to 20-3/4"	Chrome	S\$ 601.56
HQ5[TEMP]08[DIM]	18" to 20-3/4"	White	S\$ 601.56
HQ5[TEMP]21[DIM]	21" to 24"	Chrome	S\$ 622.06
HQ5[TEMP]08[DIM]	21" to 24"	White	S\$ 622.06
<b>REQUIRED SKIRTS</b>			
6999994454	SKIRTC	Chrome	S\$ 2.19
6999994881	SKIRTW	White	S\$ 2.27

6880130001      WF3R      Requires Model F3R Wrench      S\$ 232.43

\* Note: Model F3 wrenches are not compatible with the F3RES44 Dry sprinklers.



**F1RES 30 LL  
 Pendant &  
 Recessed Pendant**

- K-Factor = 3.0 (43)
- **SIN RA3311**
- See Bulletin 033



**F1RES 30 LL CCP**

- K-Factor = 3.0 (43)
- **SIN RA3311**
- Low Lead Sprinklers
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES30LL PENDENT K3.0 (43) THREADS 1/2" (15MM) RA3311</b>					
CV151121P9	30BLL	155°F	68°C	Bronze	S\$ 124.65
CV152121P9	30CLL	155°F	68°C	Chrome	S\$ 132.94
CV158721P9	30WLL	155°F	68°C	White	S\$ 132.94
CV171121P9	30B5LL	175°F	79°C	Bronze	S\$ 124.65
CV172121P9	30C5LL	175°F	79°C	Chrome	S\$ 132.94
CV178721P9	30W5LL	175°F	79°C	White	S\$ 132.94
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)		White	S\$ 14.51
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 27.97
6801417200	FPW	Push-On Thread Off		White	S\$ 27.97

6880050100	WW2	Requires Model W2 Sprinkler Wrench		S\$ 145.27
6880100120	WW4	For Recessed Use Model GFR2 Wrench		S\$ 439.21

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES30LL HORIZONTAL CCP K3.0 (43) THREADS 1/2" (15MM) RA3311</b>					
CM151721P9	30CCP1LL	155°F	68°C	Bronze	S\$ 132.94
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 119.38
6887161318	CCP0W76	135°F	57°C	White	S\$ 46.52
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 78.13
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 119.38
6887171318	CCP05W76	135°F	57°C	White	S\$ 46.52
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 78.13

6880060000	WGFR	For Recessed Use Model GFR2 Wrench		S\$ 439.21
------------	------	------------------------------------	--	------------



**F1RES 49 LL  
 Pendent &  
 Recessed Pendant**

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033



**F1RES 49 LL CCP**

- K-Factor = 4.9 (70)
- **SIN RA3316**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49LL PENDENT K4.9 (70) THREADS 1/2" (15MM) RA3316</b>					
CV151128P9	49BLL	155°F	68°C	Bronze	S\$ 124.65
CV152128P9	49CLL	155°F	68°C	Chrome	S\$ 132.94
CV158728P9	49WLL	155°F	68°C	White	S\$ 132.94
CV171128P9	49B5LL	175°F	79°C	Bronze	S\$ 124.65
CV172128P9	49C5LL	175°F	79°C	Chrome	S\$ 132.94
CV178728P9	49W5LL	175°F	79°C	White	S\$ 132.94
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	S\$ 26.89
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 14.51
6800640001	GF1W	1/2" (15mm)		White	S\$ 14.51
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)		White	S\$ 14.51
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 27.97
6801417200	FPW	Push-On Thread Off		White	S\$ 27.97

6880050100	WW2	Requires Model W2 Sprinkler Wrench		S\$ 145.27
6880100120	WW4	For Recessed Use Model GFR2 Wrench		S\$ 439.21

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES49LL PENDENT CCP K4.9 (70) THREADS 1/2" (15MM) RA3316</b>					
CM151728P9	49CCP1LL	155°F	68°C	Bronze	S\$ 132.94
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 119.38
6887161318	CCP0W76	135°F	57°C	White	S\$ 46.52
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 78.13
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 119.38
6887171318	CCP05W76	135°F	57°C	White	S\$ 46.52
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 78.13

6880060000	WGFR	For Recessed Use Model GFR2 Wrench		S\$ 439.21
------------	------	------------------------------------	--	------------



**F1RES 44 LL HSW  
& REC HSW**

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033



**F1RES 44 LL SWC**

- K-Factor = 4.4 (63)
- **SIN RA3331**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES44LL HORIZONTAL K4.4 (63) THREADS 1/2" (15MM) RA3331</b>					
CV521125P9	44BLL	155°F	68°C	Bronze	S\$ 128.81
CV522125P9	44CLL	155°F	68°C	Chrome	S\$ 135.02
CV528725P9	44WLL	155°F	68°C	White	S\$ 135.02
CV531125P9	44B5LL	175°F	79°C	Bronze	S\$ 128.81
CV532125P9	44C5LL	175°F	79°C	Chrome	S\$ 135.02
CV538725P9	44W5LL	175°F	79°C	White	S\$ 135.02
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)		White	S\$ 14.51
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 27.97
6801417200	FPW	Push-On Thread Off		White	S\$ 27.97

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES44LL SWC K4.4 (63) THREADS 1/2" (15MM) RA3331</b>					
CM521725P9	SWC44LL	155°F	68°C	Bronze	S\$135.02
<b>MODEL F1RES44LL COVERPLATES 1/2" ADJUSTMENT</b>					
6887131318	CHWNS	135°F	57°C	White	S\$ 48.10
6887131390	CHSPNS	135°F	57°C	Specialty	S\$ 72.12

6880050100	WW2	Requires Model W2 Sprinkler Wrench			S\$ 145.27
6880060000	WGFR	For Recessed & Concealed Use Model GFR2 Wrench			S\$ 439.21



**F1RES 58 LL  
Pendent &  
Recessed Pendent**

- K-Factor = 5.8 (84)
- **SIN RA3313**
- See Bulletin 033



**F1RES 58 LL CCP**

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033



**F1RES 58 LL HSW  
& REC HSW**

- K-Factor = 5.8 (84)
- **SIN RA3333**
- See Bulletin 033

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58LL PENDENT K5.8 (84) THREADS 1/2" (15MM) RA3313</b>					
CV151131P9	58P1BLL	155°F	68°C	Bronze	S\$ 124.65
CV152131P9	58P1CLL	155°F	68°C	Chrome	S\$ 132.94
CV158731P9	58P1WLL	155°F	68°C	White	S\$ 132.94
CV171131P9	58P5BLL	175°F	79°C	Bronze	S\$ 124.65
CV172131P9	58P5CLL	175°F	79°C	Chrome	S\$ 132.94
CV178731P9	58P5WLL	175°F	79°C	White	S\$ 132.94
<b>MODEL F1 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800630001	GF1B	1/2" (15mm)		Bronze	S\$ 26.89
6800600001	GF1C	1/2" (15mm)		Chrome	S\$ 14.51
6800640001	GF1W	1/2" (15mm)		White	S\$ 14.51
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)		White	S\$ 14.51
<b>MODEL FP PUSH-ON / THREAD-OFF ESCUTCHEONS</b>					
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 27.97
6801417200	FPW	Push-On Thread Off		White	S\$ 27.97

6880050100	WW2	Requires Model W2 Sprinkler Wrench		S\$ 145.27
6880060000	WGFR	For Recessed Use Model GFR2 Wrench		S\$ 439.21

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58LL CCP K5.8 (84) THREADS 1/2" (15MM) RA3333</b>					
CM151731P9	58CCP1LL	155°F	68°C	Bronze	S\$ 132.94
<b>MODEL CCP CONICAL CONCEALED COVERPLATES</b>					
6887161321	CCP0C76	135°F	57°C	Chrome	S\$ 119.38
6887161318	CCP0W76	135°F	57°C	White	S\$ 46.52
6887161390	CCP0SP76	135°F	57°C	Specialty	S\$ 78.13
6887171321	CCP05C76	135°F	57°C	Chrome	S\$ 119.38
6887171318	CCP05W76	135°F	57°C	White	S\$ 46.52
6887171390	CCP05SP76	135°F	57°C	Specialty	S\$ 78.13

6880060000	WGFR	Requires Model GFR2 Wrench		S\$ 439.21
------------	------	----------------------------	--	------------

Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL F1RES58LL HORIZONTAL K5.8 (84) THREADS 1/2" (15MM) RA3333</b>					
CV521131P9	58H1BLL	155°F	68°C	Bronze	S\$128.81
CV522131P9	58H1CLL	155°F	68°C	Chrome	S\$135.02
CV528731P9	58H1WLL	155°F	68°C	White	S\$135.02
CV531131P9	58H5BLL	175°F	79°C	Bronze	S\$128.81
CV532131P9	58H5CLL	175°F	79°C	Chrome	S\$135.02
CV538731P9	58H5WLL	175°F	79°C	White	S\$135.02
<b>MODEL F2 RECESSED ESCUTCHEONS &amp; COLLAR ASSEMBLY</b>					
6800830000	GF2B	1/2" (15mm)		Bronze	S\$ 26.89
6800800000	GF2C	1/2" (15mm)		Chrome	S\$ 14.51
6800840000	GF2W	1/2" (15mm)		White	S\$ 14.51
6801412100	FPC	Push-On Thread Off		Chrome	S\$ 27.97
6801417200	FPW	Push-On Thread Off		White	S\$ 27.97

6880050100	WW2	Requires Model W2 Sprinkler Wrench		S\$ 145.27
6880060000	WGFR	For Recessed & Concealed Use Model GFR2 Wrench		S\$ 439.21
6880100100	WW1	WRENCH,W1 (RECESSED PENDENT,CCP,& HSW)		S\$ 29.21



**RFC30 LL Flat Concealed**

- K-Factor = 3.0 (43)
- **SIN RA3211**
- See Bulletin 006


Part Number	Short Code	Temperature		Finish	List Price
<b>MODEL RFC30LL FLAT CONCEALED K3.0 (43) THREADS 1/2" (15MM) RA3211</b>					
18161721P7	RFC30LL	165°F	74°C	Bronze	S\$ 155.80
<b>MODEL RFC43LL FLAT CONCEALED K4.3 (62) THREADS 1/2" (15MM) RA3212</b>					
18161725P7	RFC43LL	165°F	74°C	Bronze	S\$ 155.80
<b>MODEL RFC49LL FLAT CONCEALED K4.9 (70) THREADS 1/2" (15MM) RA3216</b>					
18161726P7	RFC49LL	165°F	74°C	Bronze	S\$ 155.80
18211726P7	RFC492LL	212°F	100°C	Bronze	S\$ 155.80
<b>REQUIRED COVERPLATES</b>					
6887271372	CG50W	135°F	57°C	White	S\$ 51.34
6887271310	CG50SS	135°F	57°C	Stainless Steel	S\$ 85.46

Specifically Listed for use in Multi-Purpose Systems that serve both domestic water and fire protection



**RFC43 LL Flat Concealed**

- K-Factor = 4.3 (62)
- **SIN RA3212**
- See Bulletin 006



**RFC49 LL Flat Concealed**

- K-Factor = 4.9 (70)
- **SIN RA3216**
- See Bulletin 006